

SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Revision Date 09/25/2020 Page 1 of 19 Print Date 09/26/2020

SAFETY DATA SHEET

GEON 68929 NAT 0210

Section 1. Identification

GHS product identifier : GEON 68929 NAT 0210

Chemical name: MixtureCAS number: MixtureOther means of identification: 6892900B0210

Product type : solid

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications. Plastics.

Supplier's details : GEON Performance Solutions LLC

25777 Detroit Road Suite 202, Westlake, Ohio 44145

1-800-GET-GEON or 1-800-438-4366

Emergency telephone number (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the substance or

mixture

Not classified.

GHS label elements



SAFETY DATA SHEET

GEON 68929 NAT 0210

 Version Number 2.9
 Page 2 of 19

 Revision Date 09/25/2020
 Print Date 09/26/2020

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

General : Not applicable.

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Supplemental label elements : None known.

Hazards not otherwise classified : None known.

Not available.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture
Chemical name : Mixture

Other means of identification : 6892900B0210

CAS number/other identifiers

| Ingredient name | % | CAS number |
|-----------------------|---------|------------|
| Antimony trioxide | 5 - 10 | 1309-64-4 |
| Dibutyltin mercaptide | 1 - 3 | 10584-98-2 |
| Styrene | 0 - 0.3 | 100-42-5 |
| Talc | 0 - 0.3 | 14807-96-6 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Page 3 of 19 Revision Date 09/25/2020 Print Date 09/26/2020

Section 4. First aid measures

Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

3/19



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Revision Date 09/25/2020

Page 4 of 19 Print Date 09/26/2020

suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or CO₂.

None known.

Specific hazards arising from the chemical

No specific fire or explosion hazard.

Hazardous thermal decomposition products May emit Hydrogen Chloride (HCl).

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

halogenated compounds metal oxide/oxides

Special protective actions for firefighters

Promptly isolate the scene by removing all persons from the vicinity

of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel No action shall be taken involving any personal risk or without

> suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take note For emergency responders

of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, **Environmental precautions**

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Revision Date 09/25/2020 Page 5 of 19 Print Date 09/26/2020

Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and

place in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill : Move containers from spill area. Prevent entry into sewers, water

courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Advice on general occupational

hygiene

: Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-------------------|---|
| Antimony trioxide | NIOSH REL (1994-06-01) TWA 0.5 mg/m3 OSHA PEL 1989 (1989-03-01) TWA 0.5 mg/m3 (as antimony) OSHA PEL (1993-06-30) |

5/19



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Revision Date 09/25/2020

Page 6 of 19 Print Date 09/26/2020

| | TWA 0.5 mg/m3 (as antimony) |
|-----------------------|---|
| Dibutyltin mercaptide | ACGIH TLV (1996-05-18) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) ACGIH TLV (1994-09-01) Absorbed through skin. STEL 0.2 mg/m3 (as Sn) NIOSH REL (1994-06-01) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) OSHA PEL 1989 (1989-03-01) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) Form: Organic. OSHA PEL (1993-06-30) TWA 0.1 mg/m3 (as Sn) |
| Tale | OSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic foot Form: not/asb OSHA PEL Z3 (1997-09-03) STEL 1 fiber/cm3: refers to respirable fibers having a diameter of < 3 μm (micrometers) and a fiber length > 5 μm (micrometers), and the length/diameter ratio ≥/= 3/1 Form: not/asb TWA 0.1 fiber/cm3: refers to respirable fibers having a diameter of < 3 μm (micrometers) and a fiber length > 5 μm (micrometers), and the length/diameter ratio ≥/= 3/1 Form: con/asb STEL 1 fiber/cm3: refers to respirable fibers having a diameter of < 3 μm (micrometers) and a fiber length > 5 μm (micrometers), and the length/diameter ratio ≥/= 3/1 Form: con/asb ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fiber/cm3: refers to respirable fibers having a diameter of < 3 μm (micrometers) and a fiber length > 5 μm (micrometers), and the length/diameter ratio ≥/= 3/1 Form: respiratble fibre NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction |
| Styrene | ACGIH TLV (1997-05-21) TWA 20 ppm STEL 40 ppm NIOSH REL (1994-06-01) |
| | TWA 215 mg/m3 50 ppm 6/19 |



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Revision Date 09/25/2020 Page 7 of 19 Print Date 09/26/2020

| STEL 425 mg/m3 100 ppm OSHA PEL 1989 (1989-03-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL Z2 (1993-06-30) TWA 100 ppm CEIL 200 ppm |
|---|
| AMP 600 ppm |

Appropriate engineering controls

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



SAFETY DATA SHEET

GEON 68929 NAT 0210

 Version Number 2.9
 Page 8 of 19

 Revision Date 09/25/2020
 Print Date 09/26/2020

Respiratory protection: Based on the hazard and potential for exposure, select a respirator that

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper

fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state solid [Pellets.] Color NO PIGMENT Odor Not available. **Odor threshold** Not available. Not available. Hq Not available. **Melting point Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.SolubilityNot available.Solubility in waterNot available.Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Aerosol product

Heat of combustion : Not available.

Ignition distance : Not available. **Enclosed space ignition - Time** : Not available.

equivalent

Enclosed space ignition - Not available.

Deflagration density



SAFETY DATA SHEET

GEON 68929 NAT 0210

 Version Number 2.9
 Page 9 of 19

 Revision Date 09/25/2020
 Print Date 09/26/2020

Flame height : Not available.
Flame duration : Not available.

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Avoid contact with acetal homopolymers and acetyl homopolymers

during processing.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition

products products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------------------|-----------|--------------|----------|
| Styrene | | | | |
| | LD50 Oral | Rat | 2,650 mg/kg | = |
| | LC50 Inhalation | Rat | 2,770 ppm | 4 h |
| | LC50 Inhalation | Rat | 11.8 Mg/l | 4 h |
| Remarks - Dermal: | No applicable toxic | city data | | |
| Talc | | | | |
| Remarks - Oral: | No applicable toxicity data | | | |
| Remarks - Inhalation: | No applicable toxicity data | | | |
| Remarks - Dermal: | No applicable toxic | city data | | |
| Dibutyltin mercaptide | | | | |
| | LD50 Oral | Rat | 510 mg/kg | - |
| Remarks - Inhalation: | No applicable toxic | city data | | |
| Remarks - Dermal: | No applicable toxicity data | | | |
| Antimony trioxide | | | | |
| | LD50 Oral | Rat | 34,000 mg/kg | - |
| Remarks - Inhalation: | No applicable toxicity data | | | |



SAFETY DATA SHEET

GEON 68929 NAT 0210

 Version Number 2.9
 Page 10 of 19

 Revision Date 09/25/2020
 Print Date 09/26/2020

Remarks - Dermal: No applicable toxicity data

Conclusion/Summary: Mixture.Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|---------------|---------|-------|----------|-------------|
| Styrene | Eyes - Mild | Human | | | - |
| | irritant | | | | |
| | Skin - Mild | Rabbit | | | - |
| | irritant | | | | |
| | Skin - | Rabbit | | | - |
| | Moderate | | | | |
| | irritant | | | | |
| | Eyes - Severe | Rabbit | | | - |
| | irritant | | | | |
| | Eyes - | Rabbit | | 24 hrs | - |
| | Moderate | | | | |
| | irritant | | | | |
| Talc | Skin - Mild | Human | | 72 hrs | - |
| | irritant | | | | |
| Antimony trioxide | Eyes - Mild | Rabbit | | | - |
| | irritant | | | | |

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|--|
| Styrene | - | 2B | Reasonably anticipated to be a human carcinogen. |



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Page 11 of 19 Revision Date 09/25/2020 Print Date 09/26/2020

| Talc | - | 132B | - |
|-------------------|---|------|---|
| Antimony trioxide | - | 2B | - |

Reproductive toxicity

Conclusion/Summary : Mixture. Not fully tested.

Teratogenicity

Conclusion/Summary: Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of

exposure

Not available.

Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Revision Date 09/25/2020 Page 12 of 19 Print Date 09/26/2020

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture.Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|---------------------------|----------------------------------|------------------------|----------|
| Styrene | | | |
| | Acute LC50 4.02 Mg/l Fresh water | Fish - Fish | 96 h |
| Remarks - Acute - Fish: | Acute | | |
| | Acute EC50 0.0047 Mg/l Fresh | Aquatic invertebrates. | 48 h |
| | water | Daphnia | |
| Remarks - Acute - Aquatic | Acute | | _ |
| invertebrates.: | | | |
| | Acute LC50 52 Mg/l Marine water | Aquatic invertebrates. | 48 h |
| | | Crustaceans | |
| Remarks - Acute - Aquatic | Acute | | |
| invertebrates.: | | | |
| | Acute EC50 1.4 Mg/l Fresh water | Aquatic plants - Algae | 72 h |
| Remarks - Acute - Aquatic | Acute | | |
| plants: | | | |
| | Acute EC50 0.72 Mg/l Fresh water | Aquatic plants - Algae | 96 h |
| Remarks - Acute - Aquatic | Acute | | |
| plants: | | | |
| | | | |

12/19



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Revision Date 09/25/2020 Page 13 of 19 Print Date 09/26/2020

| | Acute NOEC 0.063 Mg/l Fresh | Aquatic plants - Algae | 96 h |
|---|--|--|----------------|
| | water | Aquatic plants - Algae | 70 II |
| Remarks - Acute - Aquatic | Chronic | | |
| plants: | Chrome | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | |
| Remarks - Chronic - | No applicable toxicity data | | |
| Aquatic invertebrates.: | Tto applicable toxicity data | | |
| Talc | | | |
| Remarks - Acute - Fish: | No applicable toxicity data | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | |
| invertebrates.: | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | |
| plants: | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | |
| Remarks - Chronic - | No applicable toxicity data | | |
| Aquatic invertebrates.: | | | |
| Dibutyltin mercaptide | | | |
| Remarks - Acute - Fish: | No applicable toxicity data | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | |
| invertebrates.: | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | |
| plants: | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | |
| | | | |
| Remarks - Chronic - | No applicable toxicity data | | |
| Aquatic invertebrates.: | No applicable toxicity data | | |
| | | | |
| Aquatic invertebrates.: | Acute LC50 > 530 Mg/l Fresh | Fish - Fish | 96 h |
| Aquatic invertebrates.: Antimony trioxide | Acute LC50 > 530 Mg/l Fresh water | Fish - Fish | 96 h |
| Aquatic invertebrates.: | Acute LC50 > 530 Mg/l Fresh water Acute | | |
| Aquatic invertebrates.: Antimony trioxide | Acute LC50 > 530 Mg/l Fresh water | Aquatic invertebrates. | 96 h 48 h |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water | | |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: Remarks - Acute - Aquatic | Acute LC50 > 530 Mg/l Fresh water Acute | Aquatic invertebrates. | |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water Acute | Aquatic invertebrates. Crustaceans | 48 h |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: Remarks - Acute - Aquatic | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water Acute Acute EC50 423.45 Mg/l Fresh | Aquatic invertebrates. Crustaceans Aquatic invertebrates. | |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: Remarks - Acute - Aquatic invertebrates.: | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water Acute Acute EC50 423.45 Mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water Acute Acute EC50 423.45 Mg/l Fresh | Aquatic invertebrates. Crustaceans Aquatic invertebrates. | 48 h |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: Remarks - Acute - Aquatic invertebrates.: | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water Acute EC50 423.45 Mg/l Fresh water Acute EC50 423.45 Mg/l Fresh water Acute | Aquatic invertebrates. Crustaceans Aquatic invertebrates. Daphnia | 48 h |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic invertebrates.: | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water Acute Acute EC50 423.45 Mg/l Fresh water | Aquatic invertebrates. Crustaceans Aquatic invertebrates. | 48 h |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water Acute EC50 423.45 Mg/l Fresh water Acute EC50 0.73 Mg/l Fresh water | Aquatic invertebrates. Crustaceans Aquatic invertebrates. Daphnia | 48 h |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic invertebrates.: | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water Acute EC50 423.45 Mg/l Fresh water Acute EC50 0.73 Mg/l Fresh water | Aquatic invertebrates. Crustaceans Aquatic invertebrates. Daphnia | 48 h |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic invertebrates.: | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water Acute EC50 423.45 Mg/l Fresh water Acute EC50 0.73 Mg/l Fresh water Acute EC50 0.73 Mg/l Fresh water Acute EC50 0.73 Mg/l Fresh water | Aquatic invertebrates. Crustaceans Aquatic invertebrates. Daphnia Aquatic plants - Algae | 48 h 48 h 72 h |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic plants: | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water Acute EC50 423.45 Mg/l Fresh water Acute EC50 0.73 Mg/l Fresh water Acute EC50 0.74 Mg/l Fresh water Acute EC50 0.74 Mg/l Fresh water Acute EC50 0.74 Mg/l Fresh water | Aquatic invertebrates. Crustaceans Aquatic invertebrates. Daphnia Aquatic plants - Algae Aquatic plants - Algae | 48 h 48 h 72 h |
| Aquatic invertebrates.: Antimony trioxide Remarks - Acute - Fish: Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic plants: | Acute LC50 > 530 Mg/l Fresh water Acute Acute EC50 560 Mg/l Fresh water Acute EC50 423.45 Mg/l Fresh water Acute EC50 0.73 Mg/l Fresh water Acute EC50 0.74 Mg/l Fresh water | Aquatic invertebrates. Crustaceans Aquatic invertebrates. Daphnia Aquatic plants - Algae | 48 h 48 h |



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Revision Date 09/25/2020 Page 14 of 19 Print Date 09/26/2020

| Remarks - Acute - Aquatic | Chronic |
|---------------------------|--|
| plants: | |
| Remarks - Chronic - Fish: | No applicable toxicity data |
| Remarks - Chronic - | No applicable toxicity data |
| Aquatic invertebrates.: | |
| GEON 68929 NAT 0210 | |
| Remarks - Acute - Aquatic | Chemicals are not readily available as they are bound within the polymer matrix. |
| invertebrates.: | |

Conclusion/Summary : Chemicals are not readily available as they are bound within the

polymer matrix.

Persistence and degradability

Conclusion/Summary: Chemicals are not readily available as they are bound within the

polymer matrix.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-------|-----------|
| Styrene | 0.35 | 13.49 | low |
| Dibutyltin mercaptide | 3.4 | - | low |

Mobility in soil

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Revision Date 09/25/2020 Page 15 of 19 Print Date 09/26/2020

contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR : Not regulated for transportation.

Ground/Air/Water

International Air : Consult mode specific transport rules ICAO/IATA

International Water

IMO/IMDG

: Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(f) - Priority risk review: Not listed

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Listed

Lead

United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

determined

United States - TSCA 8(a) - Preliminary assessment report

(PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR):

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed

United States - TSCA 4(a) - Final Test Rules: Not listed



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Revision Date 09/25/2020 Page 16 of 19 Print Date 09/26/2020

United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer

Lead Phenol Ethyl benzene Arsenic Acrylonitrile Antimony trioxide

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical:

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

Substances

Clean Air Act Section 602 Class II

Substances

DEA List I Chemicals (Precursor

Chemicals)

DEA List II Chemicals (Essential

Chemicals)

Listed

Not listed

Not listed

Not listed

: Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

| Chemical Name | CAS-No. | RQ for component | |
|-------------------|-----------|------------------|--|
| Antimony trioxide | 1309-64-4 | 1,000 lb(s) | |
| | | 454 kg | |
| | | | |
| Arsenic | 7440-38-2 | 1 lb(s) | |
| | | 0.454 kg | |
| | | _ | |

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Page 17 of 19 Revision Date 09/25/2020 Print Date 09/26/2020

No products were found.

| Name | % | Classification |
|-----------------------|--------------|--|
| Antimony trioxide | >= 5 - <= 10 | EYE IRRITATION - Category 2B |
| - | | CARCINOGENICITY - Category 2 |
| | | |
| Dibutyltin mercaptide | >= 1 - <= 3 | ACUTE TOXICITY - oral - Category 4 |
| | | |
| Talc | > 0 - <= 0.3 | CARCINOGENICITY - Category 2 |
| | | |
| Styrene | > 0 - <= 0.3 | FLAMMABLE LIQUIDS - Category 3 |
| | | ACUTE TOXICITY - inhalation - Category 4 |
| | | SKIN IRRITATION - Category 2 |
| | | EYE IRRITATION - Category 2A |
| | | CARCINOGENICITY - Category 2 |
| | | |

SARA 313

Form R - Reporting requirements

| Product name | CAS number | % |
|-------------------|------------|--------------|
| Lead | 7439-92-1 | > 0 - <= 0.1 |
| | | |
| Styrene | 100-42-5 | > 0 - <= 0.3 |
| | | |
| Antimony trioxide | 1309-64-4 | >= 5 - <= 10 |
| | | |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts: None of the components are listed.New York: The following components are listed:

Antimony trioxide

Styrene

New Jersey : The following components are listed:

Ethene, chloro-, homopolymer

Antimony trioxide

Talc Styrene

Pennsylvania : The following components are listed:

Styrene



SAFETY DATA SHEET

GEON 68929 NAT 0210

 Version Number 2.9
 Page 18 of 19

 Revision Date 09/25/2020
 Print Date 09/26/2020

Talc

Antimony trioxide

California Prop. 65

WARNING: This product can expose you to chemicals including Styrene, Talc, Antimony trioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable |
|-------------------|---------------------------|--------------------|
| | | dosage level |
| Styrene | Yes. | - |
| Talc | - | - |
| Antimony trioxide | - | - |

United States inventory (TSCA 8b) : All components are active or exempted.

Canada inventory : All components are listed or exempted.

International regulations

Inventory list

Australia: All components are listed or exempted.Canada: All components are listed or exempted.China: All components are listed or exempted.Europe inventory: All components are listed or exempted.

JapanNot determined.New ZealandNot determined.

PhilippinesAll components are listed or exempted.Republic of KoreaAll components are listed or exempted.

Taiwan : Not determined.
Turkey : Not determined.

United States : All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | / | 0 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |



SAFETY DATA SHEET

GEON 68929 NAT 0210

Version Number 2.9 Revision Date 09/25/2020 Page 19 of 19 Print Date 09/26/2020

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

History

Date of printing: 09/26/2020Date of issue/Date of revision: 09/25/2020Date of previous issue: 09/15/2015

Version : 2.9

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

 $IMDG = International \ Maritime \ Dangerous \ Goods$

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.