10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 1 of 17 Print Date 10/02/2020

SAFETY DATA SHEET

10057309 BLACK ANTISTAT

Section 1. Identification	on	
		10057309 BLACK ANTISTAT
GHS product identifier	•	
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC00004216
Product type	:	solid
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/17

10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 2 of 17 Print Date 10/02/2020

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General		Not applicable.
General	•	11
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC00004216

CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	10 - 25	1333-86-4
Lauric acid diethanolamide condensate	10 - 25	120-40-1
Diethanolamine	0 - 0.3	111-42-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures



10057309 BLACK ANTISTAT

Version Number 1.8	Page 3 of 17
Revision Date 10/01/2020	Print Date 10/02/2020

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)



10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 4 of 17 Print Date 10/02/2020

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : For emergency responders :	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions :	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
-------------	---	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

'ne

10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020

Page 5 of 17 Print Date 10/02/2020

Large spill

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Lauric acid diethanolamide condensate	None.
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06)



10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 6 of 17 Print Date 10/02/2020

Diethanolamine Appropriate engineering controls : Environmental exposure controls : Individual protection measures Hygiene measures :	OSHA PEL 1989 (1989-03-01) TWA 15 mg/m3 3 ppm NIOSH REL (1994-06-01) TWA 15 mg/m3 3 ppm ACGIH TLV (2008-11-24) Absorbed through skin. TWA 1 mg/m3 Form: Inhalable fraction and vapor Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end
Environmental exposure controls : Individual protection measures	 exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end
<u>Individual protection measures</u> Hygiene measures :	products, before eating, smoking and using the lavatory and at the end
Hygiene measures :	products, before eating, smoking and using the lavatory and at the end
Eye/face protection :	of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection :	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection :	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. 6/17

ne

10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 7 of 17 Print Date 10/02/2020

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

:

Appearance

Physical state	:	solid [Pellets.]
Color	:	BLACK
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
		Not available.
Auto-ignition temperature Decomposition temperature	:	Not available.
SADT		Not available.
Viscosity		Dynamic: Not available.
Viscosity	•	Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition -	:	Not available.
		7/17



10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 8 of 17 Print Date 10/02/2020

Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
Remarks - Oral:	No applicable tox	No applicable toxicity data					
Remarks - Inhalation:	No applicable tox	No applicable toxicity data					
Remarks - Dermal:	No applicable tox	No applicable toxicity data					
Carbon black	Carbon black						
	LD50 Oral	LD50 Oral Rat 15,400 mg/kg -					
Remarks - Inhalation:	No applicable toxicity data						
Remarks - Dermal:	No applicable toxicity data						
Lauric acid diethanolamide condensate							
	LD50 Oral	Rat	2,700 mg/kg	-			
Remarks - Inhalation:	No applicable toxicity data						
Remarks - Dermal:	No applicable toxicity data						
Conclusion/Summary	: Mixture.Not fully tested.						

Irritation/Corrosion



10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 9 of 17 Print Date 10/02/2020

Product/ingredient name	Result	Species	Score	Exposure	Observation
Diethanolamine	Skin - Mild	Rabbit			-
	irritant				
	Eyes - Severe	Rabbit		24 hrs	-
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Skin - Mild	Rabbit		24 hrs	-
	irritant				
Lauric acid diethanolamide	Eyes -	Rabbit			-
condensate	Moderate				
	irritant				
	Skin - Severe	Rabbit			-
	irritant				
Conclusion/Summary					
Skin	: M	ixture.Not ful	ly tested.		
Eyes	: M	ixture.Not ful	ly tested.		
Respiratory	: M	ixture.Not ful	ly tested.		
<u>Sensitization</u>					
Conclusion/Summary					
Skin		ixture.Not ful			
Respiratory	: M	ixture.Not ful	ly tested.		
<u>Mutagenicity</u>					
Conclusion/Summary	: M	ixture.Not ful	ly tested.		
<u>Carcinogenicity</u>					
Conclusion/Summary	: M	ixture.Not ful	ly tested.		
Classification					

Product/ingredient name	OSHA	IARC	NTP
Diethanolamine	-	2B	-
Carbon black	-	2B	-

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

<u>PolyOne</u>

10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 10 of 17 Print Date 10/02/2020

Conclusion/Summary	:	Mixture.Not fully tested.			
Specific target organ toxicity (sing	le exp	<u>osure)</u>			
Not available.					
Specific target organ toxicity (repe	ated e	exposure)			
Not available.					
Aspiration hazard Not available.					
Information on likely routes of exposure	:	Not available.			
Potential acute health effects					
Eye contact	:	No known significant effects or critical hazards.			
Inhalation	:	No known significant effects or critical hazards.			
Skin contact	:	No known significant effects or critical hazards.			
Ingestion	:	No known significant effects or critical hazards.			
Symptoms related to the physical, chemical and toxicological characteristics					
Eye contact	:	No specific data.			
Inhalation	:	No specific data.			
Skin contact	:	No specific data.			
Ingestion	:	No specific data.			
Delayed and immediate effects as well as chronic effects from short and long-term exposure					
Short term exposure					
Potential immediate effects	:	Not available.			
Potential delayed effects	:	Not available.			
Long term exposure					
Potential immediate effects		Not available.			
Potential delayed effects		Not available.			
-	-				
Potential chronic health effects					
Conclusion/Summary	:	Mixture.Not fully tested.			
General	:	No known significant effects or critical hazards.			
10/17					

ne.

10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020

Page 11 of 17 Print Date 10/02/2020

Carcinogenicity Mutagenicity Teratogenicity **Developmental effects Fertility effects**

No known significant effects or critical hazards. :

No known significant effects or critical hazards. :

No known significant effects or critical hazards.

No known significant effects or critical hazards. :

No known significant effects or critical hazards. :

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

:

Toxicity

Product/ingredient name	Result	Species	Exposure				
Diethanolamine							
	Acute LC50 1.48 Mg/l Fresh water	Fish - Fish	96 h				
Remarks - Acute - Fish:	Acute						
	Acute LC50 28.8 Mg/l Fresh water	Aquatic invertebrates.	48 h				
		Crustaceans					
Remarks - Acute - Aquatic	Acute						
invertebrates.:		-					
	Acute LC50 0.00215 Mg/l Fresh	Aquatic invertebrates.	48 h				
	water	Daphnia					
Remarks - Acute - Aquatic	Acute						
invertebrates.:		1	1				
	Acute EC50 12 Mg/l Fresh water	Aquatic plants - Algae	96 h				
Remarks - Acute - Aquatic	Acute						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
Carbon black							
Remarks - Acute - Fish:	No applicable toxicity data						
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h				
	water	Daphnia					
Remarks - Acute - Aquatic	Acute						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:							



10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 12 of 17 Print Date 10/02/2020

Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Lauric acid diethanolamide con	ndensate			
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
10057309 BLACK ANTISTA	Г			
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.			
invertebrates.:				
Conclusion/Summary	: Chemicals are not readily available as they are bound within the			
	polymer matrix.			
Persistence and degradability	<u>Y</u>			
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.			

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Diethanolamine	-1.43	-	low

<u>Mobility in soil</u>		
Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

F S F	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable
-------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

/Une

10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 13 of 17 Print Date 10/02/2020

products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

P<u>olyOne</u>

10057309 BLACK ANTISTAT

Version Number 1.8	Page 14 of 17
Revision Date 10/01/2020	Print Date 10/02/2020

		determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc stearate
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

Name	%	Classification	
Diethanolamine	> 0 - <= 0.3	EYE IRRITATION - Category 2A	
		CARCINOGENICITY - Category 2	
Lauric acid diethanolamide	>= 10 - <= 25	SKIN IRRITATION - Category 2	
condensate		EYE IRRITATION - Category 2A	
14/17			



10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020

Page 15 of 17 Print Date 10/02/2020

Carbon black	>= 10 - <= 25	CARCINOGENICITY - Category 2

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Diethanolamine
New Jersey	:	The following components are listed: Carbon black Talc Diethanolamine
Pennsylvania	:	The following components are listed: Talc
		Diethanolamine
		Carbon black

California Prop. 65

WARNING: This product can expose you to chemicals including Diethanolamine, Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Diethanolamine	-	-
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	Not determined.

10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 16 of 17 Print Date 10/02/2020

Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Illstol y</u>		
Date of printing	:	10/02/2020
Date of issue/Date of revision	:	10/01/2020
Date of previous issue	:	03/06/2020
Version	:	1.8
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
References	:	UN = United Nations Not available.
Notice to reader		

ne

10057309 BLACK ANTISTAT

Version Number 1.8 Revision Date 10/01/2020 Page 17 of 17 Print Date 10/02/2020

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.