

### LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0 Revision Date 10/02/2020 Page 1 of 15 Print Date 10/03/2020

# SAFETY DATA SHEET

#### LIQUID COLOR FLUOR GREEN 484-20402-1

Section 1. Identificati	on	
CHC mus drust i dantifican		LIQUID COLOR ELLIOR CREEN 484 20402 1
GHS product identifier	:	LIQUID COLOR FLUOR GREEN 484-20402-1
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC01062129
Product type	:	liquid
		•
Relevant identified uses of the sub	stance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		ColorMatrix Group Inc.
		680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		······································
		+1 216 622 0100
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
	•	
(with hours of operation)		accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.

#### GHS label elements



# LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0 Revision Date 10/02/2020

Page 2 of 15 Print Date 10/03/2020

Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC01062129

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	50 - 75	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the : upper and lower eyelids. Check for and remove any contact lenses.



# LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0	Page 3 of 15
Revision Date 10/02/2020	Print Date 10/03/2020

Inhalation	Get medical attention if irritation occurs. Remove victim to fresh air and keep at re	st in a position comfortable
	for breathing. Get medical attention if syr inhalation of decomposition products in a delayed. The exposed person may need to surveillance for 48 hours.	nptoms occur. In case of fire, symptoms may be
Skin contact	Flush contaminated skin with plenty of w clothing and shoes. Get medical attention	
Ingestion	Wash out mouth with water. Remove vict rest in a position comfortable for breathin swallowed and the exposed person is con- of water to drink. Do not induce vomiting medical personnel. Get medical attention	g. If material has been scious, give small quantities unless directed to do so by

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
<b>Over-exposure signs/symptoms</b>		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical att	entio	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Firefighting measures



# LIQUID COLOR FLUOR GREEN 484-20402-1

Version Numbe	er 1.0
<b>Revision Date</b>	10/02/2020

#### Page 4 of 15 Print Date 10/03/2020

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containn	<u>nent a</u>	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
4/15		



## LIQUID COLOR FLUOR GREEN 484-20402-1

:

Version Number 1.0	Page 5 of 15
Revision Date 10/02/2020	Print Date 10/03/2020

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### Control parameters

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3



# LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0 Revision Date 10/02/2020

#### Page 6 of 15 Print Date 10/03/2020

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

Appearance



## LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0 Revision Date 10/02/2020 Page 7 of 15 Print Date 10/03/2020

Physical state	:	liquid [liquid]
Color	:	GREEN
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature		Not available.
SADT	-	Not available.
Viscosity	-	<b>Dynamic:</b> Not available.
. 20000259	•	Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition -	:	Not available.
Deflagration density		Not available
Flame height	:	Not available. Not available.
Flame duration	:	not available.

# Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or its ingredients.



# LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0	Page 8 of 15
Revision Date 10/02/2020	Print Date 10/03/2020

Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
Remarks - Oral:	No applicable toxic	city data		
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.		·

Conclusion/Summary

**Irritation/Corrosion** 

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
<b>Conclusion/Summary</b>					
Skin	: M	lixture.Not full	ly tested.		
Eyes	: M	lixture.Not full	ly tested.		
Respiratory	: M	lixture.Not full	ly tested.		
<u>Sensitization</u> Conclusion/Summary					
Skin	: M	lixture.Not full	ly tested		
Respiratory		lixture.Not full	•		
Respirator y	• 101		ry tested.		
<b>Mutagenicity</b>					



# LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0	Page 9 of 15
Revision Date 10/02/2020	Print Date 10/03/2020

Conclusion/Summary	:	Miz	xture.Not fully	tested.	
<b>Carcinogenicity</b>					
Conclusion/Summary	:	Miz	xture.Not fully	tested.	
<b>Classification</b>					
Product/ingredient name	OSHA		IARC	NTP	
Titanium dioxide	-		2B	-	
<u>Reproductive toxicity</u>					
Conclusion/Summary	:	Miz	xture.Not fully	tested.	
<u>Teratogenicity</u>					
Conclusion/Summary	:	Miz	xture.Not fully	tested.	
Specific target organ toxicity ( Not available.	single expo	osure	<u>e)</u>		
Specific target organ toxicity ( Not available.	<u>repeated e</u>	xpos	<u>ure)</u>		
Aspiration hazard Not available.					
Information on likely routes of exposure	f:	Not	t available.		
Potential acute health effects					
Eye contact Inhalation	:			ant effects or critical hazards. ant effects or critical hazards.	
Skin contact	:			ant effects or critical hazards.	
Ingestion	:			ant effects or critical hazards.	
Symptoms related to the physi	cal, chemio	cal a	nd toxicologica	al characteristics	
Eye contact	:	No	specific data.		
Inhalation	:		specific data.		
Skin contact	:		specific data.		
Ingestion	:	No	specific data.		



### LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0 Revision Date 10/02/2020 Page 10 of 15 Print Date 10/03/2020

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
		5

Numerical measures of toxicity

Acute toxicity estimates

Not available.

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h
	10/15		



## LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0 Revision Date 10/02/2020 Page 11 of 15 Print Date 10/03/2020

	Daphnia			
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data	No applicable toxicity data		
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic - Aquatic invertebrates.:	No applicable toxicity data			
Conclusion/Summary	: Not available.			
<u>Persistence and degradability</u> Conclusion/Summary	⊻ : Not available.			
<b>Bioaccumulative potential</b> Not available.				
<u>Mobility in soil</u>				
Soil/water partition coefficie (KOC)	ent : Not available.			
Other adverse effects	: No known significant effects or critical hazards.			

### Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

11/15



# LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0 Revision Date 10/02/2020 Page 12 of 15 Print Date 10/03/2020

# Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	: Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

U.S. Federal regulations	:	<b>United States - TSCA 12(b) - Chemical export notification:</b> None of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Phthalocyanine Blue
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental



# LIQUID COLOR FLUOR GREEN 484-20402-1

Version Numbe	er 1.0
<b>Revision Date</b>	10/02/2020

Page 13 of 15 Print Date 10/03/2020

release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential		Not listed
Chemicals)	•	INOT IISTED

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Titanium dioxide	>= 50 - <= 75	CARCINOGENICITY - Category 2

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Titanium dioxide
Pennsylvania	:	The following components are listed: Aluminum hydroxide
		Titanium dioxide



# LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0 Revision Date 10/02/2020 Page 14 of 15 Print Date 10/03/2020

#### California Prop. 65

**WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia Canada China Europe inventory Japan New Zealand Philippines Republic of Korea Taiwan		All components are listed or exempted. All components are listed or exempted.
Taiwan Turkey United States	:	All components are listed or exempted. Not determined. All components are active or exempted.

# **Section 16. Other information**

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.



## LIQUID COLOR FLUOR GREEN 484-20402-1

Version Number 1.0 Revision Date 10/02/2020 Page 15 of 15 Print Date 10/03/2020

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

110001.)		
Date of printing	:	10/03/2020
Date of issue/Date of revision	:	10/02/2020
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.