

MATERIAL SAFETY DATA SHEET

## PALE GREEN

Version Number 1.0 Revision Date 09/10/2001 Page 1 of 5 Print Date 10/31/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PALE GREEN
Product code	:	CC10000592
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See Sections 3 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

# PALE GREEN

ion Number 1.0 sion Date 09/10/2001	Page 2 Print Date 10/31/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET

# PALE GREEN

ision Date 09/10/2001			Print	Page 3 Date 10/31/2
	ar	nd contamination. Keep in	a dry, cool place.	
8. E	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: N	o personal respiratory prote	ective equipment normally	required.
Eye/Face Protection	: Sa	afety glasses with side-shie	lds.	
Hand protection	: Pr	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z
	-			
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	10 mg/m3	(TWA):		MX OEL
	10 mg/m3	•		MX OEL
Form	10 mg/m3 9. PHYSIC : Solid	(TWA): CAL AND CHEMICAL P Eva	ROPERTIES poration rate : No	ot applicable.
Form Appearance	10 mg/m3 9. PHYSIC : Solid : Pelle	(TWA): CAL AND CHEMICAL P L Eva ts Spe	ROPERTIES poration rate : No cific Gravity : No	ot applicable.
Appearance Color	10 mg/m3 9. PHYSIC : Solid : Pelle : GRE	(TWA): CAL AND CHEMICAL P t Eva ts Spe EN Bul	ROPERTIES         poration rate       : No         cific Gravity       : No         k density       : No	ot applicable. ot determined. ot established
Appearance Color Odor	10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very	(TWA): CAL AND CHEMICAL P L Eva ts Spe EN Bul faint Vap	ROPERTIES         poration rate       : No         cific Gravity       : No         k density       : No         por pressure       : No	ot applicable. ot determined. ot established ot applicable
Appearance Color Odor Melting point/range	10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c	(TWA): CAL AND CHEMICAL P L Eva ts Spe EN Bul faint Vap letermined. Vap	ROPERTIES         poration rate       : No         cific Gravity       : No         k density       : No         por pressure       : No         por density       : No	ot applicable. ot determined. ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a	(TWA): CAL AND CHEMICAL P L Eva ts Spe EN Bul faint Vap letermined. Vap applicable pH	ROPERTIES         poration rate       : No         cific Gravity       : No         k density       : No         por pressure       : No         por density       : No	ot applicable. ot determined. ot established ot applicable
Appearance Color Odor Melting point/range	10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c	(TWA): CAL AND CHEMICAL P L Eva ts Spe EN Bul faint Vap letermined. Vap applicable pH	ROPERTIES         poration rate       : No         cific Gravity       : No         k density       : No         por pressure       : No         por density       : No	ot applicable. ot determined. ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a : Insol	(TWA): CAL AND CHEMICAL P L Eva ts Spe EN Bul faint Vap letermined. Vap applicable pH	ROPERTIES poration rate : No cific Gravity : No k density : No oor pressure : No oor density : No : No	ot determined. ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a : Insol 10. S	(TWA): CAL AND CHEMICAL P L Eva ts Spe EN Bul faint Vap determined. Vap applicable pH uble	ROPERTIES poration rate : No cific Gravity : No k density : No oor pressure : No oor density : No : No	ot applicable. ot determined. ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a : Insol 10. S	(TWA): CAL AND CHEMICAL P L Eva ts Spe EN Bul faint Vap letermined. Vap applicable pH uble CTABILITY AND REACT	ROPERTIES poration rate : No cific Gravity : No k density : No oor pressure : No oor density : No : No	ot applicable. ot determined. ot established ot applicable ot applicable



## MATERIAL SAFETY DATA SHEET

ersion Number 1.0 evision Date 09/10/2001			Page 4 of Print Date 10/31/20
Incompatible Materials	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decomposition products			oxide (CO), oxides of nitrogen nd smoke are all possible.
	11. TOXICOLOG	ICAL INFORMATIO	DN
This mixture has not been eval health data for the individual co			ure effects listed are based on existi
<u>Toxicity Overview</u> This product contains the follo	wing components wh	nich in their pure form	have the following characteristics:
	Chemical Name	Effect	Target Organ
13463-67-7 Titani	um dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIC	AL INFORMATION	1
Persistence and degradability	: Not readily bio	odegradable.	
Environmental Toxicity	: Chemicals are of the polymer	•	s they are bound within the matrix
Bioaccumulation Potential	: Chemicals are of the polymer		s they are bound within the matrix
Additional advice	: No data availa	ble.	
	13. DISPOSAL	CONSIDERATIONS	5
Product	recycling is pr waste material transportation	eferred to disposal or i has the responsibility	et can be recycled. Where possible incineration. The generator of for proper waste classification, lance with applicable federal, s.
Contaminated packaging	has the respon	sibility for proper was accordance with app	e. The generator of waste material te classification, transportation licable federal, state/provincial
	14. TRANSPOR	RT INFORMATION	_
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated	for transportation.	
ICAO/IATA	: Not regulated	for transportation.	



### MATERIAL SAFETY DATA SHEET

## PALE GREEN

Version Number 1.0 Revision Date 09/10/2001 Page 5 of 5 Print Date 10/31/2011

	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc	closu	ire List
CAS-No. 1333-86-4		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not Listed.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.