R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020

Page 1 of 18 Print Date 02/01/2020

SAFETY DATA SHEET

R52 COY BROWN

| Section 1. Identification | | |
|--|-------|--|
| | | |
| GHS product identifier | : | R52 COY BROWN |
| Chemical name | : | Mixture |
| CAS number | : | Mixture |
| Other means of identification | : | CC10320129 |
| Product type | : | solid |
| | | |
| Relevant identified uses of the subs | tance | or mixture and uses advised against |
| Product use | : | Industrial applications. Plastics. |
| Supplier's details | : | POLYONE CORPORATION |
| | | 33587 Walker Road, Avon Lake, OH 44012 |
| | | 1 (440) 930-1000 or 1 (866) POLYONE |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|--|---|--|
| Classification of the substance or mixture | : | Not classified. |

GHS label elements

R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020



Page 2 of 18 Print Date 02/01/2020

| Signal word Hazard statements | : | No signal word. No known significant effects or critical hazards. |
|----------------------------------|---|--|
| Precautionary statements | | |
| <u>I recautionary statements</u> | | |
| General | : | Not applicable. |
| Prevention | : | Not applicable. |
| Response | : | Not applicable. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |
| | | Not available. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | CC10320129 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|--|---------|------------|
| Diundecyl phthalate | 5 - 10 | 3648-20-2 |
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | 5 - 10 | 68515-48-0 |
| Carbon black | 0.3 - 1 | 1333-86-4 |
| Titanium dioxide | 0 - 0.3 | 13463-67-7 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020



Page 3 of 18 Print Date 02/01/2020

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
|--------------|---|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |

Most important symptoms/effects, acute and delayed

| Potential acute health effects | | | | |
|--|----|--|--|--|
| Eye contact Inhalation Skin contact Ingestion | :: | No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. | | |
| Over-exposure signs/symptoms | | | | |
| Eye contact | : | No specific data. | | |
| Inhalation | : | No specific data. | | |
| Skin contact | : | No specific data. | | |
| Ingestion | : | No specific data. | | |
| Indication of immediate medical attention and special treatment needed, if necessary | | | | |
| Notes to physician | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. | | |
| Specific treatments | : | No specific treatment. | | |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. | | |

R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020 PolyOne

Page 4 of 18 Print Date 02/01/2020

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known. |
|--|---|---|
| Specific hazards arising from the chemical | : | No specific fire or explosion hazard. |
| Hazardous thermal | : | May emit Hydrogen Chloride (HCl). |
| decomposition products | | Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides |
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel For emergency responders | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|---|---|---|
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

Methods and materials for containment and cleaning up

R52 COY BROWN

| ŀ | olyOne | 2 |
|---|--------|---|
| _ | | |

| Version Number 1.0 Revision Date 01/31/2020 | | Page 5 of 18 Print Date 02/01/2020 |
|--|---|---|
| | | |
| Small spill | : Move containers from spill area. Vacu place in a designated, labeled waste co | 1 1 |
| Large spill | licensed waste disposal contractor. Move containers from spill area. Prev courses, basements or confined areas. and place in a designated, labeled was licensed waste disposal contractor. No contact information and Section 13 for | Vacuum or sweep up material te container. Dispose of via a ote: see Section 1 for emergency |

Section 7. Handling and storage

Precautions for safe handling

| Protective measures Advice on general occupational hygiene | : | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|--|---|--|
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---|--|
| 1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich | None. |
| Diundecyl phthalate | None. |
| Carbon black | OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) |

R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020 <u>PolyOne</u>

Page 6 of 18 Print Date 02/01/2020

| | TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction |
|------------------|---|
| Titanium dioxide | OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3 |

| Appropriate engineering controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. | | |
|---|---|---|--|--|
| Environmental exposure controls | : | | | |
| Individual protection measures | | | | |
| Hygiene measures Eye/face protection | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. | | |
| Skin protection | | | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. | | |
| Body protection | : | Personal protective equipment for the body should be selected based | | |
| | | 6/18 | | |

R52 COY BROWN

| ŀ | bly(|)ne. |
|---|------|------|
| _ | | |

| Version Number 1.0 | Page 7 of 18 |
|--------------------------|--|
| Revision Date 01/31/2020 | Print Date 02/01/2020 |
| | |
| | on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper |

fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

| Physical state | : | solid [Pellets.] |
|---------------------------|---|------------------------------|
| Color | : | BROWN |
| Odor | : | Not available. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | Not available. |
| Partition coefficient: n- | : | Not available. |
| octanol/water | | |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| · | | Kinematic: Not available. |
| | | |
| Aerosol product | | |
| _ | | |

Heat of combustion

: Not available.

R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020

Page 8 of 18

<u>PolyUne</u>

Print Date 02/01/2020

| Ignition distance Enclosed space ignition - Time | : | Not available. Not available. |
|---|---|----------------------------------|
| equivalent Enclosed space ignition - Deflagration density | : | Not available. |
| Flame height Flame duration | : | Not available. Not available. |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|-------------------------------------|---|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |
| Incompatible materials | : | Avoid contact with acetal homopolymers and acetyl homopolymers during processing. |
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

| Result | Species | Dose | Exposure |
|-----------------------------|---|---|--|
| | | | |
| No applicable toxicity data | | | |
| LC50 Inhalation | Rat - Male | 6.82 Mg/l | 4 h |
| LD50 Dermal | Rabbit | > 5,000 mg/kg | - |
| | | | |
| LD50 Oral | Rat | 15,400 mg/kg | - |
| No applicable toxicity data | | | |
| No applicable toxicity data | | | |
| | | | |
| No applicable toxicity data | | | |
| | No applicable toxi LC50 Inhalation LD50 Dermal LD50 Oral No applicable toxi No applicable toxi | No applicable toxicity dataLC50 InhalationRat - MaleLD50 DermalRabbitLD50 OralRatNo applicable toxicity dataNo applicable toxicity data | No applicable toxicity data LC50 Inhalation Rat - Male 6.82 Mg/l LD50 Dermal Rabbit > 5,000 mg/kg LD50 Oral Rat 15,400 mg/kg No applicable toxicity data No applicable toxicity data |



R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020 Page 9 of 18 Print Date 02/01/2020

| Remarks - Inhalation: | No applicable | toxicity data | | | |
|---|-----------------------------|----------------|-------------|--------------|-------------|
| Remarks - Dermal: | No applicable toxicity data | | | | |
| 1,2-Benzenedicarboxylic acid, | | | ers C9-rich | | |
| | LD50 Oral | Rat | | 10,000 mg/kg | - |
| Remarks - Inhalation: | No applicable | | | | I |
| Remarks - Dermal: | No applicable | | | | |
| Conclusion/Summary | | lixture.Not fu | lly tested. | | |
| T 14 41 40 | | | | | |
| Irritation/Corrosion | | | | | |
| Product/ingredient name | Result | Species | Score | Exposure | Observation |
| Titanium dioxide | Skin - Mild | Human | | 72 hrs | - |
| | irritant | | | | |
| Diundecyl phthalate | Eyes - Mild | Rabbit | | | - |
| | irritant | D 111 | | | |
| 1,2-Benzenedicarboxylic | Eyes - Mild | Rabbit | | | - |
| acid, di-C8-10-branched alkyl esters, C9-rich | irritant | | | | |
| Conclusion/Summary | | | | | |
| Skin | : N | lixture.Not fu | llv tested. | | |
| Eyes | | lixture.Not fu | | | |
| Respiratory | : Mixture.Not fully tested. | | | | |
| Sensitization | | | | | |
| Conclusion/Summary | | | | | |
| Skin | : N | lixture.Not fu | lly tested. | | |
| Respiratory | | lixture.Not fu | | | |
| <u>Mutagenicity</u> | | | | | |
| Conclusion/Summary | : N | Iixture.Not fu | lly tested. | | |
| Carcinogenicity | | | | | |
| Conclusion/Summary | : N | lixture.Not fu | lly tested. | | |
| Classification | | | | | |

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| Titanium dioxide | - | 2B | - |
| Carbon black | - | 2B | - |

Reproductive toxicity

R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020 Page 10 of 18 Print Date 02/01/2020

<u>PolyOne</u>

| Conclusion/Summary | : | Mixture.Not fully tested. |
|--|----------------|--|
| <u>Teratogenicity</u> | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| Specific target organ toxicity (sing Not available. | <u>le expo</u> | <u>sure)</u> |
| Specific target organ toxicity (repo Not available. | ated ex | xposure) |
| Aspiration hazard Not available. | | |
| Information on likely routes of exposure | : | Not available. |
| Potential acute health effects | | |
| Eye contact Inhalation Skin contact Ingestion | : | No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Symptoms related to the physical, | <u>chemic</u> | cal and toxicological characteristics |
| Eye contact Inhalation Skin contact Ingestion | : : : | No specific data. No specific data. No specific data. No specific data. |
| Delayed and immediate effects as | well as | chronic effects from short and long-term exposure |
| <u>Short term exposure</u> | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Long term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |

Potential chronic health effects

R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020 <u>PolyOne</u>

Page 11 of 18 Print Date 02/01/2020

Conclusion/Summary

General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|--|---|---------------------------------------|----------|
| Titanium dioxide | | | |
| | Acute LC50 > 1,000 Mg/l Marine water | Fish - Fish | 96 h |
| Remarks - Acute - Fish: | Acute | 1 | |
| | Acute LC50 3 Mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| Remarks - Acute - Aquatic invertebrates.: | Acute | | |
| | Acute LC50 6.5 Mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| Remarks - Acute - Aquatic invertebrates.: | Acute | | |
| Remarks - Acute - Aquatic plants: | No applicable toxicity data | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | |
| Remarks - Chronic - Aquatic invertebrates.: | No applicable toxicity data | | |
| Carbon black | | | |
| Remarks - Acute - Fish: | No applicable toxicity data | | |
| | Acute EC50 37.563 Mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |

Mixture.Not fully tested.

No known significant effects or critical hazards.

:

:

:

:

:

:

:



R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020 Page 12 of 18 Print Date 02/01/2020

| Remarks - Acute - Aquatic | Acute | | | |
|-------------------------------|--|-----------------------------------|-------------------|--|
| invertebrates.: | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | |
| plants: | | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | | |
| Remarks - Chronic - | No applicable toxicity data | | | |
| Aquatic invertebrates.: | | | | |
| Diundecyl phthalate | | | | |
| Remarks - Acute - Fish: | No applicable toxicity data | | - | |
| | Acute EC50 12 Mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h | |
| Remarks - Acute - Aquatic | Acute | • | | |
| invertebrates.: | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | |
| plants: | | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | | |
| | Chronic NOEC 0.000059 Mg/l Aquatic invertebrates. 21 d | | | |
| | Fresh water Daphnia | | | |
| Remarks - Chronic - | Chronic | | | |
| Aquatic invertebrates.: | | | | |
| 1,2-Benzenedicarboxylic acid, | | | | |
| Remarks - Acute - Fish: | No applicable toxicity data | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | |
| invertebrates.: | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | |
| plants: | | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | | |
| Remarks - Chronic - | No applicable toxicity data | | | |
| Aquatic invertebrates.: | | | | |
| R52 COY BROWN | | | | |
| Remarks - Acute - Aquatic | Chemicals are not readily available a | as they are bound within the | e polymer matrix. | |
| invertebrates.: | | | | |
| Conclusion/Summary | : Chemicals are not readi polymer matrix. | ly available as they are bou | nd within the | |
| Persistence and degradability | <u>v</u> | | | |
| Conclusion/Summary | : Chemicals are not readi polymer matrix. | ly available as they are bou | nd within the | |

Bioaccumulative potential



<u>PolyOne</u>

Version Number 1.0 Revision Date 01/31/2020

Page 13 of 18 Print Date 02/01/2020

| Product/ingredient name | LogPow | BCF | Potential |
|--------------------------------------|--------|------|-----------|
| 1,2-Benzenedicarboxylic acid, di-C8- | 8.8 | 3.00 | low |
| 10-branched alkyl esters, C9-rich | | | |

Mobility in soil

| Soil/water partition coefficient | : | Not available. |
|----------------------------------|---|---|
| (KOC) | | |
| Other adverse effects | : | No known significant effects or critical hazards. |

Section 13. Disposal considerations

| Disposal methods | : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products |
|------------------|---|
| | should at all times comply with the requirements of environmental |
| | protection and waste disposal legislation and any regional local |
| | authority requirements. Dispose of surplus and non-recyclable |
| | products via a licensed waste disposal contractor. Waste should not be |
| | disposed of untreated to the sewer unless fully compliant with the |
| | requirements of all authorities with jurisdiction. Waste packaging |
| | should be recycled. Incineration or landfill should only be considered |
| | when recycling is not feasible. This material and its container must be |
| | disposed of in a safe way. Empty containers or liners may retain some |
| | product residues. Avoid dispersal of spilled material and runoff and |
| | contact with soil, waterways, drains and sewers. |

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : | Not regulated for transportation. |
|-----------------------------------|---|---------------------------------------|
| International Air ICAO/IATA | : | Consult mode specific transport rules |
| International Water IMO/IMDG | : | Consult mode specific transport rules |

R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020 PolyOne

Page 14 of 18 Print Date 02/01/2020

Section 15. Regulatory information

| U.S. Federal regulations | : | United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed 1,2- Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not |
|--|---|---|
| | | United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Rutile, antimony chromium buff Vinyl chloride monomer United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed |
| | | United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed |
| Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I | : | Listed Not listed |
| Substances Clean Air Act Section 602 Class II Substances | : | Not listed |

PolyOne

R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020 Page 15 of 18 Print Date 02/01/2020

DEA List I Chemicals (Precursor:Not listedChemicals)DEA List II Chemicals (Essential:Not listedChemicals):Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

| Name | % | Classification |
|---|---------------|------------------------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | >= 5 - <= 10 | EYE IRRITATION - Category 2B |
| Diundecyl phthalate | >= 5 - <= 10 | EYE IRRITATION - Category 2B |
| Carbon black | >= 0.3 - <= 1 | CARCINOGENICITY - Category 2 |
| Titanium dioxide | > 0 - <= 0.3 | CARCINOGENICITY - Category 2 |

SARA 313

Form R - Reporting requirements

| Product name | CAS number | % |
|--------------------------------|------------|---------------|
| Rutile, antimony chromium buff | 68186-90-3 | >= 10 - <= 25 |
| | | |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

| State regulations | | |
|-------------------|---|--------------------------------------|
| Massachusetts | : | None of the components are listed. |
| New York | : | None of the components are listed. |
| New Jersey | : | The following components are listed: |
| | | Titanium dioxide |

R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020 Page 16 of 18 Print Date 02/01/2020

Carbon black Iron oxide Ethene, chloro-, homopolymer Rutile, antimony chromium buff The following components are listed: Rutile, antimony chromium buff Titanium dioxide Carbon black

Iron oxide

:

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, Carbon black, 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable dosage level |
|---|---------------------------|------------------------------------|
| Titanium dioxide | - | - |
| Carbon black | - | - |
| 1,2-Benzenedicarboxylic acid, di-C8-10- | Yes. | - |
| branched alkyl esters, C9-rich | | |

| United States inventory (TSCA 8b) | : | All components are active or exempted. |
|-----------------------------------|---|--|
| Canada inventory | : | All components are listed or exempted. |
| International regulations | | |
| <u>Inventory list</u> | | |
| Australia | : | All components are listed or exempted. |
| Canada | : | All components are listed or exempted. |
| China | : | Not determined. |
| Europe inventory | : | At least one component is not listed in EINECS but all such components are listed in ELINCS. |
| | | Please contact your supplier for information on the inventory status of this material. |
| Japan | : | Not determined. |
| New Zealand | : | Not determined. |
| Philippines | : | Not determined. |
| Republic of Korea | : | Not determined. |
| Taiwan | : | All components are listed or exempted. |
| | | 16/18 |





PolyOne

R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020 Page 17 of 18 Print Date 02/01/2020

Turkey United States Not determined.

:

All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | / | 0 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

| 1115t01 y | | |
|--------------------------------|---|--|
| Date of printing | : | 02/01/2020 |
| Date of issue/Date of revision | : | 01/31/2020 |
| Date of previous issue | : | 00/00/0000 |
| Version | : | 1.0 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| • | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL = International Convention for the Prevention of Pollution From |
| | | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | UN = United Nations |
| References | : | Not available. |
| | | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.



R52 COY BROWN

Version Number 1.0 Revision Date 01/31/2020 Page 18 of 18 Print Date 02/01/2020

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.