668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 1 of 18 Print Date 09/24/2020

SAFETY DATA SHEET

668D M ANDERSON SILVER 2000

Section 1. Identification	on	
GHS product identifier Chemical name	:	668D M ANDERSON SILVER 2000 Mixture Mixture
CAS number Other means of identification Product type	:	Mixture CC10328593 solid
Relevant identified uses of the substance or mixture and uses advised against		
Product use	:	Industrial applications.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
Emergency telephone number (with hours of operation)	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/18

668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 2 of 18 Print Date 09/24/2020

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10328593

CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	50 - 75	9003-54-7
Carbon black	1 - 3	1333-86-4
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	1 - 3	3147-75-9
2-(2-frydroxy-5-tert-octypheny)/och20trazore	1-5	5147-75-5
Styrene	0 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

ne.

668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020

Page 3 of 18 Print Date 09/24/2020

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Protection of first-aiders

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.

: No action shall be taken involving any personal risk or without

<u>Une</u>

668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 4 of 18 Print Date 09/24/2020

suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : For emergency responders :	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions :	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

PolyOne

668D M ANDERSON SILVER 2000

Version Number 1.0	Page 5 of 18
Revision Date 09/23/2020	Print Date 09/24/2020

Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a
		licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water
		courses, basements or confined areas. Vacuum or sweep up material
		and place in a designated, labeled waste container. Dispose of via a
		licensed waste disposal contractor. Note: see Section 1 for emergency
		contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
2-Propenenitrile, polymer with Ethenylbenzene	None.
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole	None.
Carbon black	OSHA PEL 1989 (1989-03-01)

<u>PolyOne</u>

668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 6 of 18 Print Date 09/24/2020

		TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Styrene		ACGIH TLV (1997-05-21) TWA 20 ppm STEL 40 ppm NIOSH REL (1994-06-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL 1989 (1989-03-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL Z2 (1993-06-30) TWA 100 ppm CEIL 200 ppm AMP 600 ppm
Appropriate engineering controls Environmental exposure controls Individual protection measures	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to
		6/18

668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 7 of 18 Print Date 09/24/2020

liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. **Skin protection** Hand protection Chemical-resistant, impervious gloves complying with an approved : standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based **Body protection** : on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures Other skin protection : should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Based on the hazard and potential for exposure, select a respirator that **Respiratory protection** meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.



668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 8 of 18 Print Date 09/24/2020

Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
<u>Aerosol product</u> Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition -	:	Not available.
Deflagration density Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure



668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 9 of 18 Print Date 09/24/2020

1

Styrene

LD50 Oral	Rat	2,650 mg/kg	-			
LC50 Inhalation	Rat	2,770 ppm	4 h			
LC50 Inhalation	Rat	11.8 Mg/l	4 h			
No applicable toxi	city data					
LD50 Oral	Rat	15,400 mg/kg	-			
No applicable toxic	No applicable toxicity data					
No applicable toxicity data						
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole						
LD50 Oral	LD50 Oral Rat 1,000 mg/kg -					
No applicable toxic	No applicable toxicity data					
No applicable toxi	No applicable toxicity data					
2-Propenenitrile, polymer with Ethenylbenzene						
LD50 Oral	Rat	1,800 mg/kg	-			
No applicable toxicity data						
No applicable toxicity data						
Minte	ma Not fully tastad					
	LC50 Inhalation LC50 Inhalation No applicable toxio No applicable toxio No applicable toxio yl)benzotriazole LD50 Oral No applicable toxio No applicable toxio Ethenylbenzene LD50 Oral No applicable toxio No applicable toxio No applicable toxio No applicable toxio	LC50 InhalationRatLC50 InhalationRatNo applicable toxicity dataLD50 OralRatNo applicable toxicity dataNo applicable toxicity datayl)benzotriazoleLD50 OralRatNo applicable toxicity dataNo applicable toxicity dataEthenylbenzeneLD50 OralRatNo applicable toxicity dataNo applicable toxicity dataNo applicable toxicity dataNo applicable toxicity data	LC50 InhalationRat2,770 ppmLC50 InhalationRat11.8 Mg/lNo applicable toxicity dataLD50 OralRat15,400 mg/kgNo applicable toxicity dataNo applicable toxicity dataNo applicable toxicity datayl)benzotriazoleLD50 OralRatLD50 OralRat1,000 mg/kgNo applicable toxicity dataNo applicable toxicity dataNo applicable toxicity dataNo applicable toxicity dataEthenylbenzeneLD50 OralRatLD50 OralRatNo applicable toxicity dataNo applicable toxicity data			

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild	Human			-
-	irritant				
	Skin - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit			-
	Moderate				
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Eyes -	Rabbit		24 hrs	-
	Moderate				
	irritant				
Conclusion/Summary			•		
Skin	: M	ixture.Not ful	lly tested.		
Eyes	: M	ixture.Not ful	lly tested.		
Respiratory	: M	ixture.Not ful	lly tested.		
Sensitization					
Conclusion/Summary					
Skin	: M	ixture.Not ful	lly tested.		

ne

668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 10 of 18 Print Date 09/24/2020

Mutagenicity

Conclusion/Summary	: Mixture.Not fully tested.
a	

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
Styrene	-	2B	Reasonably anticipated to be a human carcinogen.
Carbon black	-	2B	-
2-Propenenitrile, polymer	-	3	-
with Ethenylbenzene			

Reproductive toxicity

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ	toxicity	(repeated	exposure)
Not available.			

Aspiration hazard

Not available.

Information on likely routes of : Not available. exposure

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

P<u>olyOne</u>

668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 11 of 18 Print Date 09/24/2020

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name Result		Species	Exposure		
Styrene					
	Acute LC50 4.02 Mg/l Fresh water	Fish - Fish	96 h		
Remarks - Acute - Fish: Acute					
11/18					



668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 12 of 18 Print Date 09/24/2020

	Acute EC50 0.0047 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 52 Mg/l Marine water	Aquatic invertebrates. Crustaceans	48 h
Demontra Acuto Acuatio	A outo	Clustaceans	
Remarks - Acute - Aquatic invertebrates.:	Acute		
mvertebrates.	Acute EC50 1.4 Mg/l Fresh water	Aquatic plants - Algae	72 h
Remarks - Acute - Aquatic	Acute		
plants:			
	Acute EC50 0.72 Mg/l Fresh water	Aquatic plants - Algae	96 h
Remarks - Acute - Aquatic	Acute		
plants:			
	Acute NOEC 0.063 Mg/l Fresh	Aquatic plants - Algae	96 h
	water		
Remarks - Acute - Aquatic	Chronic		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.: Carbon black			
	No organizable torrigitar data		
Remarks - Acute - Fish:	No applicable toxicity data	A anatia incontalanataa	48 h
	Acute EC50 37.563 Mg/l Fresh water	Aquatic invertebrates. Daphnia	46 11
Remarks - Acute - Aquatic	Acute	Dupinna	
invertebrates.:	Tieute		
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:	, in the second s		
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
2-(2-Hydroxy-5-tert-octylphen			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:	Margaretta data data		
Remarks - Chronic - Fish: Remarks - Chronic -	No applicable toxicity data No applicable toxicity data		
Aquatic invertebrates.:			
2-Propenenitrile, polymer with	Ethenvlbenzene		
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
Temaring Treate - Tryadite	ris application tomony data		



668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 13 of 18 Print Date 09/24/2020

invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
668D M ANDERSON SILVE	R 2000
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.
invertebrates.:	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.
Persistence and degradability	<u>z</u>

Conclusion/Summary

Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Styrene	0.35	13.49	low

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

:

Section 13. Disposal considerations

disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some	Disposal methods	:	should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be
--	------------------	---	---

<u>yOne</u>

668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 14 of 18 Print Date 09/24/2020

product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed

ne

668D M ANDERSON SILVER 2000

Version Number 1.0	Page 15 of 18
Revision Date 09/23/2020	Print Date 09/24/2020

United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Acrylonitrile

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I	:	Not listed
Substances		NT - 11 - 1
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Styrene	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3
		ACUTE TOXICITY - inhalation - Category 4
		SKIN IRRITATION - Category 2
		EYE IRRITATION - Category 2A
		CARCINOGENICITY - Category 2
Carbon black	>= 1 - <= 3	CARCINOGENICITY - Category 2
2-(2-Hydroxy-5-tert-	>= 1 - <= 3	ACUTE TOXICITY - oral - Category 4
octylphenyl)benzotriazole		
2-Propenenitrile, polymer	>= 50 - <= 75	ACUTE TOXICITY - oral - Category 4
15/18		



668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 16 of 18 Print Date 09/24/2020

with Ethenylbenzene

<u>SARA 313</u>

Form R - Reporting requirements

Product name	CAS number	%
Styrene	100-42-5	> 0 - <= 0.3
Aluminum	7429-90-5	>= 5 - <= 10

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Styrene
New Jersey	:	The following components are listed: Styrene Carbon black Aluminum 2-Propenenitrile, polymer with Ethenylbenzene
Pennsylvania	:	The following components are listed: Aluminum Carbon black
		Styrene

California Prop. 65

WARNING: This product can expose you to chemicals including Carbon black, Styrene, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-
Styrene	Yes.	-

United States inventory (TSCA 8b) : All components are active or exempted.

668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 17 of 18 Print Date 09/24/2020

Canada inventory	:	Not determined.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	Not determined.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	09/24/2020
Date of issue/Date of revision	:	09/23/2020
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association

17/18

668D M ANDERSON SILVER 2000

Version Number 1.0 Revision Date 09/23/2020 Page 18 of 18 Print Date 09/24/2020

IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.