PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020 PolyOne

Page 1 of 17 Print Date 10/06/2020

SAFETY DATA SHEET

PMS 178C HC-7179

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	: : : : : : : : : : : : : : : : : : : :	PMS 178C HC-7179 Mixture Mixture CC10330434 liquid
<u>Relevant identified uses of the subst</u> Product use	tance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2

GHS label elements

PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020 <u>PolyOne</u>

Page 2 of 17 Print Date 10/06/2020

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Causes skin irritation.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Wash hands thoroughly after handling.
Response	:	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10330434

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	10 - 25	Not available.
Silica, amorphous	1 - 3	7631-86-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require



PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020 Page 3 of 17 Print Date 10/06/2020

reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation	 No known significant effects or cr No known significant effects or cr 	
	No known significant effects of cr	

PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020



Page 4 of 17 Print Date 10/06/2020

Skin contact	: Causes skin irritation.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Indication of immediate medica	al attention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides



PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020	Page 5 of 17 Print Date 10/06/2020
Special protective actions for fire- fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt ar	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020



Page 6 of 17 Print Date 10/06/2020

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	None.
Silica, amorphous	NIOSH REL (1994-06-01)

PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020



Page 7 of 17 Print Date 10/06/2020

		TWA 6 mg/m3
		,
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that
		7/17

<u>vOne</u>

PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020 Page 8 of 17 Print Date 10/06/2020

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Color:PINKOdor:Faint odor.Odor threshold:Not available.pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limits:Upper: Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not available.:Not available.Aerosol product:Not available.Heat of combustion:Not available.Ignition distance:Not available.equivalent:Not available.Enclosed space ignition - Time:Not available.Deflagration density:Not available.	Physical state	:	liquid [liquid]
Odor threshold:Not available.pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limits:Upper: Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not available.Kinematic: Not available.Aerosol product:Not available.Heat of combustion:Not available.Enclosed space ignition - Time equivalent:Not available.Enclosed space ignition -:Not available.	Color	:	PINK
pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Icower and upper explosive:Lower: Not available.(flammable) limits:Upper: Not available.Vapor pressure:Not available.Vapor density:Not available.Solubility:Not available.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not available.:Aerosol product:Heat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Time equivalent:Not available.		:	Faint odor.
Melting point:Not available.Boiling point:Not available.Burning time:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limits:Upper: Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Aerosol product:Not available.Heat of combustion:Not available.Ignition distance:Not available.Enclosed space ignition - Time:Not available.equivalent::Not available.	Odor threshold	:	Not available.
Boiling point:Not available.Boiling point:Not available.Flash point:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limitsUpper: Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not available.Kinematic: Not available.Japition distance:Not available.Enclosed space ignition -:Not available.Enclosed space ignition -:Not available.	рН	:	Not available.
Flash point:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limits:Upper: Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not available.:Japition distance:Not available.Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition - Time:Not available.	Melting point	:	Not available.
Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limitsUpper: Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Heat of combustion:Not available.Ignition distance equivalent:Not available.Enclosed space ignition - Time equivalent:Not available.Enclosed space ignition -:Not available.		:	
Burning rate:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limitsUpper: Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Heat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition -:Not available.	-	:	
Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limitsUpper: Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Heat of combustion:Not available.Ignition distance equivalent:Not available.Ignition distance equivalent:Not available.Ignition - Time equivalent:Not available.Not available.:Not available.	0	:	
Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limits:Lower: Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Heat of combustion:Not available.Ignition distance equivalent:Not available.Ignition distance equivalent:Not available.Ignition -:Not available.Ignition -:Not available.		:	
Lower and upper explosive (flammable) limits:Lower: Not available.(flammable) limitsUpper: Not available.Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not available.Kinematic: Not available.Aerosol product:Not available.Heat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition -:Not available.induct:Not available.::Not available.:Not available.		:	
(flammable) limitsUpper: Not available.Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Solubility: Not available.Solubility in water: insoluble in water.Partition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.Viscosity: Dynamic: Not available.Kinematic: Not available.Kinematic: Not available.Aerosol product: Not available.Heat of combustion: Not available.Ignition distance equivalent: Not available.Enclosed space ignition - Time equivalent: Not available.In the second space ignition - Time equivalent: Not available.Not available.: Not available.		:	1 (of a failable)
Vapor pressure:Not available.Vapor density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not available.Kinematic: Not available.Aerosol product:Not available.Heat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Time equivalent:Not available.Not available.::Not available.		:	
Vapor density Relative density:Not available.Relative density:Not available.Solubility:Not available.Solubility in water:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Heat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Time equivalent:Not available.Not available.:Not available.Stance equivalent Enclosed space ignition - Time equivalent:Not available.Stance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Time equivalent:Not available.	. ,		
Relative density:Not available.Solubility:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not available.:Meat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition -:Not available.Wot available.:Not available.Ignition - Time equivalent Enclosed space ignition -:Not available.		:	
Solubility:Not available.Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Heat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent:Not available.Solubility in water:Not available.Method in temperature:Not available.Solubility in temperature:Not available.Solubility in temperature:Not available.Solubility in temperature:Not available.Solution temperature:Not available.Mot available.:Not available.Indication distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Time equivalent:Not available.:Not available.:Solution:Solution:Solution:Solution:Solution:Solution:Solution:Solution:Solution:Solution:Solution:Solution:Solution:SolutionSolution		:	r (of a failed)
Solubility in water:insoluble in water.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not available.:Not available.Aerosol product:Not available.Heat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition -:Not available.Not available.:Not available.::Not available.	•	:	
Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Decomposition temperature:Not available.SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not available.:Not available.Metrodoct::Heat of combustion:Not available.Ignition distance equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Time equivalent:Not available.Not available.::Not available.Statement image: Not available.:Not available.Image: Not available.::Image: Not available.::Image: Not available.::Image: Not available.:Image: Not available.Image: Not available.Image: Not available.Image: Not available.Image: Not available.Image: Not availa	· ·	:	
octanol/waterIn the second	Solubility in water	:	insoluble in water.
Auto-ignition temperature Decomposition temperature:Not available.SADT Viscosity:Not available.Wiscosity:Dynamic: Not available.Aerosol product:Not available.Heat of combustion:Not available.Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition - Time equivalent:Not available.Not available.:Not available.Isolare equivalent Enclosed space ignition - Time equivalent Enclosed space ignition - Time equivalent:Not available.	Partition coefficient: n-	:	Not available.
Decomposition temperature SADT:Not available.SADT Viscosity:Not available.Viscosity:Dynamic: Not available. Kinematic: Not available.Aerosol product:Not available.Heat of combustion:Not available.Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -:Not available.Image: Not available available available available available available available available available.:Not available.Image: Not available available available available available available available available available available.:Not available.Image: Not available available available available available available available available available available.:Not available.	octanol/water		
SADT:Not available.Viscosity:Dynamic: Not available.Kinematic: Not available.Kinematic: Not available.Aerosol product:Not available.Heat of combustion:Not available.Ignition distance:Not available.Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition -:Not available.	Auto-ignition temperature	:	Not available.
Viscosity:Dynamic: Not available. Kinematic: Not available.Aerosol product.Heat of combustion:Ignition distance:Enclosed space ignition - Time:equivalent:Enclosed space ignition -:Not available.		:	Not available.
Aerosol product Kinematic: Not available. Heat of combustion : Not available. Ignition distance : Not available. Enclosed space ignition - Time : Not available. equivalent : Not available. Enclosed space ignition - : Not available.	SADT	:	Not available.
Aerosol product Heat of combustion : Not available. Ignition distance : Not available. Enclosed space ignition - Time : Not available. equivalent : Not available. Enclosed space ignition - Time : Not available.	Viscosity	:	Dynamic: Not available.
Heat of combustion:Not available.Ignition distance:Not available.Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition -:Not available.			Kinematic: Not available.
Ignition distance:Not available.Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition -:Not available.	Aerosol product		
Enclosed space ignition - Time: Not available.equivalent: Not available.Enclosed space ignition -: Not available.	Heat of combustion	:	Not available.
Enclosed space ignition - Time:Not available.equivalent:Not available.Enclosed space ignition -:Not available.	Ignition distance	:	Not available.
Enclosed space ignition - : Not available.	Enclosed space ignition - Time	:	Not available.
	-	:	Not available.

PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020



Page 9 of 17 Print Date 10/06/2020

Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Remarks - Oral:	No applicable toxic	city data			
Remarks - Inhalation:	No applicable toxic	city data			
Remarks - Dermal:	No applicable toxic	city data			
Remarks - Oral:	No applicable toxic	city data			
Remarks - Inhalation:	No applicable toxic	city data			
Remarks - Dermal:	No applicable toxicity data				
Titanium dioxide					
Remarks - Oral:	No applicable toxic	No applicable toxicity data			
	LC50 Inhalation	LC50 Inhalation Rat - Male 6.82 Mg/l 4 h		4 h	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-	
Conclusion/Summary : Mixture.Not fully tested.					

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silica, amorphous	Eyes - Mild	Rabbit		24 hrs	-



PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020 Page 10 of 17 Print Date 10/06/2020

	irritant					
Titanium dioxide	Skin - Mild	Human		72 hrs	-	
	irritant					
Conclusion/Summary						
Skin		lixture.Not full				
Eyes		lixture.Not full				
Respiratory	: N	lixture.Not full	y tested.			
<u>Sensitization</u>						
Conclusion/Summary						
Skin		lixture.Not full				
Respiratory	: N	lixture.Not full	y tested.			
Mutagenicity						
Conclusion/Summary	: N	lixture.Not full	y tested.			
Carcinogenicity						
Conclusion/Summary	: N	fixture.Not full	y tested.			
Classification						
Product/ingredient name	OSHA	IARC	NTP			
Silica, amorphous	-	3	-			
Titanium dioxide	-	2B	-			

Reproductive toxicity

Conclusion/Summary	:	Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

Specific target organ toxicity (single exposure) Not available.

.....

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Product/ingredient name	Result
Miscellaneous Compounds Distillates, petroleum,	ASPIRATION HAZARD - Category 1



PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020

Page 11 of 17 Print Date 10/06/2020

hydrotreated middle		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact Ingestion	:	Causes skin irritation. No known significant effects or critical hazards.
	hemi	cal and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: pain or irritation, watering, redness
Inhalation	:	No specific data.
Skin contact Ingestion	:	Adverse symptoms may include the following: irritation, redness No specific data.
<u>Short term exposure</u> Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects <u>Potential chronic health effects</u>	:	Not available. Not available.
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects	::	No known significant effects or critical hazards. No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity



PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020 Page 12 of 17 Print Date 10/06/2020

Acute toxicity estimates

Route	ATE value
Inhalation (dusts and mists)	9.353 mg/l

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Silica, amorphous			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Miscellaneous Compounds Dis	stillates, petroleum, hydrotreated midd	le	
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide		1	1
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute	· · · · ·	
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			40.1
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		

PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020 Page 13 of 17 Print Date 10/06/2020

nlanta	
plants:	Manual's 11 (and the date
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
Conclusion/Summary	: Not available.
-	
Persistence and degradability	7
	•
Conclusion/Summary	: Not available.
e e	
Bioaccumulative potential	
Not available.	
Mobility in soil	
into sinty in som	
Soil/water partition coefficie	ent : Not available.
(KOC)	
Other adverse effects	: No known significant effects or critical hazards.
Unit auveise enecus	, no known significant cricets of critical nazards.
Seation 12 Diamon	

Section 13. Disposal considerations

The generation of waste should be avoided or minimized wherever **Disposal methods** : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

PMS 178C HC-7179

IMO/IMDG

Version Number 1.0 Revision Date 10/05/2020



Page 14 of 17 Print Date 10/06/2020

Section 14. Transport information U.S.DOT 49CFR
Ground/Air/Water : Not regulated for transportation. International Air
ICAO/IATA : Not classified as dangerous goods under transport regulations. International Water : Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - Final Fest Rules. Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental

PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020 <u>ne</u>

Page 15 of 17 Print Date 10/06/2020

		release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

SKIN IRRITATION - Category 2

Composition/information on ingredients

Name	%	Classification
Silica, amorphous	>= 1 - <= 3	EYE IRRITATION - Category 2B
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	>= 10 - <= 25	ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2 ASPIRATION HAZARD - Category 1
Titanium dioxide	>= 25 - <= 50	CARCINOGENICITY - Category 2

Not applicable.

State regulations		
Massachusetts	: None of the components are list	sted.
New York	: None of the components are list	
New Jersey	: The following components are Titanium dioxide	listed:
Pennsylvania	: The following components are Aluminum hydroxide	listed:
	15/17	

PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020

he

Page 16 of 17 Print Date 10/06/2020

Silica, amorphous

Titanium dioxide

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	At least one component is not listed in EINECS but all such components are listed in ELINCS. Please contact your supplier for information on the inventory status of this material.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0
		16/17

16/17



PMS 178C HC-7179

Version Number 1.0 Revision Date 10/05/2020 Page 17 of 17 Print Date 10/06/2020

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>1115tol y</u>		
Date of printing	:	10/06/2020
Date of issue/Date of revision	:	10/05/2020
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.