HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020 PolyOne

Page 1 of 18 Print Date 10/16/2020

SAFETY DATA SHEET

HAZEL CUPHOLDER

| Section 1. Identification | | |
|--|-----------|--|
| GHS product identifier Chemical name CAS number Other means of identification Product type | : : : : : | HAZEL CUPHOLDER Mixture Mixture CC10330928 liquid |
| <u>Relevant identified uses of the subst</u> Product use | ance: | e or mixture and uses advised against Industrial applications. Plastics. |
| Supplier's details | : | POLYONE CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA |
| | | +1 216 622 0100 |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|---|--|
| Classification of the substance or mixture | : | SKIN IRRITATION - Category 2 SKIN SENSITIZATION - Category 1 |

GHS label elements

HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020 PolyOne

Page 2 of 18 Print Date 10/16/2020

| Hazard pictograms | : | |
|----------------------------------|---|--|
| Signal word | : | Warning |
| Hazard statements | : | Causes skin irritation. |
| | | May cause an allergic skin reaction. |
| Precautionary statements | | |
| | : | Not applicable. |
| Prevention | : | Wear protective gloves. Avoid breathing vapor. Wash thoroughly after handling. |
| Response | : | Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. |
| Storage | : | Not applicable. |
| Disposal | : | Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |
| | | Not available. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | CC10330928 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|---|---------------|----------------|
| Miscellaneous Compounds Distillates, petroleum, hydrotreated middle | >= 10 - <= 25 | Not available. |
| Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate | >= 10 - <= 25 | 41556-26-7 |
| Carbon black | >= 3 - <= 5 | 1333-86-4 |
| Decanedioic acid, methyl 1,2,2,6,6-pentamethyl-4-piperidinyl ester | >= 1 - <= 3 | 82919-37-7 |
| Titanium dioxide | >= 1 - <= 3 | 13463-67-7 |



HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020 Page 3 of 18 Print Date 10/16/2020

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact Inhalation | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory |
|---------------------------|---|--|
| | | arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : | Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |



HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020

Potential acute health effects

Page 4 of 18 Print Date 10/16/2020

Most important symptoms/effects, acute and delayed

| I otentiai acute nearth effects | | |
|--------------------------------------|-------|--|
| Eye contact Inhalation | : | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Skin contact | : | Causes skin irritation. May cause an allergic skin reaction. |
| Ingestion | : | No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | | |
| Eye contact | : | Adverse symptoms may include the following: pain or irritation watering |
| | | redness |
| Inhalation | | |
| | : | No specific data. |
| Skin contact | : | Adverse symptoms may include the following: irritation redness |
| Ingestion | : | No specific data. |
| Indication of immediate medical atte | entio | n and special treatment needed, if necessary |
| Notes to physician | : | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under |
| Specific treatments | : | medical surveillance for 48 hours. No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known. |
|--|---|---|
| Specific hazards arising from the chemical | : | In a fire or if heated, a pressure increase will occur and the container may burst. |

HAZEL CUPHOLDER



| Version Number 1.0 Revision Date 10/13/2020 | Page 5 of 18 Print Date 10/16/2020 |
|--|---|
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides |
| Special protective actions for fire- fighters | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel For emergency responders | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|---|-------|--|
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containm | ent a | nd cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to |
| | | E/40 |



HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020 Page 6 of 18 Print Date 10/16/2020

local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|---|---|--|
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---|-----------------|
| Miscellaneous Compounds Distillates, petroleum, hydrotreated middle | None. |
| Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate | None. |

HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020



Page 7 of 18 Print Date 10/16/2020

| Carbon black | OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction |
|--|--|
| Decanedioic acid, methyl 1,2,2,6,6- pentamethyl-4-piperidinyl ester | None. |
| Titanium dioxide | OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3 |
| Appropriate engineering controls | : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |

HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020

Skin protection



Page 8 of 18 Print Date 10/16/2020

| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
|------------------------|---|--|
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

Appearance

| Physical state | : | liquid [liquid] |
|---------------------------|---|-----------------------|
| Color | : | BROWN |
| Odor | : | Faint odor. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| | | |

HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020 PolyOne

Page 9 of 18 Print Date 10/16/2020

| Solubility | : | Not available. |
|--|---|----------------------------------|
| Solubility in water | : | insoluble in water. |
| Partition coefficient: n- | : | Not available. |
| octanol/water | | NT / 111 |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| · | | Kinematic: Not available. |
| | | |
| Aerosol product | | |
| <u>Aerosol product</u> Heat of combustion | : | Not available. |
| | : | Not available. Not available. |
| Heat of combustion Ignition distance Enclosed space ignition - Time | | |
| Heat of combustion Ignition distance | : | Not available. |
| Heat of combustion Ignition distance Enclosed space ignition - Time equivalent | : | Not available. Not available. |
| Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition - | : | Not available. Not available. |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |
| Incompatible materials | : | Keep away from strong acids. Oxidizer. |
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

| Acute toxicity | | | | |
|-------------------------|--------|---------|------|----------|
| Product/ingredient name | Result | Species | Dose | Exposure |
| Carbon black | | | | |
| | | | | |



HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020 Page 10 of 18 Print Date 10/16/2020

| | LD50 Oral | Rat | 15,400 mg/kg | - |
|----------------|-----------------|------------|---------------|-----|
| Titanium oxide | | | | |
| | LC50 Inhalation | Rat - Male | 6.82 Mg/l | 4 h |
| | Dusts and mists | | | |
| | LD50 Dermal | Rabbit | > 5,000 mg/kg | - |

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|----------------------|-----------------|-------|----------|-------------|
| Titanium oxide | Skin - Mild irritant | Human | - | 72 hrs | - |
| ~ | | | | | |
| Conclusion/Summary | | | | | |
| Skin | Mixture No. | t fully tostad | | | |
| экш | | t fully tested. | | | |
| Skin Eyes | | t fully tested. | | | |

Sensitization

| Conclusion/Summary | | |
|---------------------|---|---------------------------|
| Skin | : | Mixture.Not fully tested. |
| Respiratory | : | Mixture.Not fully tested. |
| Mutagenicity | | |

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

| Conclusion/Summary | : | Mixture.Not fully tested. |
|--------------------|---|---------------------------|
|--------------------|---|---------------------------|

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| Carbon black | - | 2B | - |
| Titanium oxide | - | 2B | - |

Reproductive toxicity

| Conclusion/Summary : Mixture.Not ful | ly tested. |
|--------------------------------------|------------|
|--------------------------------------|------------|

Teratogenicity

| Conclusion/Summary | : | Mixture.Not fully tested. |
|--------------------|---|---------------------------|
|--------------------|---|---------------------------|

10/18



HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020 Page 11 of 18 Print Date 10/16/2020

Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure) Not available.

Not available.

Aspiration hazard

| Name | | | Result | |
|--|---|--|--|--|
| Miscellaneous Compounds Distillates, petroleum, | | oleum, | ASPIRATION HAZARD - Category 1 | |
| hydrotreated middle | | | | |
| Information on the likely routes of : Not available. exposure | | | | |
| Potential acute health effects | | | | |
| Eye contact | : | No known sig | nificant effects or critical hazards. | |
| Inhalation | : | | mificant effects or critical hazards. | |
| Skin contact | : | Causes skin in | ritation. May cause an allergic skin reaction. | |
| Ingestion | : | No known sig | nificant effects or critical hazards. | |
| Eye contact | : | ical and toxicological characteristics Adverse symptoms may include the following: pain or irritation, watering, redness | | |
| Inhalation | : | No specific data. | | |
| Skin contact | : | 1 | ptoms may include the following: irritation, redness | |
| Ingestion | : | No specific da | | |
| Delayed and immediate effects and also chronic effects from short and long term exposure | | | | |
| Short term exposure | | | | |
| Potential immediate effects | : | Not available. | | |
| Potential delayed effects | : | Not available. | | |
| Long term exposure | | | | |
| Potential immediate effects | : | Not available. | | |
| Potential delayed effects | : | Not available. | | |
| Potential chronic health effects | | | | |

<u>PolyOne</u>

HAZEL CUPHOLDER

| Version Number 1.0 | Page 12 of 18 |
|--------------------------|-----------------------|
| Revision Date 10/13/2020 | Print Date 10/16/2020 |
| | |

| Conclusion/Summary | : | Mixture.Not fully tested. |
|-----------------------|---|---|
| General | : | Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | : | No known significant effects or critical hazards. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Teratogenicity | : | No known significant effects or critical hazards. |
| Developmental effects | : | No known significant effects or critical hazards. |
| Fertility effects | : | No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral | Dermal | Inhalation (gases) | Inhalation (vapors) | Inhalation (dusts and mists) |
|---|-------------------|--------|-----------------------|------------------------|------------------------------------|
| HAZEL CUPHOLDER | 37,512.5 mg/kg | N/A | N/A | 100.6 Mg/l | N/A |
| Miscellaneous Compounds Distillates, petroleum, hydrotreated middle | N/A | N/A | N/A | 11 Mg/l | N/A |
| Carbon black | 15,400 mg/kg | N/A | N/A | N/A | N/A |
| Titanium oxide | N/A | N/A | N/A | N/A | 6.82 Mg/l |

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

:

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|---------------------------------------|------------------------------|----------|
| Carbon black | | | |
| | Acute EC50 37.563 Mg/l Fresh water | Daphnia - Daphnia magna | 48 h |
| Titanium oxide | | | |
| | Acute LC50 > 1,000 Mg/l | Fish - Fundulus heteroclitus | 96 h |
| 12/18 | | | |



HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020

Page 13 of 18 Print Date 10/16/2020

| | Marine water | | | |
|--|---------------------------------|---|------|--|
| | Acute LC50 3 Mg/l Fresh water | Crustaceans - Ceriodaphnia dubia | 48 h | |
| | Acute LC50 6.5 Mg/l Fresh water | Daphnia - Daphnia pulex | 48 h | |
| Conclusion/Summary | : Not available. | | | |
| Persistence and degradability | | | | |
| Conclusion/Summary | : Not available. | | | |
| Bioaccumulative potential Not available. | | | | |
| Mobility in soil | | | | |
| Soil/water partition coefficien (KOC) | t : Not available. | | | |
| Other adverse effects | : No known significant | No known significant effects or critical hazards. | | |

Section 13. Disposal considerations

The generation of waste should be avoided or minimized wherever **Disposal methods** : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed



HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020 Page 14 of 18 Print Date 10/16/2020

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : Not regulated for transportation. |
|-----------------------------------|--|
| International Air ICAO/IATA | : Not classified as dangerous goods under transport regulations. |
| International Water IMO/IMDG | : Not classified as dangerous goods under transport regulations. |

Section 15. Regulatory information

| U.S. Federal regulations | : United States - TSCA 12(b) - Chemical export notification: None of the components are listed. |
|--------------------------|---|
| | United States - TSCA 4(a) - Final Test Rules: Not listed |
| | United States - TSCA 4(a) - ITC Priority list: Not listed |
| | United States - TSCA 4(a) - Proposed test rules: Not listed |
| | United States - TSCA 4(<i>f</i>) - Priority risk review: Not listed |
| | United States - TSCA 5(a)2 - Final significant new use rules: Not |
| | listed |
| | United States - TSCA 5(a)2 - Proposed significant new use rules: |
| | Not listed |
| | United States - TSCA 5(e) - Substances consent order: Not listed |
| | United States - TSCA 6 - Final risk management: Not listed |
| | United States - TSCA 6 - Proposed risk management: Not listed |
| | United States - TSCA 8(a) - Chemical risk rules: Not listed |
| | United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed |
| | United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined |
| | United States - TSCA 8(a) - Preliminary assessment report |
| | (PAIR): Not listed |
| | United States - TSCA 8(c) - Significant adverse reaction (SAR): |
| | Not listed |
| | United States - TSCA 8(d) - Health and safety studies: Not listed |
| | United States - EPA Clean water act (CWA) section 307 - Priority |
| | pollutants: Listed Rutile, antimony chromium buff |
| | Zinc ferrite brown spinel (C.I. Pigment Yellow 119) |
| | United States - FPA Clean water act (CWA) section 311 - |

United States - EPA Clean water act (CWA) section 311 -

HAZEL CUPHOLDER

| P_{O} | lyOne. |
|---------|--------|
| | |

 Version Number 1.0
 Page 15 of 18

 Revision Date 10/13/2020
 Print Date 10/16/2020

Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

| Clean Air Act Section 112(b) | : | Listed |
|--|---|------------|
| Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I | : | Not listed |
| Substances Clean Air Act Section 602 Class II | : | Not listed |
| Substances DEA List I Chemicals (Precursor | : | Not listed |
| Chemicals) DEA List II Chemicals (Essential | | Not listed |
| Chemicals) | • | Not listed |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

SKIN IRRITATION - Category 2 SKIN SENSITIZATION - Category 1

Composition/information on ingredients

| Name | % | Classification |
|------------------------------|---------------|--|
| Miscellaneous Compounds | >= 10 - <= 25 | ACUTE TOXICITY - inhalation - Category 4 |
| Distillates, petroleum, | | SKIN IRRITATION - Category 2 |
| hydrotreated middle | | ASPIRATION HAZARD - Category 1 |
| | | |
| Decanedioic acid, 1,10- | >= 10 - <= 25 | SKIN SENSITIZATION - Category 1 |
| bis(1,2,2,6,6-pentamethyl-4- | | |
| piperidinyl) ester | | |
| Carbon black | >= 3 - <= 5 | CARCINOGENICITY - Category 2 |
| | | |
| Decanedioic acid, 1-methyl | >= 1 - <= 3 | SKIN SENSITIZATION - Category 1 |
| 10-(1,2,2,6,6-pentamethyl- | | |
| 4-piperidinyl) ester | | |
| Titanium oxide | >= 1 - <= 3 | CARCINOGENICITY - Category 2 |
| | | |



HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020 Page 16 of 18 Print Date 10/16/2020

Form R - Reporting requirements

| Product name | CAS number | % |
|---|------------|---------------|
| Rutile, antimony chromium buff | 68186-90-3 | >= 10 - <= 25 |
| Zinc ferrite brown spinel (C.I. Pigment Yellow 119) | 68187-51-9 | >= 3 - <= 5 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

| State regulations | | |
|-------------------|---|---|
| Massachusetts | : | None of the components are listed. |
| New York | : | None of the components are listed. |
| New Jersey | : | The following components are listed: Iron oxide Rutile, antimony chromium buff Zinc ferrite brown spinel (C.I. Pigment Yellow 119) Carbon black Titanium dioxide |
| Pennsylvania | : | The following components are listed: Iron oxide |
| | | Rutile, antimony chromium buff |
| | | Zinc ferrite brown spinel (C.I. Pigment Yellow 119) |
| | | Carbon black |
| | | Titanium dioxide |

California Prop. 65

WARNING: This product can expose you to chemicals including Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable dosage level |
|------------------|---------------------------|------------------------------------|
| Carbon black | - | - |
| Titanium dioxide | - | - |

HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020 PolyOne

Page 17 of 18

Print Date 10/16/2020

| United States inventory (TSCA 8b) | : | All components are active or exempted. |
|-----------------------------------|---|--|
| Canada inventory | : | All components are listed or exempted. |
| International regulations | | |
| Inventory list | | |
| Australia | : | All components are listed or exempted. |
| Canada | : | All components are listed or exempted. |
| China | : | All components are listed or exempted. |
| Europe inventory | : | All components are listed or exempted. |
| Japan | : | Not determined. |
| New Zealand | : | All components are listed or exempted. |
| Philippines | : | All components are listed or exempted. |
| Republic of Korea | : | All components are listed or exempted. |
| Taiwan | : | Not determined. |
| Turkey | : | Not determined. |
| United States | : | All components are active or exempted. |
| | | |

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | / | 2 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

| Date of printing | : 10/16/2020 |
|--------------------------------|---|
| Date of issue/Date of revision | : 10/13/2020 |
| Date of previous issue | : 00/00/0000 |
| Version | : 1.0 |
| Key to abbreviations | : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor |
| | GHS = Globally Harmonized System of Classification and Labelling of |

HAZEL CUPHOLDER

Version Number 1.0 Revision Date 10/13/2020

<u>PolyOne</u>

Page 18 of 18 Print Date 10/16/2020

Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

: