BRICK RED

Version Number 1.0 Revision Date 10/07/2020

Page 1 of 16 Print Date 10/08/2020

SAFETY DATA SHEET

BRICK RED

Section 1. Identification		
GHS product identifier	:	BRICK RED
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10332023
Product type	:	solid
	tance	or mixture and uses advised against
Supplier's details	:	Mesa Industries
		230 N 48th Avenue Phoenix, AZ 85043
		(602) 269-3199
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	COMBUSTIBLE DUSTS
GHS label elements		
Signal word Hazard statements	:	Warning May form combustible dust concentrations in air.

|--|

BRICK RED

Version Number 1.0 Revision Date 10/07/2020

Page 2 of 16

Print Date 10/08/2020

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Keep container tightly closed.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Substance
Chemical name	:	Mixture
Other means of identification	:	CC10332023

CAS number/other identifiers

CAS number

Mixture

:

Ingredient name	%	CAS number
Iron oxide	100	1309-37-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained	Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
	Inhalation	:	for breathing. If not breathing, if breathing is irregular or if respiratory



BRICK RED

Skin contact

Version Number 1.0	Page 3 of 16
Revision Date 10/07/2020	Print Date 10/08/2020
	personnel. It may be dangerous to the person providing aid to give
	mouth-to-mouth resuscitation. Get medical attention if adverse health
	effects persist or are severe. If unconscious, place in recovery position
	and get medical attention immediately. Maintain an open airway.
	Loosen tight clothing such as a collar, tie, belt or waistband.

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

BRICK RED



Version Number 1.0 Revision Date 10/07/2020		Page 4 of 16 Print Date 10/08/2020
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use dry chemical powder. Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Specific hazards arising from the chemical	:	May form explosible dust-air mixture if dispersed.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire- exposed containers cool.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note



BRICK RED

Version Number 1.0 Revision Date 10/07/2020	Page 5 of 16 Print Date 10/08/2020
Environmental precautions :	of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	and cleaning up
Small spill :	Move containers from spill area. Use spark-proof tools and explosion- proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill :	Move containers from spill area. Use spark-proof tools and explosion- proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See
		5/16

BRICK RED

 TES	5R
JUSTF	RIES

Version Number 1.0	
Revision Date 10/07/2020	

Page 6 of 16 Print Date 10/08/2020

also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities
 Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Iron oxide	ACGIH TLV (2005-12-09)
	TWA 5 mg/m3 Form: Respirable fraction
	NIOSH REL (1994-06-01)
	TWA 5 mg/m3 (as Fe) Form: Dust and fumes
	OSHA PEL 1989 (1989-03-01)
	STEL 10 ppm (as Fe) Form: total particulates
	TWA 10 mg/m3 Form: Total dust
	TWA 5 mg/m3 Form: Respirable fraction
	OSHA PEL (1993-06-30)
	TWA 10 mg/m3
	-

Appropriate engineering controls	:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

BRICK RED



DRICK RED	
Version Number 1.0 Revision Date 10/07/2020	Page 7 of 16 Print Date 10/08/2020
	necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	 Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

BRICK RED

Version Number 1.0 Revision Date 10/07/2020



Page 8 of 16 Print Date 10/08/2020

Physical state	:	solid [Powder.]
Color		RED
Odor		Not available.
Odor threshold		Not available.
pH		Not available.
Melting point	:	Not available.
Boiling point	-	Not available.
Flash point		Not available.
Burning time		Not available.
Burning rate		Not available.
Evaporation rate		Not available.
Flammability (solid, gas)	-	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits	•	Upper: Not available.
Vapor pressure	:	Not available.
Vapor density		Not available.
Relative density		Not available.
Solubility		Not available.
Solubility in water		Not available.
Partition coefficient: n-		Not available.
octanol/water	•	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature		Not available.
SADT	-	Not available.
Viscosity		Dynamic: Not available.
Viscosity	•	Kinematic: Not available.
Aerosol product		
<u></u>		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see



BRICK RED

Version Number 1.0	Page 9 of 16
Revision Date 10/07/2020	Print Date 10/08/2020

		Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Remarks - Inhalation:No applicable toxicity dataRemarks - Dermal:No applicable toxicity dataConclusion/Summary:Mixture.Not fully tested.Irritation/Corrosion:Mixture.Not fully tested.Conclusion/Summary Skin:Mixture.Not fully tested.Eyes:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.Sensitization:Mixture.Not fully tested.Conclusion/Summary Skin:Mixture.Not fully tested.Mixture:Mixture.Not fully tested.Conclusion/Summary Skin:Mixture.Not fully tested.Conclusion/Summary Skin:Mixture.Not fully tested.Mutagenicity:Mixture.Not fully tested.Mutagenicity:Mixture.Not fully tested.	Remarks - Oral:	No applicable toxicity data		
Conclusion/Summary : Mixture.Not fully tested. Irritation/Corrosion Irritation/Corrosion Conclusion/Summary : Mixture.Not fully tested. Skin : Mixture.Not fully tested. Eyes : Mixture.Not fully tested. Respiratory : Mixture.Not fully tested. Sensitization : Mixture.Not fully tested. Skin : Mixture.Not fully tested. Respiratory : Mixture.Not fully tested. Mutagenicity : Mixture.Not fully tested.	Remarks - Inhalation:	No applicable toxicity data		
Irritation/Corrosion Conclusion/Summary Skin : Eyes : Respiratory : Sensitization Conclusion/Summary Skin : Mixture.Not fully tested. Sensitization Conclusion/Summary Skin : Mixture.Not fully tested. Respiratory : Mixture.Not fully tested. Mixture.Not fully tested.	Remarks - Dermal:	No applicable toxicity data		
Conclusion/Summary:Mixture.Not fully tested.Skin:Mixture.Not fully tested.Eyes:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.Sensitization:Mixture.Not fully tested.Skin:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.Mutagenicity:Mixture.Not fully tested.	Conclusion/Summary	: Mixture.Not fully tested.		
Skin:Mixture.Not fully tested.Eyes:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.Sensitization:Mixture.Not fully tested.Conclusion/Summary Skin:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.Mutagenicity:Mixture.Not fully tested.	Irritation/Corrosion			
Eyes : Mixture.Not fully tested. Respiratory : Mixture.Not fully tested. Sensitization : Mixture.Not fully tested. Conclusion/Summary : Mixture.Not fully tested. Skin : Mixture.Not fully tested. Respiratory : Mixture.Not fully tested. Mutagenicity : Mixture.Not fully tested.	Conclusion/Summary			
Respiratory:Mixture.Not fully tested.Sensitization	Skin	: Mixture.Not fully tested.		
Sensitization Conclusion/Summary Skin : Mixture.Not fully tested. Respiratory : Mixture.Not fully tested. Mutagenicity	Eyes			
Conclusion/Summary . Skin : Mixture.Not fully tested. Respiratory : Mixture.Not fully tested. Mutagenicity .	Respiratory	: Mixture.Not fully tested.		
Skin:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.Mutagenicity::	<u>Sensitization</u>			
Skin:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.Mutagenicity::	Conclusion/Summary			
Mutagenicity	•	: Mixture.Not fully tested.		
	Respiratory	: Mixture.Not fully tested.		
Conclusion/Summary : Mixture.Not fully tested.	Mutagenicity			
	Conclusion/Summary	: Mixture.Not fully tested.		

BRICK RED

Version Number 1.0 Revision Date 10/07/20	20		Page 10 of 16 Print Date 10/08/2020
<u>Carcinogenicity</u> Conclusion/Summary <u>Classification</u>	: N	fixture.Not fully	tested.
Product/ingredient name	OSHA	IARC	NTP
Iron oxide	-	3	-
<u>Reproductive toxicity</u> Conclusion/Summary <u>Teratogenicity</u>	: N	lixture.Not fully	tested.
Conclusion/Summony	• •	Gyture Not fully	tostad
Conclusion/Summary	: N	lixture.Not fully	tested.
Specific target organ toxicity of Not available.	(single exposu	<u>re)</u>	
Specific target organ toxicity Not available.	repeated expo	osure)	
Aspiration hazard Not available.			
Information on likely routes o exposure	f : N	ot available.	
Potential acute health effects			
Eye contact		-	ne concentrations above statutory or recommended
Inhalation	: E	xposure to airbor	ay cause irritation of the eyes. ne concentrations above statutory or recommended ay cause irritation of the nose, throat and lungs.
Skin contact Ingestion	: N	o known signific	ant effects or critical hazards. ant effects or critical hazards.
Symptoms related to the phys	ical, chemical	and toxicologica	al characteristics
Eye contact Inhalation	: A ir	dverse symptoms ritation, coughing	s may include the following: irritation, redness s may include the following: respiratory tract
Skin contact Ingestion		o specific data. o specific data.	

10/16

BRICK RED

Version Number 1.0 Revision Date 10/07/2020

Page 11 of 16

Print Date 10/08/2020

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure	
Iron oxide				
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			

BRICK RED

Version Number 1.0 Revision Date 10/07/2020 Page 12 of 16 Print Date 10/08/2020

plants:		
Remarks - Chronic - Fish:	No applicable toxicity data	
Remarks - Chronic -	No applicable toxicity data	
Aquatic invertebrates.:		
Conclusion/Summary	: Not available.	
Persistence and degradability		
Conclusion/Summary	: Not available.	
<u>Bioaccumulative potential</u> Not available.		
<u>Mobility in soil</u>		
Soil/water partition coefficie (KOC)	nt : Not available.	
Other adverse effects	: No known significant effects or critical hazards.	
Section 13. Dispose	al considerations	
Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be	

when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

BRICK RED

Version Number 1.0 Revision Date 10/07/2020



Page 13 of 16 Print Date 10/08/2020

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental		release prevention - Flammable substances: Not listed
---	--	---

BRICK RED

Version Number 1.0 Revision Date 10/07/2020



Page 14 of 16

Print Date 10/08/2020

		release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed	
Clean Air Act Section 112(b)	:	Not listed	
Hazardous Air Pollutants (HAPs)			
Clean Air Act Section 602 Class I	:	Not listed	
Substances			
Clean Air Act Section 602 Class II	:	Not listed	
Substances			
DEA List I Chemicals (Precursor	:	Not listed	
Chemicals)			
DEA List II Chemicals (Essential	:	Not listed	
Chemicals)			
US. EPA CERCLA Hazardous Substances (40 CFR 302)			

not applicable

SARA 311/312

Classification

COMBUSTIBLE DUSTS

Composition/information on ingredients

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Iron oxide
Pennsylvania	:	The following components are listed: Iron oxide
California Prop. 65 This product does not require a Safe H United States inventory (TSCA 8b) Canada inventory		· ·

:

International regulations

BRICK RED

Version Number 1.0 Revision Date 10/07/2020



Page 15 of 16 Print Date 10/08/2020

Inventory list

:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		3
Physical hazards		0
Ţ		

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	10/08/2020
Date of issue/Date of revision	:	10/07/2020
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From

BRICK RED

Version Number 1.0 Revision Date 10/07/2020

Page 16 of 16 Print Date 10/08/2020

Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.