### **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020



Page 1 of 16 Print Date 10/21/2020

# SAFETY DATA SHEET

#### **BLACK STREAKER V1**

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	: : : : : : : : : : : : : : : : : : : :	BLACK STREAKER V1 Mixture Mixture CC10332576 solid
<u>Relevant identified uses of the substa</u> Product use	ance :	or mixture and uses advised against Industrial applications.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020

# **ÄVIENT**

Page 2 of 16 Print Date 10/21/2020

#### **Precautionary statements**

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10332576

CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	>= 25 - <= 50	9003-54-7
Carbon black	> 0 - <= 0.3	1333-86-4
Styrene	> 0 - <= 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.


Occupational exposure limits, if available, are listed in Section 8.

## **Section 4. First aid measures**

#### **Description of necessary first aid measures**

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.
Inhalation	:	Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable

## **BLACK STREAKER V1**





Pa	age 3 of 16
Print Date	10/21/2020

		for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Inhalation Skin contact	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atten	tion	and special treatment needed, if necessary
Notes to physician :	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### Extinguishing media

suitable training.

## BLACK STREAKER V1

Version Number 1.0 Revision Date 10/20/2020



Page 4 of 16 Print Date 10/21/2020

Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	No specific fire or explosion hazard. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt aı	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020

# **ÀVIENT**

#### Page 5 of 16 Print Date 10/21/2020

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
2-Propenenitrile, polymer with Ethenylbenzene	None.
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Styrene	ACGIH TLV (1997-05-21) TWA 20 ppm STEL 40 ppm NIOSH REL (1994-06-01)
	5/16

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020



Page 6 of 16 Print Date 10/21/2020

		TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm <b>OSHA PEL 1989 (1989-03-01)</b> TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm <b>OSHA PEL Z2 (1993-06-30)</b> TWA 100 ppm CEIL 200 ppm AMP 600 ppm
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020

# AVIENT

Page 7 of 16 Print Date 10/21/2020

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

:

#### **Appearance**

Physical state	:	solid [Pellets.]
Color	:	BLACK
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
		Not available.
Auto-ignition temperature Decomposition temperature	:	Not available.
SADT		Not available.
Viscosity		<b>Dynamic:</b> Not available.
Viscosity	•	<b>Kinematic:</b> Not available.
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition - Deflagration density	:	Not available.

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020

# AVIENT

Page 8 of 16 Print Date 10/21/2020

Flame height Flame duration Not available. Not available.

:

:

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity						
Product/ingredient name	Result	Species	Dose	Exposure		
2-Propenenitrile, polymer with ethenylbenzene						
	LD50 Oral	Rat	1,800 mg/kg	-		
Carbon black						
	LD50 Oral	Rat	15,400 mg/kg	-		
Styrene						
	LD50 Oral	Rat	2,650 mg/kg	-		
	LC50 Inhalation	Rat	2,770 ppm	4 h		
	Gas.					
	LC50 Inhalation	Rat	11.8 Mg/l	4 h		
	Vapor					

#### Conclusion/Summary

Mixture.Not fully tested.

:

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild irritant	Human	-		-
	Skin - Mild irritant	Rabbit	-		-
	Skin - Moderate irritant	Rabbit	-		-
	Eyes - Severe irritant	Rabbit	-		-

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020

# **ÀVIENT**

#### Page 9 of 16 Print Date 10/21/2020

	Eyes - Modera	ate	Rabbit	_	24 hrs	-
	irritant	uite	Rubbit		21115	
	•			•	•	•
<b>Conclusion/Summary</b>						
Skin			fully tested.			
Eyes			fully tested.			
Respiratory	: N	/lixture.Not	fully tested.			
<b>Sensitization</b>						
Conclusion/Summary						
Skin			fully tested.			
Respiratory	: N	/lixture.Not	fully tested.			
<u>Mutagenicity</u>						
Conclusion/Summary	: N	/lixture.Not	fully tested.			
<u>Carcinogenicity</u>						
Conclusion/Summary	: N	/lixture.Not	fully tested.			
<b>Classification</b>						
Product/ingredient name	OSHA	IARC	NTP	,		
<b>Product/ingredient name</b> 2-Propenenitrile, polymer	OSHA -	IARC 3	NTP -	•		
<b>Product/ingredient name</b> 2-Propenenitrile, polymer with ethenylbenzene		-				
2-Propenenitrile, polymer		-				
2-Propenenitrile, polymer with ethenylbenzene	-	3	-		ated to be a hu	man carcinogen.
2-Propenenitrile, polymer with ethenylbenzene Carbon black Styrene	-	3 2B	-		ated to be a hu	man carcinogen.
2-Propenenitrile, polymer with ethenylbenzene Carbon black Styrene	-	3 2B 2B	-		ated to be a hu	man carcinogen.
2-Propenenitrile, polymer with ethenylbenzene Carbon black Styrene Reproductive toxicity	-	3 2B 2B	- - Reas		ated to be a hu	man carcinogen.
2-Propenenitrile, polymer with ethenylbenzene Carbon black Styrene Reproductive toxicity Conclusion/Summary	- - - : N	3 2B 2B /ixture.Not	- - Reas		ated to be a hu	man carcinogen.
2-Propenenitrile, polymer with ethenylbenzene Carbon black Styrene Reproductive toxicity Conclusion/Summary Teratogenicity Conclusion/Summary	- - - : N : N	3 2B 2B /ixture.Not	- Reas		ated to be a hu	man carcinogen.
2-Propenenitrile, polymer with ethenylbenzene Carbon black Styrene Reproductive toxicity Conclusion/Summary Teratogenicity Conclusion/Summary Specific target organ toxicity	- - - : N : N (single exposu	3 2B 2B Aixture.Not Aixture.Not re)	- Reas		ated to be a hu	man carcinogen.
2-Propenenitrile, polymer with ethenylbenzene Carbon black Styrene Reproductive toxicity Conclusion/Summary Teratogenicity Conclusion/Summary Specific target organ toxicity Not available. Specific target organ toxicity	- - - : N : N (single exposu	3 2B 2B Aixture.Not Aixture.Not re)	- Reas		ated to be a hu	man carcinogen.
2-Propenenitrile, polymer with ethenylbenzene Carbon black Styrene Reproductive toxicity Conclusion/Summary Teratogenicity Conclusion/Summary Specific target organ toxicity Not available. Specific target organ toxicity Not available. Aspiration hazard	- - - : N : N (single exposu	3 2B 2B Aixture.Not Aixture.Not re)	- Reas		ated to be a hu	man carcinogen.

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020

# **ÀVIENT**™

Page 10 of 16 Print Date 10/21/2020

Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion Symptoms related to the physical, cl	: : : : hemi	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact Inhalation Skin contact Ingestion	:	No specific data. No specific data. No specific data. No specific data.
Delayed and immediate effects and a	also	chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects		No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects.

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020



Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result		Species		Exposure
Carbon black					
	Acute	EC50 37.563 Mg/l Fresh	Daphnia - Daphnia	i magna	48 h
	water				
Styrene					
	Acute	LC50 4.02 Mg/l Fresh	Fish - Pimephales	promelas	96 h
	water				
	Acute	EC50 0.0047 Mg/l Fresh	Daphnia - Daphnia	i magna	48 h
	water				
	Acute	LC50 52 Mg/l Marine	Crustaceans - Arte	mia salina	48 h
	water				
	Acute	EC50 1.4 Mg/l Fresh	Algae - Pseudokiro	chneriella	72 h
	water		subcapitata		
	Acute	EC50 0.72 Mg/l Fresh	Algae - Pseudokiro	chneriella	96 h
	water		subcapitata		
	Chroni	ic NOEC 0.063 Mg/l Fres	h Algae - Pseudokiro	chneriella	96 h
	water		subcapitata		
BLACK STREAKER V1					
Remarks - Acute - Aquatic	Chemi	cals are not readily availa	ble as they are bound w	vithin the pol	ymer matrix.
invertebrates.:					
Conclusion/Summary	:	Chemicals are not reapolymer matrix.	dily available as they a	are bound wit	hin the
Persistence and degradability					
Conclusion/Summary		: Chemicals are not re polymer matrix.	adily available as they	are bound wi	thin the
Conclusion/Summary		: Chemicals are not re polymer matrix.	adily available as they	are bound wi	thin the
<b>Bioaccumulative potential</b>					
Product/ingredient name		LogPow	BCF	Potential	
		0			

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020

# **ÀVIENT**

#### Page 12 of 16 Print Date 10/21/2020

Styrene	0	.35	13.49	low
Mobility in soil				
Soil/water partition coefficient (KOC)	:	Not available.		
Other adverse effects	:	No known significa	nt effects or crit	ical hazards.
Section 13. Disposal c	ons	iderations		
Disposal methods		The generation of w	vaste should be a	avoided or minimized wherever

Disposal methods
 The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## **Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

## Section 15. Regulatory information

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020

# **ÀVIENT**

Page 13 of 16 Print Date 10/21/2020

U.S. Federal regulations	:	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Not listed</li> <li>United States - TSCA 4(a) - ITC Priority list: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 5(a)2 - Final significant new use rules: Not listed</li> <li>United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(e) - Substances consent order: Not listed</li> <li>United States - TSCA 6 - Final risk management: Listed</li> <li>Methylene chloride</li> <li>United States - TSCA 6 - Proposed risk management: Not listed</li> <li>United States - TSCA 6 - Proposed risk rules: Not listed</li> </ul>			
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Acrylonitrile Methylene chloride			
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed			
Clean Air Act Section 112(b)	:	Listed			
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances	:	Not listed			
Clean Air Act Section 602 Class II Substances	:	Not listed			
DEA List I Chemicals (Precursor Chemicals)	:	Not listed			
DEA List II Chemicals (Essential Chemicals)	:	Not listed			

# **ÄVIENT**

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020 Page 14 of 16 Print Date 10/21/2020

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
2-Propenenitrile, polymer with ethenylbenzene	>= 25 - <= 50	ACUTE TOXICITY - oral - Category 4
Carbon black	> 0 - <= 0.3	CARCINOGENICITY - Category 2
Styrene	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2

#### Form R - Reporting requirements

Product name	CAS number	%
Styrene	100-42-5	> 0 - <= 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Styrene
New Jersey	:	The following components are listed: 2-Propenenitrile, polymer with Ethenylbenzene Carbon black Styrene
Pennsylvania	:	The following components are listed: Carbon black

## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020



Page 15 of 16 Print Date 10/21/2020

Styrene

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-
Styrene	Yes.	-

United States inventory (TSCA 8b)	:	Not determined.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	Not determined.

## **Section 16. Other information**

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark



## **BLACK STREAKER V1**

Version Number 1.0 Revision Date 10/20/2020 Page 16 of 16 Print Date 10/21/2020

and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	10/21/2020
Date of issue/Date of revision	:	10/20/2020
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.