## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023



Page 1 of 16 Print Date 06/29/2023

## SAFETY DATA SHEET

## YELLOW UHMW PE

Section 1. Identificatio	n	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	YELLOW UHMW PE Mixture Mixture CC10345513 solid
<u>Relevant identified uses of the subst</u> Product use	ance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
<b>Emergency telephone number</b> (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	COMBUSTIBLE DUSTS
<b>GHS label elements</b>		
Signal word Hazard statements	:	Warning May form combustible dust concentrations in air.

#### **Precautionary statements**

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023

# **ÀVIENT**

Page 2 of 16 Print Date 06/29/2023

Not applicable. Not applicable. Prevention : Not applicable. Response Storage Not applicable. Disposal Not applicable. Supplemental label elements Keep container tightly closed. : Hazards not otherwise classified None known. : Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10345513

#### CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 3 - <= 5	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## **Section 4. First aid measures**

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.
	2/16

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023

## AVIENT

### Page 3 of 16 Print Date 06/29/2023

#### Most important symptoms/effects, acute and delayed **Potential acute health effects** Eye contact Exposure to airborne concentrations above statutory or recommended : exposure limits may cause irritation of the eyes. Inhalation Exposure to airborne concentrations above statutory or recommended : exposure limits may cause irritation of the nose, throat and lungs. No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion : **Over-exposure signs/symptoms** Eye contact Adverse symptoms may include the following: : irritation redness Inhalation Adverse symptoms may include the following: : respiratory tract irritation coughing Skin contact No specific data. : Ingestion No specific data. : Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## **Section 5. Fire-fighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use dry chemical powder. Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Specific hazards arising from the chemical	:	May form explosible dust-air mixture if dispersed.
Hazardous thermal	:	Decomposition products may include the following materials:
		3/16

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023



Page 4 of 16 Print Date 06/29/2023

decomposition products		carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire- exposed containers cool.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Use spark-proof tools and explosion- proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Use spark-proof tools and explosion- proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a
		4/16

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023

## AVIENT

Page 5 of 16 Print Date 06/29/2023

licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### Control parameters

### **Occupational exposure limits**

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023

# **ÄVIENT**

### Page 6 of 16 Print Date 06/29/2023

Ingredient name		Exposure limits
Titanium dioxide		OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles
Appropriate engineering controls	:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof
Environmental exposure controls	:	ventilation equipment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that
		6/16

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023



Page 7 of 16
Print Date 06/29/2023

	the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state Color Odor Odor threshold pH Melting point Boiling point Flash point	<ul> <li>solid [Very fine powder</li> <li>YELLOW</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Not applicable.</li> </ul>	:.]
Burning time Burning rate Evaporation rate Flammability (solid, gas) Lower and upper explosive (flammable) limits	<ul> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Lower: Not applicable.</li> <li>Upper: Not applicable.</li> </ul>	
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	<ul> <li>Not available.</li> <li>Not applicable.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Not applicable.</li> </ul>	

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023

# **ÀVIENT**

Page 8 of 16 Print Date 06/29/2023

Auto-ignition temperature	:	Not applicable.
Decomposition temperature SADT Viscosity	:	Not available. Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not applicable.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
<b>Enclosed space ignition -</b>	:	Not available.
Deflagration density Flame height	:	Not available.
Flame duration	:	Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023

# **ÀVIENT**

### Page 9 of 16 Print Date 06/29/2023

Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists		Ũ	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
			-, 6 6	
Conclusion/Summary	: Mixture	e.Not fully test	ed.	
Irritation/Corrosion				
Conclusion/Summary				
Skin		e.Not fully tes		
Eyes		e.Not fully tes		
Respiratory	: Mixtur	e.Not fully tes	ted.	
<u>Sensitization</u>				
Conclusion/Summary				
Skin	: Mixtur	e.Not fully tes	ted.	
Respiratory	: Mixtur	e.Not fully tes	ted.	
<u>Mutagenicity</u>				
Conclusion/Summary	: Mixtur	e.Not fully tes	ted.	
<u>Carcinogenicity</u>				
Conclusion/Summary	: Mixtur	e.Not fully tes	ted.	
<b>Classification</b>				
Product/ingredient name	OSHA IA	RC 1	NTP	
Titanium oxide (TiO2)	- 2B	-	-	
<u>Reproductive toxicity</u>				
Conclusion/Summary	: Mixtur	e.Not fully tes	ted.	
Teratogenicity				
Conclusion/Summary	: Mixtur	e.Not fully tes	ted.	
Specific target organ toxicity	(single exposure)			
Not available.	(single caposule)			
Specific target organ toxicity	(repeated exposure	)		
Not available.		_		
		9/16		

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023

# **ÀVIENT**™

Page 10 of 16 Print Date 06/29/2023

Aspiration hazard Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical, ch	iemi	cal and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: irritation, redness
Inhalation		Adverse symptoms may include the following: respiratory tract
minint	•	irritation, coughing
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects and a	ulso o	chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects	•	
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards. No known significant

10/16

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023



Page 11 of 16 Print Date 06/29/2023

effects or critical hazards.

#### Numerical measures of toxicity

 $\frac{\textbf{Acute toxicity estimates}}{N/A}$ 

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## Section 12. Ecological information

:

**Toxicity** 

Titanium oxide (TiO2)	Acute LC50 > 1,000 Mg/l Marine water Acute LC50 3 Mg/l Fresh water	Fish - Fundulus heteroclitus Crustaceans - Ceriodaphnia	96 h
	Marine water Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	
	Acute LC50 3 Mg/l Fresh water		101
			10.1
	A $\cdots$ ( ) $I \cap S \cap C \in M_{2} / I \cap \mathbb{T}_{2}$	dubia	48 h
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
	water		
Conclusion/Summary	: Not available.		
Persistence and degradability	<u>.</u>		
Conclusion/Summary	Not available.		
<b><u>Bioaccumulative potential</u></b> Not available.			
<u>Mobility in soil</u>			
Soil/water partition coefficie (KOC)	ent : Not available.		
Other adverse effects	: No known significant	effects or critical hazards.	

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023

## AVIENT

### Page 12 of 16 Print Date 06/29/2023

## Section 13. Disposal considerations

:

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

## Section 15. Regulatory information

U.S. Federal regulations	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Not listed</li> <li>United States - TSCA 4(a) - ITC Priority list: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 5(a)2 - Final significant new use rules: Not listed</li> </ul>

12/16

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023



Page 13 of 16
Print Date 06/29/2023

		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Listed 1,1'-
		Biphenyl, chloro derivs.
		United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed 1,1'-Biphenyl, chloro derivs.
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed

## US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

**DEA List II Chemicals (Essential** :

### SARA 311/312

**Chemicals**)

Classification

: COMBUSTIBLE DUSTS

Not listed

# **ÀVIENT**

## SAFETY DATA SHEET

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023 Page 14 of 16 Print Date 06/29/2023

### **Composition/information on ingredients**

Name	%	Classification
Titanium oxide (TiO2)	>= 3 - <= 5	CARCINOGENICITY - Category 2
1,1'-Biphenyl, chloro derivs.	> 0 - < 0.1	COMBUSTIBLE DUSTS CARCINOGENICITY - Category 1A

### <u>SARA 313</u>

#### Form R - Reporting requirements

Product name	CAS number	%
1,1'-Biphenyl, chloro derivs.	-	>= 0 - < 0.1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed:
		Barium sulfate Titanium dioxide
		Silica, amorphous, precipitated and gel
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		Barium sulfate
		Titanium dioxide
		Silica, amorphous, precipitated and gel
Pennsylvania	:	The following components are listed:
		Barium sulfate
		Titanium dioxide
		Silica, amorphous, precipitated and gel

#### California Prop. 65

**WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023

## AVIENT

Page 15 of 16 Print Date 06/29/2023

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
<u>International regulations</u> <u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
<b>Eurasian Economic Union</b>	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
		Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		3
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Version Key to abbreviations	:	1.1 ATE = Acute Toxicity Estimate
Date of previous issue	:	12/08/2021
Date of issue/Date of revision	:	06/27/2023
Date of printing	:	06/29/2023
<b>HIStory</b>		

## YELLOW UHMW PE

Version Number 1.1 Revision Date 06/27/2023



Page 16 of 16 Print Date 06/29/2023

BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.