WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021



Page 1 of 16 Print Date 09/01/2021

SAFETY DATA SHEET

WEATHERWOOD ACCENT 2

Section 1. Identification	n	
GHS product identifier	:	WEATHERWOOD ACCENT 2
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10346845
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021

AVIENT

Page 2 of 16 Print Date 09/01/2021

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10346845

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 10 - <= 25	13463-67-7
Silica, amorphous	>= 1 - <= 3	7631-86-9
Carbon black	>= 0.3 - <= 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.
Inhalation	:	Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable

WEATHERWOOD ACCENT 2



Version Number	er 1.0
Revision Date	08/31/2021

Page 3 of 16
Print Date 09/01/2021

		for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atten	ition	and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ .
------------------------------	---	---

suitable training.

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021



Page 4 of 16 Print Date 09/01/2021

Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021

ÀVIENT

Page 5 of 16 Print Date 09/01/2021

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.


Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust
	TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01)

WEATHERWOOD ACCENT 2



ÀVIENT

Page 6 of 16 Print Date 09/01/2021

	TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls Environmental exposure controls	exposure to airborne contaminants.
Individual protection measures	
Hygiene measures	products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin protection	
Hand protection Body protection	standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Other skin protection	approved by a specialist before handling this product.
Respiratory protection	

Section 9. Physical and chemical properties

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021

ÀVIENT

Page 7 of 16 Print Date 09/01/2021

Appearance

Physical state	:	solid [Pellets.]
Color	-	TAN
Odor		Faint odor.
Odor threshold	1	Not available.
pH	-	Not available.
Melting point	-	Not available.
Boiling point		Not available.
Flash point		Not available.
Burning time	-	Not available.
Burning rate	-	Not available.
Evaporation rate	÷.	Not available.
Flammability (solid, gas)	÷.	Not available.
Lower and upper explosive	-	Lower: Not available.
(flammable) limits	•	Upper: Not available.
Vapor pressure	:	Not available.
Vapor density		Not available.
Relative density	-	Not available.
Solubility	-	Not available.
Solubility in water	:	insoluble in water.
·		
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
		N
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		NT / 111
Enclosed space ignition -	:	Not available.
Deflagration density		Not overlable
Flame height Flame duration	:	Not available. Not available.
riame duration	:	not available.

Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021

AVIENT

Page 8 of 16 Print Date 09/01/2021

Chemical stability	:	its ingredients. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will
		not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids.
		Oxidizer.
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
products		products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists		_	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium oxide	Skin - Mild irritant	Human	-	72 hrs	-
Silica	Eyes - Mild irritant	Rabbit	-	24 hrs	-

:	Mixture.Not fully tested.
:	Mixture.Not fully tested.
:	Mixture.Not fully tested.
:	Mixture.Not fully tested. Mixture.Not fully tested.

Mutagenicity

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021



Page 9 of 16 Print Date 09/01/2021

Conclusion/Summary	: N	/lixture.Not f	ully tested.	
Carcinogenicity				
Conclusion/Summary	: N	/lixture.Not f	fully tested.	
Classification				
Product/ingredient name	OSHA	IARC	NTP	
Titanium oxide	-	2B	-	
Silica	-	3	-	
Carbon black	-	2B	-	
<u>Reproductive toxicity</u> Conclusion/Summary <u>Teratogenicity</u>	: M	/ixture.Not f	fully tested.	
Teratogenicity				
Conclusion/Summary	: N	/lixture.Not f	fully tested.	
Specific target organ toxicity (Not available.	single exposu	<u>re)</u>		
Specific target organ toxicity (Not available.	repeated expo	osure)		
Aspiration hazard Not available.				
Information on the likely route exposure	es of : N	lot available.		
Potential acute health effects				
Eye contact	: N	lo known sig	nificant effects or critical hazards.	
Inhalation			nificant effects or critical hazards.	
Skin contact			nificant effects or critical hazards.	
Ingestion	: N	lo known sig	nificant effects or critical hazards.	
Symptoms related to the physi	cal, chemical	and toxicolo	ogical characteristics	
Eye contact	: N	lo specific da	ita.	
Inhalation	: N	lo specific da	ita.	
Skin contact		lo specific da		
Ingestion	: N	lo specific da	ita.	

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021

AVIENT

Page 10 of 16 Print Date 09/01/2021

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects Potential delayed effects	Not available.Not available.
Long term exposure	
Potential immediate effects Potential delayed effects	Not available.Not available.
Potential chronic health effects	
Conclusion/Summary	: Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects <u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A	 No known significant effects or critical hazards.
Other information	: This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium oxide			
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
	Marine water		
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
		dubia	
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021

Page 11 of 16 Print Date 09/01/2021

[water			
Carbon black	water			
	A cuto EC4	50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
		00 57.305 Mg/1 FICSH	Dapillita - Dapillita magna	40 11
WEATHERWOOD ACCENT	water			
WEATHERWOOD ACCENT 2		. 111 111	4 1 1 4 4	·
Remarks - Acute - Aquatic	Chemicals	are not readily available	e as they are bound within the pol	lymer matrix.
invertebrates.:				
Conclusion/Summary	:	Chemicals are not readi polymer matrix.	ly available as they are bound wi	thin the
Persistence and degradability				
Conclusion/Summary	:	Chemicals are not read polymer matrix.	ily available as they are bound w	ithin the
Conclusion/Summary	:	Chemicals are not read polymer matrix.	ily available as they are bound w	ithin the
Bioaccumulative potential Not available.				
<u>Mobility in soil</u>				
Soil/water partition coefficien (KOC)	nt :	Not available.		
Other adverse effects	:	No known significant e	effects or critical hazards.	
Section 13. Disposal considerations				

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and

11/16



WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021



Page 12 of 16 Print Date 09/01/2021

contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	Not regulated for transportation	1.
International Air ICAO/IATA	Not classified as dangerous goo	ods under transport regulations.
International Water IMO/IMDG	Not classified as dangerous goo	ods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
5		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Rutile, antimony chromium buff
		F = = = = = = = = = = = = = = = = = = =

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021



Page 13 of 16 Print Date 09/01/2021

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances		NT - 11 - 1
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Titanium oxide	>= 10 - <= 25	CARCINOGENICITY - Category 2
Silica	>= 1 - <= 3	EYE IRRITATION - Category 2B
Carbon black	>= 0.3 - <= 1	CARCINOGENICITY - Category 2

Form R - Reporting requirements

Product name	CAS number	%
Rutile, antimony chromium buff	68186-90-3	>= 10 - <= 25

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021



Page 14 of 16 Print Date 09/01/2021

include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Barium sulfate Rutile, antimony chromium buff Titanium dioxide Iron oxide
		Carbon black
Pennsylvania	:	The following components are listed:
		Barium sulfate
		Rutile, antimony chromium buff
		Titanium dioxide
		Iron oxide
		Silica, amorphous
		Carbon black

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-
Carbon black	-	-

		14/16	
China	:	Not determined.	
Canada	:	All components are listed or exempted.	
Australia	:	Not determined.	
<u>Inventory list</u>			
International regulations			
Canada inventory	:	All components are listed or exempted.	
United States inventory (TSCA 8b)	:	All components are active or exempted.	

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021



Page 15 of 16 Print Date 09/01/2021

Europe inventory :	All components are listed or exempted.
Japan :	Not determined.
New Zealand :	Not determined.
Philippines :	Not determined.
Republic of Korea :	Not determined.
Taiwan :	Not determined.
Turkey :	Not determined.
United States :	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

:	09/01/2021
:	08/31/2021
:	00/00/0000
:	1.0
:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
:	UN = United Nations Not available.
	:

Notice to reader

WEATHERWOOD ACCENT 2

Version Number 1.0 Revision Date 08/31/2021



Page 16 of 16 Print Date 09/01/2021

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.