## PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021



Page 1 of 16 Print Date 09/08/2021

# SAFETY DATA SHEET

#### PINK PMS 190C

| Section 1. Identification  |             |   |
|--|-------------|---|
| GHS product identifier<br>Chemical name<br>CAS number<br>Other means of identification<br>Product type | :           | PINK PMS 190C<br>Mixture<br>Mixture<br>CC10347023<br>liquid   |
| <u>Relevant identified uses of the subs</u><br>Product use   | stance<br>: | or mixture and uses advised against<br>Industrial applications. Plastics.                                 |
| Supplier's details   | :           | AVIENT CORPORATION<br>ColorMatrix Group Inc.<br>680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA |
|  |             | +1 216 622 0100   |
| Emergency telephone number<br>(with hours of operation)  | :           | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).                              |

# Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status                            | : | This material is considered hazardous by the OSHA Hazard<br>Communication Standard (29 CFR 1910.1200). |
|--|---|--|
| Classification of the substance or mixture | : | SKIN IRRITATION - Category 2   |

#### **GHS label elements**

# PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021

# AVIENT

#### Page 2 of 16 Print Date 09/08/2021

| Hazard pictograms   | : |  |
|---|---|--|
| Signal word   | : | Warning  |
| Hazard statements   | : | Causes skin irritation.  |
| <u>Precautionary statements</u><br>Prevention<br>Response | : | Not applicable.<br>Wear protective gloves. Wash thoroughly after handling.<br>Take off contaminated clothing and wash it before reuse. IF ON<br>SKIN: Wash with plenty of water. |
| Storage   | : | Not applicable.  |
| Disposal  | : | Not applicable.  |
| Supplemental label elements                               | : | None known.  |
| Hazards not otherwise classified                          | : | None known.  |
|   |   | Not available.   |

# Section 3. Composition/information on ingredients

:

:

:

Substance/mixture Chemical name Other means of identification Mixture Mixture CC10347023

#### CAS number/other identifiers

| Ingredient name   | %             | CAS number     |
|---|---------------|----------------|
| Titanium dioxide  | >= 50 - <= 75 | 13463-67-7     |
| Miscellaneous Compounds Distillates, petroleum, hydrotreated middle | >= 10 - <= 25 | Not available. |
| Silica, amorphous   | >= 1 - <= 3   | 7631-86-9      |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021

# **ÀVIENT**

#### Page 3 of 16 Print Date 09/08/2021

# Section 4. First aid measures

#### Description of necessary first aid measures

| Eye contact  | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.  |
|--------------|---|--|
| Inhalation   | : | Remove victim to fresh air and keep at rest in a position comfortable<br>for breathing. If not breathing, if breathing is irregular or if respiratory<br>arrest occurs, provide artificial respiration or oxygen by trained<br>personnel. It may be dangerous to the person providing aid to give<br>mouth-to-mouth resuscitation. Get medical attention if adverse health<br>effects persist or are severe. If unconscious, place in recovery position<br>and get medical attention immediately. Maintain an open airway.<br>Loosen tight clothing such as a collar, tie, belt or waistband. In case of<br>inhalation of decomposition products in a fire, symptoms may be<br>delayed. The exposed person may need to be kept under medical<br>surveillance for 48 hours.   |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.   |
| Ingestion    | : | Wash out mouth with water. Remove dentures if any. Remove victim<br>to fresh air and keep at rest in a position comfortable for breathing. If<br>material has been swallowed and the exposed person is conscious,<br>give small quantities of water to drink. Stop if the exposed person<br>feels sick as vomiting may be dangerous. Do not induce vomiting<br>unless directed to do so by medical personnel. If vomiting occurs, the<br>head should be kept low so that vomit does not enter the lungs. Get<br>medical attention if adverse health effects persist or are severe. Never<br>give anything by mouth to an unconscious person. If unconscious,<br>place in recovery position and get medical attention immediately.<br>Maintain an open airway. Loosen tight clothing such as a collar, tie,<br>belt or waistband. |

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

| Eye contact:No known significant effects or criticaInhalation:No known significant effects or criticaSkin contact:Causes skin irritation.Ingestion:No known significant effects or critica |
|--|
|--|

#### **Over-exposure signs/symptoms**

# PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021



Page 4 of 16 Print Date 09/08/2021

| Eye contact                     | :          | Adverse symptoms may include the following:<br>pain or irritation<br>watering<br>redness   |
|---------------------------------|------------|--|
| Inhalation                      | :          | No specific data.  |
| Skin contact                    | :          | Adverse symptoms may include the following:<br>irritation<br>redness   |
| Ingestion                       | :          | No specific data.  |
| Indication of immediate medical | l attentio | n and special treatment needed, if necessary   |
| Notes to physician              | :          | In case of inhalation of decomposition products in a fire, symptoms<br>may be delayed. The exposed person may need to be kept under<br>medical surveillance for 48 hours.      |
| Specific treatments             | :          | No specific treatment.   |
| Protection of first-aiders      | :          | No action shall be taken involving any personal risk or without<br>suitable training. It may be dangerous to the person providing aid to<br>give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### Extinguishing media

| Suitable extinguishing media<br>Unsuitable extinguishing media                               | : | In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.   |
|--|---|--|
| Specific hazards arising from the<br>chemical<br>Hazardous thermal<br>decomposition products | : | In a fire or if heated, a pressure increase will occur and the container<br>may burst.<br>Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides<br>halogenated compounds<br>metal oxide/oxides |
| Special protective actions for fire-<br>fighters   | : | Promptly isolate the scene by removing all persons from the vicinity<br>of the incident if there is a fire. No action shall be taken involving any<br>personal risk or without suitable training.  |
| Special protective equipment for fire-fighters   | : | Fire-fighters should wear appropriate protective equipment and self-<br>contained breathing apparatus (SCBA) with a full face-piece operated<br>in positive pressure mode.   |

## PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021

# AVIENT

Page 5 of 16 Print Date 09/08/2021

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel<br>For emergency responders | :    | No action shall be taken involving any personal risk or without<br>suitable training. Evacuate surrounding areas. Keep unnecessary and<br>unprotected personnel from entering. Do not touch or walk through<br>spilled material. Avoid breathing vapor or mist. Provide adequate<br>ventilation. Wear appropriate respirator when ventilation is<br>inadequate. Put on appropriate personal protective equipment.<br>If specialized clothing is required to deal with the spillage, take note<br>of any information in Section 8 on suitable and unsuitable materials.<br>See also the information in "For non-emergency personnel".  |
|---|------|---|
| Environmental precautions                               | :    | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| Methods and materials for containme                     | nt a | nd cleaning up  |
| Small spill   | :    | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| Large spill   | :    | Stop leak if without risk. Move containers from spill area. Approach<br>release from upwind. Prevent entry into sewers, water courses,<br>basements or confined areas. Wash spillages into an effluent treatment<br>plant or proceed as follows. Contain and collect spillage with non-<br>combustible, absorbent material e.g. sand, earth, vermiculite or<br>diatomaceous earth and place in container for disposal according to<br>local regulations (see Section 13). Dispose of via a licensed waste<br>disposal contractor. Contaminated absorbent material may pose the<br>same hazard as the spilled product. Note: see Section 1 for emergency<br>contact information and Section 13 for waste disposal. |

# Section 7. Handling and storage

#### Precautions for safe handling

| Protective measures   :   Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approve alternative made from a compatible material, kept tightly closed when |
|--|
|--|

## PINK PMS 190C



Version Number 1.0 Revision Date 09/02/2021

#### Page 6 of 16 Print Date 09/08/2021

| Advice on general occupational<br>hygiene                       | : | not in use. Empty containers retain product residue and can be<br>hazardous. Do not reuse container.<br>Eating, drinking and smoking should be prohibited in areas where this<br>material is handled, stored and processed. Workers should wash hands<br>and face before eating, drinking and smoking. Remove contaminated<br>clothing and protective equipment before entering eating areas. See<br>also Section 8 for additional information on hygiene measures.  |
|---|---|--|
| Conditions for safe storage,<br>including any incompatibilities | : | Store in accordance with local regulations. Store in original container<br>protected from direct sunlight in a dry, cool and well-ventilated area,<br>away from incompatible materials (see Section 10) and food and<br>drink. Keep container tightly closed and sealed until ready for use.<br>Containers that have been opened must be carefully resealed and kept<br>upright to prevent leakage. Do not store in unlabeled containers. Use<br>appropriate containment to avoid environmental contamination. |

# Section 8. Exposure controls/personal protection

#### Control parameters

#### **Occupational exposure limits**

| Ingredient name   | Exposure limits   |
|---|---|
| Titanium dioxide  | OSHA PEL 1989 (1989-03-01)<br>TWA 10 mg/m3 Form: Total dust<br>OSHA PEL (1993-06-30)<br>TWA 15 mg/m3 Form: Total dust<br>ACGIH TLV (1996-05-18)<br>TWA 10 mg/m3 |
| Miscellaneous Compounds Distillates, petroleum, hydrotreated middle | None.   |
| Silica, amorphous   | NIOSH REL (1994-06-01)<br>TWA 6 mg/m3   |

| Appropriate engineering controls | : | Good general ventilation should be sufficient to control worker<br>exposure to airborne contaminants.  |
|----------------------------------|---|--|
| Environmental exposure controls  | : | Emissions from ventilation or work process equipment should be<br>checked to ensure they comply with the requirements of<br>environmental protection legislation. In some cases, fume scrubbers,<br>filters or engineering modifications to the process equipment will be<br>necessary to reduce emissions to acceptable levels. |
|                                  |   | 6/16   |

## PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021

# **ÀVIENT**

#### Page 7 of 16 Print Date 09/08/2021

| Individual protection measures          |   |  |
|---|---|--|
| Hygiene measures<br>Eye/face protection | : | Wash hands, forearms and face thoroughly after handling chemical<br>products, before eating, smoking and using the lavatory and at the end<br>of the working period. Appropriate techniques should be used to<br>remove potentially contaminated clothing. Wash contaminated<br>clothing before reusing. Ensure that eyewash stations and safety<br>showers are close to the workstation location.<br>Safety eyewear complying with an approved standard should be used<br>when a risk assessment indicates this is necessary to avoid exposure to<br>liquid splashes, mists, gases or dusts. If contact is possible, the<br>following protection should be worn, unless the assessment indicates a<br>higher degree of protection: chemical splash goggles. |
| Skin protection                         |   |  |
| Hand protection                         | : | Chemical-resistant, impervious gloves complying with an approved<br>standard should be worn at all times when handling chemical products<br>if a risk assessment indicates this is necessary. Considering the<br>parameters specified by the glove manufacturer, check during use that<br>the gloves are still retaining their protective properties. It should be<br>noted that the time to breakthrough for any glove material may be<br>different for different glove manufacturers. In the case of mixtures,<br>consisting of several substances, the protection time of the gloves<br>cannot be accurately estimated.   |
| Body protection                         | : | Personal protective equipment for the body should be selected based<br>on the task being performed and the risks involved and should be<br>approved by a specialist before handling this product.  |
| Other skin protection                   | : | Appropriate footwear and any additional skin protection measures<br>should be selected based on the task being performed and the risks<br>involved and should be approved by a specialist before handling this<br>product.   |
| Respiratory protection                  | : | Based on the hazard and potential for exposure, select a respirator that<br>meets the appropriate standard or certification. Respirators must be<br>used according to a respiratory protection program to ensure proper<br>fitting, training, and other important aspects of use.  |

# Section 9. Physical and chemical properties

#### **Appearance**

| Physical state | : liquid [liquid] |
|----------------|-------------------|
| Color          | : PINK            |
| Odor           | : Faint odor.     |
| Odor threshold | : Not available.  |

## PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021

# **ÀVIENT**

Page 8 of 16 Print Date 09/08/2021

| рН                             | : | Not available.            |
|--------------------------------|---|---------------------------|
| Melting point                  | : | Not available.            |
| Boiling point                  | : | Not available.            |
| Flash point                    | : | Not available.            |
| Burning time                   | : | Not available.            |
| Burning rate                   | : | Not available.            |
| Evaporation rate               | : | Not available.            |
| Flammability (solid, gas)      | : | Not available.            |
| Lower and upper explosive      | : | Lower: Not available.     |
| (flammable) limits             |   | Upper: Not available.     |
| Vapor pressure                 | : | Not available.            |
| Vapor density                  | : | Not available.            |
| Relative density               | : | Not available.            |
| Solubility                     | : | Not available.            |
| Solubility in water            | : | insoluble in water.       |
| Partition coefficient: n-      | : | Not available.            |
| octanol/water                  |   |                           |
| Auto-ignition temperature      | : | Not available.            |
| Decomposition temperature      | : | Not available.            |
| SADT                           | : | Not available.            |
| Viscosity                      | : | Dynamic: Not available.   |
|                                |   | Kinematic: Not available. |
| Aerosol product                |   |                           |
| Heat of combustion             | : | Not available.            |
| Ignition distance              | : | Not available.            |
| Enclosed space ignition - Time | : | Not available.            |
| equivalent                     |   |                           |
| Enclosed space ignition -      | : | Not available.            |
| Deflagration density           |   |                           |
| Flame height                   | : | Not available.            |
| Flame duration                 | : | Not available.            |
|                                |   |                           |

# Section 10. Stability and reactivity

| : | No specific test data related to reactivity available for this product or its ingredients. |
|---|--|
| : | Stable under recommended storage and handling conditions (see Section 7).                  |
| : | Under normal conditions of storage and use, hazardous reactions will not occur.            |
| : | Keep away from extreme heat and oxidizing agents.<br>Keep away from strong acids.          |
|   |  |

8/16

## PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021

# **ÀVIENT**

Page 9 of 16 Print Date 09/08/2021

|                                  |   | Oxidizer.  |
|----------------------------------|---|--|
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

# Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result          | Species    | Dose          | Exposure |
|-------------------------|-----------------|------------|---------------|----------|
| Titanium oxide          |                 |            |               |          |
|                         | LC50 Inhalation | Rat - Male | 6.82 Mg/l     | 4 h      |
|                         | Dusts and mists |            |               |          |
|                         | LD50 Dermal     | Rabbit     | > 5,000 mg/kg | -        |

**Conclusion/Summary** 

: Mixture.Not fully tested.

#### Irritation/Corrosion

| Product/ingredient name | Result               | Species | Score | Exposure | Observation |
|-------------------------|----------------------|---------|-------|----------|-------------|
| Titanium oxide          | Skin - Mild irritant | Human   | -     | 72 hrs   | -           |
| Silica                  | Eyes - Mild irritant | Rabbit  | -     | 24 hrs   | -           |

| Conclusion/Summary<br>Skin<br>Eyes<br>Respiratory | :    | Mixture.Not fully t<br>Mixture.Not fully t<br>Mixture.Not fully t | ested. |
|---|------|---|--------|
| Sensitization                                     |      |   |        |
| Conclusion/Summary<br>Skin<br>Respiratory         | :    | Mixture.Not fully t<br>Mixture.Not fully t                        |        |
| <b>Mutagenicity</b>                               |      |   |        |
| Conclusion/Summary                                | :    | Mixture.Not fully t   | ested. |
| <b>Carcinogenicity</b>                            |      |   |        |
| Conclusion/Summary                                | :    | Mixture.Not fully t   | ested. |
| <b>Classification</b>                             |      |   |        |
| Product/ingredient name                           | OSHA | IARC  | NTP    |

## PINK PMS 190C



Version Number 1.0 Revision Date 09/02/2021

#### Page 10 of 16 Print Date 09/08/2021

| Titanium oxide  | -  | 2B                           | -   |  |  |  |  |  |
|---|--|------------------------------|---|--|--|--|--|--|
| Silica  | -  | 3                            | -   |  |  |  |  |  |
| Reproductive toxicity   |  |                              |   |  |  |  |  |  |
| Conclusion/Summary : Mixture.Not fully tested.                                      |  |                              |   |  |  |  |  |  |
| Teratogenicity  |  |                              |   |  |  |  |  |  |
| Conclusion/Summary : Mixture.Not fully tested.                                      |  |                              |   |  |  |  |  |  |
| Specific target organ toxicity (<br>Not available.                                  | (single exposu                               | <u>re)</u>                   |   |  |  |  |  |  |
| Specific target organ toxicity (<br>Not available.                                  | (repeated exp                                | osure)                       |   |  |  |  |  |  |
| Aspiration hazard   |  |                              |   |  |  |  |  |  |
| Name  |  |                              | Result  |  |  |  |  |  |
| Miscellaneous Compounds Dist  | illates, petrole                             | um,                          | ASPIRATION HAZARD - Category 1                        |  |  |  |  |  |
| hydrotreated middle   |  |                              |   |  |  |  |  |  |
| Information on the likely rout<br>exposure<br><u>Potential acute health effects</u> | es of : N                                    | ot available.                | e.  |  |  |  |  |  |
| Eye contact   | : N  | o known sig                  | ignificant effects or critical hazards.               |  |  |  |  |  |
| Inhalation  |  |                              | ignificant effects or critical hazards.               |  |  |  |  |  |
| Skin contact  |  | auses skin ir                |   |  |  |  |  |  |
| Ingestion   | : N  | o known sig                  | ignificant effects or critical hazards.               |  |  |  |  |  |
| Symptoms related to the phys  | ical, chemical                               | and toxicol                  | logical characteristics                               |  |  |  |  |  |
| Eye contact   |  | dverse symp<br>atering, redr | nptoms may include the following: pain or irritation, |  |  |  |  |  |
| Inhalation  |  | o specific da                |   |  |  |  |  |  |
| Skin contact  |  | -                            | ptoms may include the following: irritation, redness  |  |  |  |  |  |
| Ingestion   | : N  | o specific da                | lata.   |  |  |  |  |  |
| Delayed and immediate effect  | s and also chr                               | onic effects                 | s from short and long term exposure                   |  |  |  |  |  |
| Short term exposure   |  |                              |   |  |  |  |  |  |
| Potential immediate effects   | Potential immediate effects : Not available. |                              |   |  |  |  |  |  |
|   | 10/16  |                              |   |  |  |  |  |  |

# PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021

# **ÀVIENT**

Page 11 of 16 Print Date 09/08/2021

| Potential delayed effects  | :  | Not available.   |
|--|----|--|
| Long term exposure   |    |  |
| Potential immediate effects<br>Potential delayed effects   | :  | Not available.<br>Not available.   |
| Potential chronic health effects   |    |  |
| Conclusion/Summary   | :  | Mixture.Not fully tested.  |
| General<br>Carcinogenicity<br>Mutagenicity<br>Teratogenicity<br>Developmental effects<br>Fertility effects | :: | No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |

Numerical measures of toxicity

#### Acute toxicity estimates

| Product/ingredient name   | Oral | Dermal | Inhalation<br>(gases) | Inhalation<br>(vapors) | Inhalation<br>(dusts and<br>mists) |
|---|------|--------|-----------------------|------------------------|------------------------------------|
| PINK PMS 190C   | N/A  | N/A    | N/A                   | 89.7 Mg/l              | N/A                                |
| Titanium oxide  | N/A  | N/A    | N/A                   | N/A                    | 6.82 Mg/l                          |
| Miscellaneous Compounds<br>Distillates, petroleum,<br>hydrotreated middle | N/A  | N/A    | N/A                   | 11 Mg/l                | N/A                                |

#### Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

:

#### **Toxicity**

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|--------|---------|----------|
|                         |        |         |          |

## PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021

# 🕷 AVIENT

#### Page 12 of 16 Print Date 09/08/2021

| Titanium oxide                                     |                               |                        |                                     |            |
|--|-------------------------------|------------------------|-------------------------------------|------------|
|  | Acute LC50 > 1,000 Mg/l       |                        | Fish - Fundulus heteroclitus        | 96 h       |
|  | Marine wa                     |                        |                                     |            |
|  | Acute LC50 3 Mg/l Fresh water |                        | Crustaceans - Ceriodaphnia<br>dubia | 48 h       |
|  | Acute LC5<br>water            | 50 6.5 Mg/l Fresh      | Daphnia - Daphnia pulex             | 48 h       |
| Conclusion/Summary                                 | :                             | Not available.         |                                     |            |
| Persistence and degradability                      |                               |                        |                                     |            |
| Conclusion/Summary                                 | :                             | Not available.         |                                     |            |
| <b>Bioaccumulative potential</b><br>Not available. |                               |                        |                                     |            |
| Mobility in soil                                   |                               |                        |                                     |            |
| Soil/water partition coefficie<br>(KOC)            | nt :                          | Not available.         |                                     |            |
| Other adverse effects                              | :                             | No known significant e | ffects or critical hazards.         |            |
| Section 13. Disposa                                | al consi                      | derations              |                                     |            |
| Disposal methods                                   | :                             | The generation of wast | e should be avoided or minimize     | d wherever |

sposal methods
The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### United States - RCRA Acute hazardous waste "P" List: Not listed

## PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021

# **ÀVIENT**

Page 13 of 16 Print Date 09/08/2021

#### United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

| U.S.DOT 49CFR<br>Ground/Air/Water | : | Not regulated for transportation.                              |
|-----------------------------------|---|--|
| International Air<br>ICAO/IATA    | : | Not classified as dangerous goods under transport regulations. |
| International Water<br>IMO/IMDG   | : | Not classified as dangerous goods under transport regulations. |

# Section 15. Regulatory information

| U.S. Federal regulations : | United States - TSCA 12(b) - Chemical export notification: None   |
|----------------------------|---|
|                            | of the components are listed.                                     |
|                            | United States - TSCA 4(a) - Final Test Rules: Not listed          |
|                            | United States - TSCA 4(a) - ITC Priority list: Not listed         |
|                            | United States - TSCA 4(a) - Proposed test rules: Not listed       |
|                            | United States - TSCA 4(f) - Priority risk review: Not listed      |
|                            | United States - TSCA 5(a)2 - Final significant new use rules: Not |
|                            | listed  |
|                            | United States - TSCA 5(a)2 - Proposed significant new use rules:  |
|                            | Not listed  |
|                            | United States - TSCA 5(e) - Substances consent order: Not listed  |
|                            | United States - TSCA 6 - Final risk management: Not listed        |
|                            | United States - TSCA 6 - Proposed risk management: Not listed     |
|                            | United States - TSCA 8(a) - Chemical risk rules: Not listed       |
|                            | United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed    |
|                            | United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not    |
|                            | determined  |
|                            | United States - TSCA 8(a) - Preliminary assessment report         |
|                            | (PAIR): Listed Quinacridone (C.I. Pigment Violet 19)              |
|                            | United States - TSCA 8(c) - Significant adverse reaction (SAR):   |
|                            | Not listed  |
|                            | United States - TSCA 8(d) - Health and safety studies: Not listed |
|                            | United States - EPA Clean water act (CWA) section 307 - Priority  |
|                            | pollutants: Not listed  |
|                            | United States - EPA Clean water act (CWA) section 311 -           |
|                            | Hazardous substances: Not listed                                  |
|                            | United States - EPA Clean air act (CAA) section 112 - Accidental  |
|                            | 13/16   |

## PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021

# **ÀVIENT**

Page 14 of 16 Print Date 09/08/2021

**release prevention - Flammable substances:** Not listed **United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances:** Not listed **United States - Department of commerce - Precursor chemical:** Not listed

| Clean Air Act Section 112(b)<br>Hazardous Air Pollutants (HAPs) | : | Not listed |
|---|---|------------|
| Clean Air Act Section 602 Class I                               | : | Not listed |
| Substances  |   |            |
| Clean Air Act Section 602 Class II                              | : | Not listed |
| Substances  |   |            |
| <b>DEA List I Chemicals (Precursor</b>                          | : | Not listed |
| Chemicals)  |   |            |
| DEA List II Chemicals (Essential                                | : | Not listed |
| Chemicals)  |   |            |

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: SKIN IRRITATION - Category 2

#### **Composition/information on ingredients**

| Name  | %             | Classification   |
|---|---------------|--|
| Titanium oxide  | >= 50 - <= 75 | CARCINOGENICITY - Category 2   |
| Miscellaneous Compounds<br>Distillates, petroleum,<br>hydrotreated middle | >= 10 - <= 25 | ACUTE TOXICITY - inhalation - Category 4<br>SKIN IRRITATION - Category 2<br>ASPIRATION HAZARD - Category 1 |
| Silica  | >= 1 - <= 3   | EYE IRRITATION - Category 2B   |

Not applicable.

| State regulations |   |                                      |
|-------------------|---|--------------------------------------|
| Massachusetts     | : | None of the components are listed.   |
| New York          | : | None of the components are listed.   |
| New Jersey        | : | The following components are listed: |
|                   |   | Titanium dioxide                     |
| Pennsylvania      | : | The following components are listed: |
| 14/16             |   |                                      |

## PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021



Page 15 of 16 Print Date 09/08/2021

Titanium dioxide

Silica, amorphous

Aluminum hydroxide

#### California Prop. 65

**WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name  | No significant risk level | Maximum acceptable<br>dosage level |
|------------------|---------------------------|------------------------------------|
| Titanium dioxide | -                         | -                                  |

| United States inventory (TSCA 8b) | : | All components are active or exempted.   |
|-----------------------------------|---|--|
| Canada inventory                  | : | All components are listed or exempted.   |
| International regulations         |   |  |
| Inventory list                    |   |  |
| Australia                         | : | All components are listed or exempted.   |
| Canada                            | : | All components are listed or exempted.   |
| China                             | : | All components are listed or exempted.   |
| Europe inventory                  | : | At least one component is not listed in EINECS but all such<br>components are listed in ELINCS.<br>Please contact your supplier for information on the inventory status of<br>this material. |
| Japan                             | : | All components are listed or exempted.   |
| New Zealand                       | : | All components are listed or exempted.   |
| Philippines                       | : | All components are listed or exempted.   |
| Republic of Korea                 | : | All components are listed or exempted.   |
| Taiwan                            | : | Not determined.  |
| Turkey                            | : | Not determined.  |
| United States                     | : | All components are active or exempted.   |

# **Section 16. Other information**

Hazardous Material Information System (U.S.A.)

| Health           | / | 2 |
|------------------|---|---|
| Flammability     |   | 0 |
| Physical hazards |   | 0 |

15/16

# PINK PMS 190C

Version Number 1.0 Revision Date 09/02/2021



#### Page 16 of 16 Print Date 09/08/2021

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

# The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

| HIStory                        |   |  |
|--------------------------------|---|--|
| Date of printing               | : | 09/08/2021   |
| Date of issue/Date of revision | : | 09/02/2021   |
| Date of previous issue         | : | 00/00/0000   |
| Version                        | : | 1.0  |
| Key to abbreviations           | : | ATE = Acute Toxicity Estimate  |
|                                |   | BCF = Bioconcentration Factor  |
|                                |   | GHS = Globally Harmonized System of Classification and Labelling of    |
|                                |   | Chemicals  |
|                                |   | IATA = International Air Transport Association                         |
|                                |   | IBC = Intermediate Bulk Container                                      |
|                                |   | IMDG = International Maritime Dangerous Goods                          |
|                                |   | LogPow = logarithm of the octanol/water partition coefficient          |
|                                |   | MARPOL = International Convention for the Prevention of Pollution From |
|                                |   | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine    |
|                                |   | pollution)   |
|                                |   | UN = United Nations  |
| References                     | : | Not available.   |
|                                |   |  |

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.