...

SAFETY DATA SHEET



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024

т 1

Page 1 of 17 Print Date 04/04/2024

SAFETY DATA SHEET

TARGET YELLOW CHIP - HC-7547 (BARREL)

Section 1. Identification		
GHS product identifier	:	TARGET YELLOW CHIP - HC-7547 (BARREL)
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10351602
Product type	:	liquid
Relevant identified uses of the substa	ance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION
		ColorMatrix Group Inc.
		680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

Section 2. Hazards identification

....

...

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2

GHS label elements



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024 Page 2 of 17 Print Date 04/04/2024

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Causes skin irritation.
Precautionary statements		
Prevention Response	:	Not applicable. Wear protective gloves. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known. Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10351602

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 10 - <= 25	13463-67-7
Miscellaneous Compounds Distillates, petroleum, hydrotreated	>= 10 - <= 25	Not available.
middle		
Silica, amorphous	>= 1 - <= 3	7631-86-9
-		

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024 Page 3 of 17 Print Date 04/04/2024

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards. Causes skin irritation. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: pain or irritation



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024 Page 4 of 17 Print Date 04/04/2024

	watering redness		
Inhalation	: No specific data.		
Skin contact	: Adverse symptoms may include the following: irritation		
	redness		
Ingestion	: No specific data.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.		
Specific treatments	: No specific treatment.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.		

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024 Page 5 of 17 Print Date 04/04/2024

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containn	<u>ient a</u>	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approve alternative made from a compatible material, kept tightly closed when	red
--	-----



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024 Page 6 of 17 Print Date 04/04/2024

Advice on general occupational	:	not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this
hygiene	·	material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	None.
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers,
		filters or engineering modifications to the process equipment will be 6/17



Version Number 1.1 Revision Date 04/02/2024



Page 7 of 17 Print Date 04/04/2024

	necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures Eye/face protection	 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
	6 · · · 6 · · · 1 · · · · · · · · · · ·
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	YELLOW
Odor	:	Faint odor.



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024

Page 8 of 17 Print Date 04/04/2024

Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity :	its ingredients.
Chemical stability :	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions :	
Conditions to avoid :	Keep away from extreme heat and oxidizing agents.



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024 Page 9 of 17 Print Date 04/04/2024

Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silica	Eyes - Mild irritant	Rabbit	-	24 hrs	-

Skin:Mixture.Not fully tested.Eyes:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.Sensitization:Mixture.Not fully tested.Conclusion/Summary Skin:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.Mutagenicity:Mixture.Not fully tested.Conclusion/Summary:Mixture.Not fully tested.Conclusion/Summary:Mixture.Not fully tested.Conclusion/Summary:Mixture.Not fully tested.Carcinogenicity:Mixture.Not fully tested.Conclusion/Summary:Mixture.Not fully tested.Conclusion/Summary:Mixture.Not fully tested.Product/ingredient nameOSHAIARCNTP	Conclusion/Summary			
Respiratory:Mixture.Not fully tested.Sensitization:Mixture.Not fully tested.Conclusion/Summary:Mixture.Not fully tested.Skin:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.Mutagenicity:Mixture.Not fully tested.Conclusion/Summary:Mixture.Not fully tested.Carcinogenicity:Mixture.Not fully tested.Conclusion/Summary:Mixture.Not fully tested.Classification:	Skin	:	Mixture.Not fully t	ested.
Sensitization Conclusion/Summary Skin : Mixture.Not fully tested. Respiratory : Mutagenicity Conclusion/Summary : Mixture.Not fully tested. Conclusion/Summary : Mixture.Not fully tested. Carcinogenicity Conclusion/Summary : Mixture.Not fully tested. Classification	Eyes	:	Mixture.Not fully t	ested.
Conclusion/Summary : Mixture.Not fully tested. Respiratory : Mixture.Not fully tested. Mutagenicity : Mixture.Not fully tested. Conclusion/Summary : Mixture.Not fully tested. Carcinogenicity : Mixture.Not fully tested. Conclusion/Summary : Mixture.Not fully tested. Classification : :	Respiratory	:	Mixture.Not fully t	ested.
Skin : Mixture.Not fully tested. Respiratory : Mixture.Not fully tested. Mutagenicity : Mixture.Not fully tested. Conclusion/Summary : Mixture.Not fully tested. Carcinogenicity : Mixture.Not fully tested. Conclusion/Summary : Mixture.Not fully tested. Classification : Mixture.Not fully tested.	Sensitization			
Respiratory : Mixture.Not fully tested. Mutagenicity	Conclusion/Summary			
Mutagenicity Conclusion/Summary : Mixture.Not fully tested. Carcinogenicity Conclusion/Summary : Mixture.Not fully tested. Classification	ť	:	Mixture.Not fully t	ested.
Conclusion/Summary : Mixture.Not fully tested. Carcinogenicity	Respiratory	:	Mixture.Not fully t	ested.
Conclusion/Summary : Mixture.Not fully tested. Classification		:	Mixture.Not fully t	ested.
Classification	Carcinogenicity			
	Conclusion/Summary	:	Mixture.Not fully t	ested.
Product/ingredient name OSHA IARC NTP	Classification			
	Product/ingredient name	OSHA	IARC	NTP



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024

Page 10 of 17 Print Date 04/04/2024

Titanium oxide (TiO2)	-	2B	-	
Silica	-	3	-	
<u>Reproductive toxicity</u>				
Conclusion/Summary	: Mi	xture.Not fu	illy tested.	
<u>Teratogenicity</u>				
Conclusion/Summary	: Mi	xture.Not fu	Illy tested.	
Specific target organ toxicit Not available.	<u>y (single exposure</u>	<u>;)</u>		
Specific target organ toxicit Not available.	y (repeated expos	<u>ure)</u>		
Aspiration hazard				
Name			Result	
Miscellaneous Compounds D	istillates, petroleur	n,	ASPIRATION HAZARD - Category 1	

Wiscenarieous Compounds Distinates, perforeuni,	ASI INATION HAZARD - Category 1
hydrotreated middle	

Information	on the	likely routes of	f :	Not available.

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.		
Inhalation	: No known significant effects or critical hazards.		
Skin contact	: Causes skin irritation.		
Ingestion	: No known significant effects or critical hazards.		
Symptoms related to the	physical, chemical and toxicological characteristics		
Symptoms related to the Eye contact	 physical, chemical and toxicological characteristics Adverse symptoms may include the following: pain or irritation, 		
Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness		
	 Adverse symptoms may include the following: pain or irritation, watering, redness No specific data. 		
Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness		

effects from short and long term exposure

Short term exposure		
Potential immediate effects	:	Not available.

10/17

ÄVIENT

TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024 Page 11 of 17 Print Date 04/04/2024

Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
TARGET YELLOW CHIP - HC-7547 (BARREL)	N/A	N/A	N/A	57.5 Mg/l	N/A
Titanium oxide (TiO2)	N/A	N/A	N/A	N/A	6.82 Mg/l
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	N/A	N/A	N/A	11 Mg/l	N/A

Other information

: This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024

Page 12 of 17 Print Date 04/04/2024

Product/ingredient name	Result	Species	Exposure
Titanium oxide (TiO2)			
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
	Marine water		
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 h
	Acute LC50 6.5 Mg/l Fresh water	Daphnia - Daphnia pulex	48 h
Conclusion/Summary	: Not available.		
Persistence and degradability			
Conclusion/Summary	: Not available.		
<u>Bioaccumulative potential</u> Not available.			
Mobility in soil			
Soil/water partition coefficie (KOC)	ent : Not available.		
Other adverse effects	: No known significant	effects or critical hazards.	

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024 Page 13 of 17 Print Date 04/04/2024

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Listed 1,1'-
		Biphenyl, chloro derivs.
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed 1,1'-Biphenyl, chloro derivs.



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024 Page 14 of 17 Print Date 04/04/2024

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

:	Listed
:	Not listed
	Not listed
•	
:	Not listed
:	Not listed
	: : : :

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

SKIN IRRITATION - Category 2

Composition/information on ingredients

Name	%	Classification
Titanium oxide (TiO2)	>= 10 - <= 25	CARCINOGENICITY - Category 2
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	>= 10 - <= 25	ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2 ASPIRATION HAZARD - Category 1
Silica	>= 1 - <= 3	EYE IRRITATION - Category 2B

<u>SARA 313</u>

Form R - Reporting requirements

Product name	CAS number	%
1,1'-Biphenyl, chloro derivs.	-	>= 0 - < 0.1



Version Number 1.1 Revision Date 04/02/2024



Page 15 of 17 Print Date 04/04/2024

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: The following components are listed:
	Titanium dioxide
	Silica, amorphous
New York	: None of the components are listed.
New Jersey	: The following components are listed: Titanium dioxide
Pennsylvania	: The following components are listed: Titanium dioxide

Silica, amorphous

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level Maximum acceptabl		
		dosage level	
Titanium dioxide	-	-	

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
<u>International regulations</u> <u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): All components are listed or exempted.
		Japan inventory (ISHL): Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

15/17

TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024 Page 16 of 17 Print Date 04/04/2024

≈ Avie

Viet Nam

Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Histor <i>y</i>		
Date of printing	:	04/04/2024
Date of issue/Date of revision	:	04/02/2024
Date of previous issue	:	12/02/2021
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.



TARGET YELLOW CHIP - HC-7547 (BARREL)

Version Number 1.1 Revision Date 04/02/2024 Page 17 of 17 Print Date 04/04/2024