### **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021



Page 1 of 17 Print Date 12/18/2021

# SAFETY DATA SHEET

#### **RV RED ABS**

Section 1. Identification				
GHS product identifier	:	RV RED ABS		
Chemical name CAS number	:	Mixture Mixture		
Other means of identification Product type	:	CC10353166 solid		
Relevant identified uses of the substance or mixture and uses advised against				
Product use	:	Industrial applications.		
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012		
		1 (440) 930-1000 or 1 (844) 4AVIENT		
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021

# AVIENT

Page 2 of 17 Print Date 12/18/2021

#### **Precautionary statements**

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10353166

CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	> 0 - <= 0.3	1333-86-4
Ethyl benzene	> 0 - <= 0.3	100-41-4
Styrene	> 0 - <= 0.3	100-42-5
Titanium dioxide	> 0 - <= 0.3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021

# **ÀVIENT**

Page 3 of 17
Print Date 12/18/2021

Inhalation	:	Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical
Skin contact	:	surveillance for 48 hours. Flush contaminated skin with plenty of water. Remove contaminated
Ingestion	:	clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, ac	ute a	nd delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical att	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Section	on 11	)

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### Extinguishing media

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021

# **ÀVIENT**

Pa	age 4 of 17
Print Date	12/18/2021

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency
		A/47

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021

# AVIENT

Page 5 of 17 Print Date 12/18/2021

contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits	
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction	
Ethyl benzene	OSHA PEL 1989 (1989-03-01) TWA 435 mg/m3 100 ppm STEL 545 mg/m3 125 ppm OSHA PEL (1993-06-30)	

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021

# **ÀVIENT**

#### Page 6 of 17 Print Date 12/18/2021

Styrene		
		ACGIH TLV (2020-03-01) Ototoxicant TWA 10 ppm STEL 20 ppm NIOSH REL (1994-06-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL 1989 (1989-03-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL Z2 (1993-06-30) TWA 100 ppm CEIL 200 ppm AMP 600 ppm
Titanium dioxide		OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021

# **ÀVIENT**

Page 7 of 17	
Print Date 12/18/2021	

		higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state Color	:	solid [Pellets.] RED
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021

# **ÀVIENT**

Page 8 of 17 Print Date 12/18/2021

Decomposition temperature SADT Viscosity	::	Not available. Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
<b>Enclosed space ignition -</b>	:	Not available.
Deflagration density Flame height	:	Not available.
Flame duration	:	Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Benzene, ethyl-				
	LD50 Oral	Rat	3,500 mg/kg	-
	LD50 Dermal	Rabbit	5,000 mg/kg	-
Styrene				
	LD50 Oral	Rat	2,650 mg/kg	-
	LC50 Inhalation	Rat	2,770 ppm	4 h

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021 Page 9 of 17 Print Date 12/18/2021

	Gas.			
	LC50 Inhalation	Rat	11.8 Mg/l	4 h
	Vapor			
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

#### Irritation/Corrosion

Result	Species	Score	Exposure	Observation
Skin - Mild irritant	Rabbit	-	24 hrs	-
Eyes - Severe irritant	Rabbit	-		-
Eyes - Mild irritant	Human	-		-
Skin - Mild irritant	Rabbit	-		-
Skin - Moderate irritant	Rabbit	-		-
Eyes - Severe irritant	Rabbit	-		-
Eyes - Moderate	Rabbit	-	24 hrs	-
	Skin - Mild irritantEyes - Severe irritantEyes - Mild irritantSkin - Mild irritantSkin - Moderate irritantEyes - Severe irritant	Skin - Mild irritantRabbitEyes - Severe irritantRabbitEyes - Mild irritantHumanSkin - Mild irritantRabbitSkin - Moderate irritantRabbitEyes - Severe irritantRabbitEyes - Severe irritantRabbitEyes - ModerateRabbit	Skin - Mild irritantRabbit-Eyes - Severe irritantRabbit-Eyes - Mild irritantHuman-Skin - Mild irritantRabbit-Skin - Moderate irritantRabbit-Eyes - Severe irritantRabbit-Eyes - Severe irritantRabbit-Eyes - ModerateRabbit-	Skin - Mild irritantRabbit-24 hrsEyes - Severe irritantRabbit-24 hrsEyes - Mild irritantHumanSkin - Mild irritantRabbitSkin - Moderate irritantRabbitEyes - Severe irritantRabbitEyes - Severe irritantRabbitEyes - ModerateRabbit-24 hrs

Conclusion/Summary			
Skin	: N	lixture.Not fully t	ested.
Eyes	: N	lixture.Not fully t	ested.
Respiratory	: N	lixture.Not fully t	ested.
<b>Sensitization</b>			
<b>Conclusion/Summary</b>			
Skin		lixture.Not fully t	
Respiratory	: N	lixture.Not fully t	ested.
<b>Mutagenicity</b>			
Conclusion/Summary	: N	lixture.Not fully t	ested.
<b>Carcinogenicity</b>			
Conclusion/Summary	: N	lixture.Not fully t	ested.
<b>Classification</b>			
Product/ingredient name	OSHA	IARC	NTP



## **RV RED ABS**



Version Number 1.0 Revision Date 12/17/2021

#### Page 10 of 17 Print Date 12/18/2021

Carbon black	-	2B	-
Benzene, ethyl-	-	2B	-
Styrene	-	2B	Reasonably anticipated to be a human carcinogen.
Titanium oxide (TiO2)	-	2B	-

#### **Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

:

#### **Teratogenicity**

Conclusion/Summary

Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure) Not available.

Not available.

#### Specific target organ toxicity (repeated exposure) Not available.

#### **Aspiration hazard**

Name		Result
Benzene, ethyl-		ASPIRATION HAZARD - Category 1
Information on the likely routes ( exposure	of:N	Not available.
Potential acute health effects		
Eye contact	: 1	No known significant effects or critical hazards.
Inhalation	: 1	No known significant effects or critical hazards.
Skin contact	. N	No known significant effects or critical hazards.
SKII COILaCL	• 1	to known significant critects of critical nazards.
Ingestion		No known significant effects or critical hazards.
Ingestion Symptoms related to the physical Eye contact	: N I <mark>, chemical</mark> : N	No known significant effects or critical hazards. I and toxicological characteristics No specific data.
Ingestion <u>Symptoms related to the physical</u> Eye contact Inhalation	: 1 I <u>, chemical</u> : 1 : 1	No known significant effects or critical hazards. I and toxicological characteristics No specific data. No specific data.
Ingestion Symptoms related to the physical Eye contact Inhalation Skin contact	: 1 I <mark>, chemical</mark> : 1 : 1 : 1	No known significant effects or critical hazards. I and toxicological characteristics No specific data. No specific data. No specific data.
Ingestion <u>Symptoms related to the physical</u> Eye contact Inhalation	: 1 I <mark>, chemical</mark> : 1 : 1 : 1	No known significant effects or critical hazards. I and toxicological characteristics No specific data. No specific data.
Ingestion Symptoms related to the physical Eye contact Inhalation Skin contact Ingestion	: 1 I <mark>, chemical</mark> : 1 : 1 : 1 : 1 : 1	No known significant effects or critical hazards. I and toxicological characteristics No specific data. No specific data. No specific data.
Ingestion Symptoms related to the physical Eye contact Inhalation Skin contact Ingestion	: 1 I <mark>, chemical</mark> : 1 : 1 : 1 : 1 : 1	No known significant effects or critical hazards. <b>Land toxicological characteristics</b> No specific data. No specific data. No specific data. No specific data.

10/17

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021

# **ÀVIENT**

Page 11 of 17 Print Date 12/18/2021

Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Carbon black			
	Acute EC50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
Benzene, ethyl-			
	Acute LC50 4.2 Mg/l Fresh	Fish - Oncorhynchus mykiss	96 h
	water		
	Acute EC50 6.53 Mg/l Marine	Crustaceans - Artemia sp.	48 h
	water		
	Acute EC50 2.93 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water	_	
	Acute EC50 4.9 Mg/l Marine	Algae - Skeletonema costatum	72 h

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021

#### Page 12 of 17 Print Date 12/18/2021

	Weter		
	water		0.61
	Acute EC50 7.7 Mg/l Marine	Algae - Skeletonema costatum	96 h
	water		
Styrene			
	Acute LC50 4.02 Mg/l Fresh	Fish - Pimephales promelas	96 h
	water		
	Acute EC50 0.0047 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
	Acute LC50 52 Mg/l Marine	Crustaceans - Artemia salina	48 h
	water		
	Acute EC50 78 Mg/l Marine	Algae - Skeletonema costatum	96 h
	water	6	
Titanium oxide (TiO2)			
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
	Marine water		
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
		dubia	
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
	water	<b>r ···· ··r</b> ···· <b>r ····</b>	
RV RED ABS	1	L	I
	Chemicals are not readily availabl	e as they are bound within the poly	mer matrix.
<b>Remarks - Acute - Aquatic</b>	chemicals are not readily available as arey are bound wrann the polyher matrix.		

Persistence and degradability

Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.

Conclusion/Summary : Cher

Chemicals are not readily available as they are bound within the polymer matrix.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Benzene, ethyl-	3.6	-	low
Styrene	0.35	13.49	low

#### **Mobility in soil**

Soil/water partition coefficient : Not available.

12/17



## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021

# AVIENT

Page 13 of 17 Print Date 12/18/2021

#### (KOC)

Other adverse effects

No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	: Not classified as dangerous goods under transport regulations.

## Section 15. Regulatory information

U.S. Federal regulations	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Not listed</li> <li>United States - TSCA 4(a) - ITC Priority list: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> </ul>

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021

# AVIENT

		<ul> <li>United States - TSCA 5(a)2 - Final significant new use rules: Not listed</li> <li>United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(e) - Substances consent order: Not listed</li> <li>United States - TSCA 6 - Final risk management: Not listed</li> <li>United States - TSCA 6 - Proposed risk management: Not listed</li> <li>United States - TSCA 8(a) - Chemical risk rules: Not listed</li> <li>United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed</li> <li>United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed</li> <li>United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined</li> <li>United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed</li> <li>United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed</li> <li>United States - TSCA 8(d) - Health and safety studies: Not listed</li> <li>United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Ethyl benzene</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed</li> <li>United States - Department of commerce - Precursor chemical: Not listed</li> </ul>
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II Substances	:	Not listed
DEAT: at I Chaminala (Ducanugan		Not listed

Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Not applicable. :

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021



Page 15 of 17 Print Date 12/18/2021

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Carbon black	> 0 - <= 0.3	CARCINOGENICITY - Category 2
Benzene, ethyl-	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3
		EYE IRRITATION - Category 2A
		CARCINOGENICITY - Category 2
		ASPIRATION HAZARD - Category 1
Styrene	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3
		ACUTE TOXICITY - inhalation - Category 4
		SKIN IRRITATION - Category 2
		EYE IRRITATION - Category 2A
		CARCINOGENICITY - Category 2
Titanium oxide (TiO2)	> 0 - <= 0.3	CARCINOGENICITY - Category 2

#### Form R - Reporting requirements

Product name	CAS number	%
Ethyl benzene	100-41-4	> 0 - <= 0.3
Styrene	100-42-5	> 0 - <= 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Ethyl benzene Styrene
New Jersey	:	The following components are listed: Iron oxide Carbon black Ethyl benzene Styrene Titanium dioxide
Pennsylvania	:	The following components are listed:

## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021



Page 16 of 17 Print Date 12/18/2021

Iron oxide

Carbon black

Ethyl benzene

Styrene

Titanium dioxide

#### California Prop. 65

**United States** 

**WARNING:** This product can expose you to chemicals including Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-
Ethyl benzene	Yes.	-
Styrene	Yes.	-
Titanium dioxide	-	-

#### United States inventory (TSCA 8b) : All components are active or exempted. **Canada** inventory All components are listed or exempted. : **International regulations Inventory list** Australia All components are listed or exempted. : Canada All components are listed or exempted. : All components are listed or exempted. China : All components are listed or exempted. **Europe inventory** : Not determined. Japan : New Zealand All components are listed or exempted. : Philippines All components are listed or exempted. : **Republic of Korea** All components are listed or exempted. : Taiwan All components are listed or exempted. : Turkev Not determined. :

#### : All components are active or exempted.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)



## **RV RED ABS**

Version Number 1.0 Revision Date 12/17/2021 Page 17 of 17 Print Date 12/18/2021

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

History		
Date of printing	:	12/18/2021
Date of issue/Date of revision	:	12/17/2021
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{U}N = United Nations$
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.