DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022



Page 1 of 15 Print Date 07/29/2022

SAFETY DATA SHEET

DX9 BLACK 40%1185/60%588 TPU

Section 1. Identification	on	
GHS product identifier	:	DX9 BLACK 40%1185/60%588 TPU
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10359002
Product type	:	solid
Relevant identified uses of the sub	stance	or mixture and uses advised against
Product use	:	Industrial applications.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022 **ÀVIENT**

Page 2 of 15 Print Date 07/29/2022

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10359002

CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	>= 25 - <= 50	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated
	2/15

DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022



Page 3 of 15 Print Date 07/29/2022

Ingestion	:	clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, acu	te a	nd delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atter	ntio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
	11	

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal	:	Decomposition products may include the following materials:

DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022



Page 4 of 15 Print Date 07/29/2022

decomposition products		carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. But on appropriate personal protective equipment
For emergency responders	:	spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	t ar	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

:

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8).

AVIENT

DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022

Page 5 of 15 Print Date 07/29/2022

Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Carbon black	OSHA PEL 1989 (1989-03-01)	
	TWA 3.5 mg/m3	
	OSHA PEL (1993-06-30)	
	TWA 3.5 mg/m3	
	NIOSH REL (1994-06-01)	
	TWA 3.5 mg/m3	
	NIOSH REL (1994-06-01)	
	TWA 0.1 mgPAH/m ³	
	ACGIH TLV (2010-12-06)	
	TWA 3 mg/m3 Form: Inhalable fraction	
	-	

Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical



DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0	
Revision Date 07/28/2022	

Page 6 of 15 Print Date 07/29/2022

Eye/face protection	:	products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state :	solid [Pellets.]
Color :	BLACK
Odor :	Faint odor.
Odor threshold :	Not available.
pH :	Not available.
Melting point :	Not available.
Boiling point :	Not available.
Flash point :	Not available.
Burning time :	Not available.
Burning rate :	Not available.
Evaporation rate :	Not available.
Flammability (solid, gas) :	Not available.
Lower and upper explosive :	Lower: Not available.
(flammable) limits	Upper: Not available.

DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022



Page 7 of 15 Print Date 07/29/2022

Vapor pressure Vapor density Relative density Solubility	:	Not available. Not available. Not available. Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Vincessian Materialship
		Kinematic: Not available.
Aerosol product		Kinemauc: Not available.
<u>Aerosol product</u> Heat of combustion	:	Not available.
	:	
Heat of combustion Ignition distance Enclosed space ignition - Time		Not available.
Heat of combustion Ignition distance	:	Not available. Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time equivalent	:	Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Not available.

:

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Flame duration

DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022

Page 8 of 15 Print Date 07/29/2022

Product/ingredient name	Result	Species		Dose	Exposure
Carbon black	Mesuit	operes		Dose	Exposure
	LD50 Oral	Rat		15,400 mg/kg	-
	LD00 ofur	Tut		10,100 mg/ng	
Conclusion/Summary	: Mixt	ure.Not fully	ested.		
Irritation/Corrosion					
Conclusion /Summary					
Conclusion/Summary Skin	: Mix	ture.Not fully	tested		
Eyes		ture.Not fully			
Respiratory		ture.Not fully			
L V		2			
Sensitization					
~					
Conclusion/Summary	ν	(((1		
Skin Respiratory		ture.Not fully ture.Not fully			
Kespii ator y	: Mix	ture.Not fully	lesteu.		
Mutagenicity					
Conclusion/Summary	: Mix	ture.Not fully	tested.		
~					
Carcinogenicity					
Conclusion/Summary	: Mix	ture.Not fully	tested		
Conclusion/Summary	• 1011X	ture.ivot fully	icsicu.		
Classification					
Product/ingredient name		IARC	NTP		
Carbon black	- 2	2B	-		
<u>Reproductive toxicity</u>					
Conclusion/Summary	: Mix	ture.Not fully	tested.		
<u>Teratogenicity</u>					
Constant on /C	٦ <i>. ۲</i> '	4	4 4 1		
Conclusion/Summary	: Mix	ture.Not fully	lested.		
Specific target organ toxicity	(single exposure)	<u>)</u>			
Not available.					
Specific target organ toxicity Not available.	(repeated exposu	<u>ire)</u>			
Aspiration hazard					



DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022



Page 9 of 15 Print Date 07/29/2022

Not available.

Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, ch	ienno	car and toxicological characteristics
Eye contact Inhalation	:	No specific data. No specific data.
Skin contact Ingestion	:	No specific data. No specific data.
Delayed and immediate effects and a	ulso c	hronic effects from short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	::	No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates



DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022

Page 10 of 15 Print Date 07/29/2022

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
DX9 BLACK 40%1185/60%588 TPU	15,400 mg/kg	N/A	N/A	N/A	N/A
Carbon black	15,400 mg/kg	N/A	N/A	N/A	N/A

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.


Section 12. Ecological information

:

Toxicity

Product/ingredient name	Result	Species	Exposure
Carbon black		· · ·	· •
	Acute EC50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
DX9 BLACK 40%1185/60%58	8 TPU		
Remarks - Acute - Aquatic	Chemicals are not readily available	e as they are bound within the po	olymer matrix.
invertebrates.:	-	-	-
Conclusion/Summary	: Chemicals are not read polymer matrix.	ily available as they are bound w	vithin the
Persistence and degradability			
Conclusion/Summary	: Chemicals are not read polymer matrix.	lily available as they are bound w	vithin the
Conclusion/Summary	: Chemicals are not read polymer matrix.	lily available as they are bound v	vithin the
Bioaccumulative potential Not available.			

DX9 BLACK 40%1185/60%588 TPU





Page 11 of 15 Print Date 07/29/2022

Soil/water partition coefficient	:	Not available.
(KOC)		

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	Not regulated for transportation.	
International Air ICAO/IATA	Not classified as dangerous goods under transport r	egulations.
International Water IMO/IMDG	Not classified as dangerous goods under transport r	egulations.

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed 	
	11/15	

DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022



Page 12 of 15 Print Date 07/29/2022

United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Listed 1,1'-Biphenyl, chloro derivs. United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phthalocvanine green **Phthalocyanine Blue** 1,1'-Biphenyl, chloro derivs. Benzene, 1,2,3,4,5,6-hexachloro-United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b) : Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I : Substances Clean Air Act Section 602 Class II : Substances DEA List I Chemicals (Precursor : Chemicals) DEA List II Chemicals (Essential : Chemicals)

- Listed
- Not listed
- Not listed
- Not listed
- Not listed



DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022 Page 13 of 15 Print Date 07/29/2022

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Carbon black	>= 25 - <= 50	CARCINOGENICITY - Category 2

Form R - Reporting requirements

Product name	CAS number	%
1,1'-Biphenyl, chloro derivs.	-	> 0 - <= 0.1
Benzene, 1,2,3,4,5,6-hexachloro-	118-74-1	> 0 - <= 0.1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

<u>State regulations</u> Massachusetts New York New Jersey Pennsylvania	:	None of the components are listed. None of the components are listed. The following components are listed: Carbon black Phthalocyanine green Phthalocyanine Blue White mineral oil (petroleum) The following components are listed: Carbon black
		Phthalocyanine green Phthalocyanine Blue
<u>California Prop. 65</u>		



DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022

WARNING: This product can expose you to Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
United States inventory (ISCA OD)	•	All components are active or exempted

Canada inventory

: Not determined.

International regulations

Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Europe inventory	: Not determined.
Japan	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Turkey	: Not determined.
United States	: All components are active or exempted.
	- *

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. <u>History</u>

DX9 BLACK 40%1185/60%588 TPU

Version Number 1.0 Revision Date 07/28/2022



Page 15 of 15 Print Date 07/29/2022

Date of printing	:	07/29/2022
Date of issue/Date of revision	:	07/28/2022
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.