CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022



Page 1 of 15 Print Date 08/04/2022

SAFETY DATA SHEET

CHARCOAL GFPP UV

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	::	CHARCOAL GFPP UV Mixture Mixture CC10364272 solid
<u>Relevant identified uses of the substa</u> Product use	ance :	or mixture and uses advised against Industrial applications.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022

AVIENT

Page 2 of 15
Print Date 08/04/2022

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10364272

CAS number/other identifiers

Ingredient name	%	CAS number
Talc	>= 3 - <= 5	14807-96-6
Carbon black	>= 1 - <= 3	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022

ÀVIENT

Page 3 of 15
Print Date 08/04/2022

Ingestion	:	clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, acut	e ai	nd delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
T T T T	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atten	tior	and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022



Page 4 of 15 Print Date 08/04/2022

		carbon monoxide sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Move containers from spill area. Prevent entry into sewers, water
Large spill	:	courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational	:	Eating, drinking and smoking should be prohibited in areas where this

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022

ÀVIENT

Page 5 of 1	5
Print Date 08/04/202	22

hygiene		material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

 5. mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast. OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic foot Form: not/asb OSHA PEL Z3 (1997-09-03) STEL 1 fibers per cubic centimeter Form: not/asb STEL 1 fibers per cubic centimeter Form: con/asb STEL 1 fibers per cubic centimeter Form: con/asb NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction 	Ingredient name	Exposure limits
TWA 2 mg/m3 Form: Respirable fractionACGIH TLV (1998-09-01)TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length:5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by themembrane filter method at 400 - 450 x magnification (4mm objective)using illumination of phase contrast.OSHA PEL 1989 (1989-03-01)TWA 2 mg/m3 Form: Respirable dustNIOSH REL (1994-06-01)TWA 2 mg/m3 Form: Respirable fractionOSHA PEL Z3 (1997-09-03)TWA 20 million particles per 1 cubic foot Form: not/asbOSHA PEL Z3 (1997-09-03)STEL 1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbNIOSH REL (1994-06-01)TWA 0.3 mg/m3 Form: TotalTWA 3 mg/m3 Form: Respirable fraction	Talc	ACGIH TLV (1996-05-18)
ACGIH TLV (1998-09-01)TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length:5.mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast.OSHA PEL 1989 (1989-03-01)TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01)TWA 2 mg/m3 Form: Respirable fraction OSHA PEL Z3 (1997-09-03)TWA 20 million particles per 1 cubic foot Form: not/asb OSHA PEL Z3 (1997-09-03)STEL 1 fibers per cubic centimeter Form: not/asbTWA 0.1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbSTEL 3 mg/m3 Form: TotalTWA 3 mg/m3 Form: Respirable fraction		
 5. mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast. OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic foot Form: not/asb OSHA PEL Z3 (1997-09-03) STEL 1 fibers per cubic centimeter Form: not/asb STEL 1 fibers per cubic centimeter Form: con/asb STEL 1 fibers per cubic centimeter Form: con/asb NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction 		
membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast. OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic foot Form: not/asb OSHA PEL Z3 (1997-09-03) STEL 1 fibers per cubic centimeter Form: not/asb TWA 0.1 fibers per cubic centimeter Form: con/asb STEL 1 fibers per cubic centimeter Form: con/asb NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction		TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length>
using illumination of phase contrast. OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic foot Form: not/asb OSHA PEL Z3 (1997-09-03) STEL 1 fibers per cubic centimeter Form: not/asb TWA 0.1 fibers per cubic centimeter Form: con/asb STEL 1 fibers per cubic centimeter Form: con/asb NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction		5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the
OSHA PEL 1989 (1989-03-01)TWA 2 mg/m3 Form: Respirable dustNIOSH REL (1994-06-01)TWA 2 mg/m3 Form: Respirable fractionOSHA PEL Z3 (1997-09-03)TWA 20 million particles per 1 cubic foot Form: not/asbOSHA PEL Z3 (1997-09-03)STEL 1 fibers per cubic centimeter Form: not/asbTWA 0.1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbNIOSH REL (1994-06-01)TWA 6 mg/m3 Form: TotalTWA 3 mg/m3 Form: Respirable fraction		membrane filter method at 400 - 450 x magnification (4mm objective)
TWA 2 mg/m3 Form: Respirable dustNIOSH REL (1994-06-01)TWA 2 mg/m3 Form: Respirable fractionOSHA PEL Z3 (1997-09-03)TWA 20 million particles per 1 cubic foot Form: not/asbOSHA PEL Z3 (1997-09-03)STEL 1 fibers per cubic centimeter Form: not/asbTWA 0.1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbSTEL 3 fibers per cubic centimeter Form: con/asbSTEL 4 fibers per cubic centimeter Form: con/asbSTEL 5 fibers per cubic centimeter Form: con/asbSTEL 6 fibers per cubic centimeter Form: con/asbSTEL 7 fibers per cubic centimeter Form: con/asbSTEL 8 fibers per cubic centimeter Form: con/asbSTEL 9 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbSTEL 3 fibers per cubic centimeter Form: con/asbSTEL 4 fibers per cubic centimeter Form: con/asbSTEL 5 fibers per cubic centimeter Form: con/asbSTEL 6 fibers per cubic centimeter Form: con/asbSTEL 7 fibers per cubic centimeter Form: con/asbSTEL 8 fibers per cubic centimeter Form: con/asbSTEL 9 fib		using illumination of phase contrast.
NIOSH REL (1994-06-01)TWA 2 mg/m3 Form: Respirable fractionOSHA PEL Z3 (1997-09-03)TWA 20 million particles per 1 cubic foot Form: not/asbOSHA PEL Z3 (1997-09-03)STEL 1 fibers per cubic centimeter Form: not/asbTWA 0.1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbNIOSH REL (1994-06-01)TWA 6 mg/m3 Form: TotalTWA 3 mg/m3 Form: Respirable fraction		OSHA PEL 1989 (1989-03-01)
TWA 2 mg/m3 Form: Respirable fractionOSHA PEL Z3 (1997-09-03)TWA 20 million particles per 1 cubic foot Form: not/asbOSHA PEL Z3 (1997-09-03)STEL 1 fibers per cubic centimeter Form: not/asbTWA 0.1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbNIOSH REL (1994-06-01)TWA 6 mg/m3 Form: TotalTWA 3 mg/m3 Form: Respirable fraction		TWA 2 mg/m3 Form: Respirable dust
OSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic foot Form: not/asb OSHA PEL Z3 (1997-09-03) STEL 1 fibers per cubic centimeter Form: not/asb TWA 0.1 fibers per cubic centimeter Form: con/asb STEL 1 fibers per cubic centimeter Form: con/asb NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction		NIOSH REL (1994-06-01)
TWA 20 million particles per 1 cubic foot Form: not/asbOSHA PEL Z3 (1997-09-03)STEL 1 fibers per cubic centimeter Form: not/asbTWA 0.1 fibers per cubic centimeter Form: con/asbSTEL 1 fibers per cubic centimeter Form: con/asbNIOSH REL (1994-06-01)TWA 6 mg/m3 Form: TotalTWA 3 mg/m3 Form: Respirable fraction		TWA 2 mg/m3 Form: Respirable fraction
OSHA PEL Z3 (1997-09-03) STEL 1 fibers per cubic centimeter Form: not/asb TWA 0.1 fibers per cubic centimeter Form: con/asb STEL 1 fibers per cubic centimeter Form: con/asb NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction		OSHA PEL Z3 (1997-09-03)
STEL 1 fibers per cubic centimeter Form: not/asb TWA 0.1 fibers per cubic centimeter Form: con/asb STEL 1 fibers per cubic centimeter Form: con/asb NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction		TWA 20 million particles per 1 cubic foot Form: not/asb
TWA 0.1 fibers per cubic centimeter Form: con/asb STEL 1 fibers per cubic centimeter Form: con/asb NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction		OSHA PEL Z3 (1997-09-03)
STEL 1 fibers per cubic centimeter Form: con/asb NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction		STEL 1 fibers per cubic centimeter Form: not/asb
NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction		TWA 0.1 fibers per cubic centimeter Form: con/asb
NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction		-
TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction		
TWA 3 mg/m3 Form: Respirable fraction		
		-
Carbon black OSHA PEL 1989 (1989-03-01)		
	Carbon black	OSHA PEL 1989 (1989-03-01)
TWA 3.5 mg/m3		
OSHA PEL (1993-06-30)		6

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022



Page 6 of 15 Print Date 08/04/2022

		TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of
		environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a
		higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022

AVIENT

Page 7 of 15 Print Date 08/04/2022

used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state		solid [Pellets.]
Color	:	GREY
Odor	-	Faint odor.
Odor threshold		Not available.
pH		Not available.
Melting point	-	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
Aerosol product		
Heat of combustion		Not available.
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022

AVIENT

Page 8 of 15 Print Date 08/04/2022

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Talc	Skin - Mild irritant	Human	-	72 hrs	-

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Eyes	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
<u>Sensitization</u>		
Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
Mutagenicity		

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022



Page 9 of 15 Print Date 08/04/2022

Conclusion/Summary	: 1	Mixture.Not fu	lly tested.		
Carcinogenicity					
Conclusion/Summary	usion/Summary : Mixture.Not fully tested.				
Classification					
Product/ingredient name	OSHA	IARC	NTP		
Talc	-	312B	-		
Carbon black	-	2B	-		
<u>Reproductive toxicity</u>					
Conclusion/Summary	: 1	Mixture.Not fu	lly tested.		
Teratogenicity					
Conclusion/Summary	: 1	Mixture.Not fu	lly tested.		
Specific target organ toxicity (Not available.	(single exposi	<u>ıre)</u>			
Specific target organ toxicity (Not available.	(repeated exp	oosure)			
Aspiration hazard Not available.					
Information on the likely rout exposure	es of : 1	Not available.			
Potential acute health effects					
Eye contact Inhalation Skin contact Ingestion	1 1	No known sign No known sign	ificant effects or critical hazards. ificant effects or critical hazards. ificant effects or critical hazards. ificant effects or critical hazards.		
Symptoms related to the physic	ical, chemica	l and toxicolog	gical characteristics		
Eye contact	: 1	No specific data	а.		
Inhalation		No specific data			
Skin contact		No specific data			
Ingestion		No specific data			
		-			

Delayed and immediate effects and also chronic effects from short and long term exposure

9/15

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022

AVIENT

Page 10 of 15 Print Date 08/04/2022

:	Not available. Not available.
:	Not available. Not available.
:	Mixture.Not fully tested.
: : : : : : : : : : : : : : : : : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)	
CHARCOAL GFPP UV	15,400 mg/kg	N/A	N/A	N/A	N/A	
Carbon black	15,400 mg/kg	N/A	N/A	N/A	N/A	

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

:

Toxicity

Product/ingredient name	Result	Species	Exposure
		40/45	

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022

ÀVIENT

Page 11 of 15 Print Date 08/04/2022

Carbon black				
	Acute EC water	250 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
CHARCOAL GFPP UV				l
Remarks - Acute - Aquatic invertebrates.:	Chemical	s are not readily availab	le as they are bound within the po	olymer matrix.
Conclusion/Summary	:	Chemicals are not read polymer matrix.	ily available as they are bound w	vithin the
Persistence and degradability				
Conclusion/Summary	:	Chemicals are not read polymer matrix.	dily available as they are bound v	within the
Conclusion/Summary	:	Chemicals are not read polymer matrix.	dily available as they are bound v	within the
<u>Bioaccumulative potential</u> Not available.				
Mobility in soil				
Soil/water partition coefficien (KOC)	t :	Not available.		
Other adverse effects	:	No known significant	effects or critical hazards.	

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022



Page 12 of 15 Print Date 08/04/2022

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None
	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Not listed
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed Zinc sulfide
	United States - EPA Clean water act (CWA) section 311 -
	12/15

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022

AVIENT

Page 13 of 15 Print Date 08/04/2022

Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor		Not listed
Chemicals)	:	Not listed
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Talc	>= 3 - <= 5	CARCINOGENICITY - Category 2
Carbon black	>= 1 - <= 3	CARCINOGENICITY - Category 2

Form R - Reporting requirements

Product name	CAS number	%
Zinc sulfide	1314-98-3	>= 10 - <= 25

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022



Page 14 of 15 Print Date 08/04/2022

Not applicable.

State regulations		
Massachusetts	None of the components are listed.	
New York	None of the components are listed.	
New Jersey	The following components are listed:	
-	Zinc sulfide	
	Talc	
	Carbon black	
Pennsylvania	The following components are listed:	
	Zinc sulfide	
	Talc	

<u>California Prop. 65</u>

WARNING: This product can expose you to chemicals including Talc, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Carbon black

Ingredient name	No significant risk level	Maximum acceptable dosage level
Talc	-	-
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

CHARCOAL GFPP UV

Version Number 1.0 Revision Date 08/03/2022



Page 15 of 15 Print Date 08/04/2022

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>IIIStol y</u>		
Date of printing	:	08/04/2022
Date of issue/Date of revision	:	08/03/2022
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.