### ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022



Page 1 of 18 Print Date 11/08/2022

# SAFETY DATA SHEET

### **ABS UV CHARCOAL**

Section 1. Identification			
GHS product identifier Chemical name CAS number Other means of identification Product type	:	ABS UV CHARCOAL Mixture Mixture CC10364872 solid	
Relevant identified uses of the subst Product use	ance :	or mixture and uses advised against Industrial applications.	
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012	
		1 (440) 930-1000 or 1 (844) 4AVIENT	
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022

# **ÄVIENT**"

Page 2 of 18 Print Date 11/08/2022

#### **Precautionary statements**

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10364872

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 10 - <= 25	13463-67-7
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	>= 3 - <= 5	3147-75-9
Silica, amorphous	>= 1 - <= 3	7631-86-9
Carbon black	>= 0.3 - <= 1	1333-86-4
Ethyl benzene	> 0 - <= 0.3	100-41-4
Styrene	> 0 - <= 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022

# **ÀVIENT**

### Page 3 of 18 Print Date 11/08/2022

#### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022

# **ÀVIENT**

#### Page 4 of 18 Print Date 11/08/2022

# Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material
		4/18

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022



Page 5 of 18 Print Date 11/08/2022

and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

**Precautions for safe handling** 

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole	None.
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022

# **ÀVIENT**™

### Page 6 of 18 Print Date 11/08/2022

Carbon black	OSHA PEL 1989 (1989-03-01)	
	TWA 3.5 mg/m3	
	OSHA PEL (1993-06-30)	
	TWA 3.5 mg/m3	
	NIOSH REL (1994-06-01)	
	TWA 3.5 mg/m3	
	NIOSH REL (1994-06-01)	
	TWA 0.1 mgPAH/m <sup>3</sup>	
	ACGIH TLV (2010-12-06)	
	TWA 3 mg/m3 Form: Inhalable fraction	
Ethyl benzene	OSHA PEL 1989 (1989-03-01)	
Luryi benzene	TWA 435 mg/m3 100 ppm	
	STEL 545 mg/m3 125 ppm	
	OSHA PEL (1993-06-30)	
	TWA 435 mg/m3 100 ppm	
Styrene	ACGIH TLV (2020-03-01) Ototoxicant	
	TWA 10 ppm	
	STEL 20 ppm	
	NIOSH REL (1994-06-01)	
	TWA 215 mg/m3 50 ppm	
	STEL 425 mg/m3 100 ppm	
	OSHA PEL 1989 (1989-03-01)	
	TWA 215 mg/m3 50 ppm	
	STEL 425 mg/m3 100 ppm	
	OSHA PEL Z2 (1993-06-30)	
	TWA 100 ppm	
	CEIL 200 ppm	
	AMP 600 ppm	

Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022

# **ÀVIENT**

Page 7 of 1	8
Print Date 11/08/202	22

Eye/face protection	:	of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

:	solid [Pellets.]
:	GREY
:	Faint odor.
:	Not available.
:	Lower: Not available.
	Upper: Not available.
:	Not available.

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022

# **ÀVIENT**

Page 8 of 18 Print Date 11/08/2022

Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
<u>Aerosol product</u>		
<u>Aerosol product</u> Heat of combustion	:	Not available.
	:	Not available. Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time		
Heat of combustion Ignition distance	:	Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time equivalent	:	Not available. Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	Not available. Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure



Version Number 1.1 Revision Date 11/07/2022



### Page 9 of 18 Print Date 11/08/2022

Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists		_	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Phenol, 2-(2H-benzotriaz	ol-2-yl)-4-(1,1,3,3-tetrame	ethylbutyl)-		
	LD50 Oral	Rat	1,000 mg/kg	-
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Benzene, ethyl-				
	LD50 Oral	Rat	3,500 mg/kg	-
	LD50 Dermal	Rabbit	5,000 mg/kg	-
Styrene				
	LD50 Oral	Rat	2,650 mg/kg	-
	LC50 Inhalation	Rat	2,770 ppm	4 h
	Gas.			
	LC50 Inhalation	Rat	11.8 Mg/l	4 h
	Vapor			

Conclusion/Summary

Mixture.Not fully tested.

:

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silica	Eyes - Mild irritant	Rabbit	-	24 hrs	-
Benzene, ethyl-	Skin - Mild irritant	Rabbit	-	24 hrs	-
	Eyes - Severe irritant	Rabbit	-		-
Styrene	Eyes - Mild irritant	Human	-		-
	Skin - Mild irritant	Rabbit	-		-
	Skin - Moderate irritant	Rabbit	-		-
	Eyes - Severe irritant	Rabbit	-		-
	Eyes - Moderate irritant	Rabbit	-	24 hrs	-

Conclusion/Summary Skin	:	Mixture.Not fully tested.
Eyes	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
<b>Sensitization</b>		
<u>Sensitization</u> Conclusion/Summary		
<u></u>	:	Mixture.Not fully tested.

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022



Pa	ge 10 of 18
Print Date	11/08/2022

#### **Mutagenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

#### **Carcinogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
Titanium oxide (TiO2)	-	2B	-
Silica	-	3	-
Carbon black	-	2B	-
Benzene, ethyl-	-	2B	-
Styrene	-	2B	Reasonably anticipated to be a human carcinogen.

#### **Reproductive toxicity**

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

#### **Teratogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Name	Result
Benzene, ethyl-	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

10/18

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022



Page 11 of 18 Print Date 11/08/2022

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects <u>Numerical measures of toxicity</u>	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result		Species	Exposure
		11/18		

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022

### Page 12 of 18 Print Date 11/08/2022

Acute LC50 > 1,000 Mg/l Marine water       Fish - Fundulus heteroclitus       96 h Marine water         Acute LC50 65 Mg/l Fresh water       Crustaceans - Ceriodaphnia dubia       48 h         Acute LC50 65 Mg/l Fresh water       Daphnia - Daphnia pulex       48 h         Carbon black       Acute EC50 37.563 Mg/l Fresh water       Daphnia - Daphnia magna       48 h         Benzene, ethyl-       Acute EC50 4.2 Mg/l Fresh water       Daphnia - Daphnia magna       48 h         Acute EC50 0.2.93 Mg/l Marine water       Acute EC50 2.93 Mg/l Marine water       Crustaceans - Artemia sp.       48 h         Acute EC50 0.2.93 Mg/l Marine water       Acute EC50 0.2.93 Mg/l Marine water       Algae - Skeletonema costatum       72 h         Acute EC50 7.7 Mg/l Marine water       Acute EC50 0.0047 Mg/l Fresh water       Algae - Skeletonema costatum       96 h         Styrene       Acute EC50 0.0047 Mg/l Fresh water       Daphnia - Daphnia magna       48 h         Acute EC50 0.0047 Mg/l Fresh water       Acute EC50 78 Mg/l Marine water       Acute EC50 78 Mg/l Marine Acute EC50 78 Mg/l Marine       Algae - Skeletonema costatum       96 h         Mater       Acute EC50 78 Mg/l Marine water       Crustaceans - Artemia salina Water       48 h         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.       96 h         Conclusion/	Titanium oxide (TiO2)			
dubia     dubia       Acute LC50 6.5 Mg/l Fresh water     Daphnia - Daphnia pulex     48 h       Carbon black     Acute EC50 37.563 Mg/l Fresh water     Daphnia - Daphnia magna     48 h       Benzene, ethyl-     Acute EC50 4.2 Mg/l Fresh water     Fish - Oncorhynchus mykiss     96 h       Acute EC50 6.53 Mg/l Marine water     Crustaceans - Artemia sp. water     48 h       Acute EC50 2.93 Mg/l Fresh water     Daphnia - Daphnia magna     48 h       Acute EC50 4.9 Mg/l Marine water     Acute EC50 4.9 Mg/l Marine water     Algae - Skeletonema costatum     72 h       Acute EC50 7.7 Mg/l Marine water     Algae - Skeletonema costatum     96 h       Acute EC50 0.0047 Mg/l Fresh water     Fish - Pimephales promelas     96 h       Styrene     Acute EC50 0.0047 Mg/l Fresh water     Daphnia - Daphnia magna     48 h       Acute EC50 0.0047 Mg/l Fresh water     Fish - Pimephales promelas     96 h       Acute EC50 7.7 Mg/l Marine water     Crustaceans - Artemia salina     48 h       Acute EC50 7.7 Mg/l Marine     Crustaceans - Artemia salina     48 h       Acute EC50 7.7 Mg/l Marine water     Crustaceans - Artemia salina     48 h       Acute EC50 7.8 Mg/l Marine invertebrates:     Chemicals are not readily available as they are bound within the polymer matrix.       Persistence and degradability     Chemicals are not readily available as they are bound within the polymer matrix.	· · · · · · · · · · · · · · · · · · ·		Fish - Fundulus heteroclitus	96 h
Acute LC50 6.5 Mg/l Fresh water       Daphnia - Daphnia pulex       48 h         Carbon black       Acute EC50 37.563 Mg/l Fresh water       Daphnia - Daphnia magna       48 h         Benzene, ethyl-       Acute LC50 4.2 Mg/l Fresh water       Daphnia - Daphnia magna       48 h         Acute LC50 4.2 Mg/l Fresh water       Fish - Oncorhynchus mykiss       96 h         Acute EC50 2.93 Mg/l Marine water       Crustaceans - Artemia sp.       48 h         Acute EC50 2.93 Mg/l Fresh water       Daphnia - Daphnia magna       48 h         Acute EC50 4.9 Mg/l Marine water       Algae - Skeletonema costatum       72 h         Acute EC50 7.7 Mg/l Marine water       Algae - Skeletonema costatum       96 h         Styrene       Acute EC50 0.0047 Mg/l Fresh water       Fish - Pimephales promelas       96 h         Styrene       Acute EC50 0.0047 Mg/l Fresh water       Fish - Pimephales promelas       96 h         Acute EC50 7.7 Mg/l Marine water       Acute EC50 7.8 Mg/l Marine water       Acute EC50 7.9 Mg/l Marine water       96 h         Acute EC50 7.8 Mg/l Marine water       Crustaceans - Artemia salina water       48 h       48 h         Acute EC50 7.8 Mg/l Marine water       Crustaceans - Artemia salina water       48 h         Acute EC50 7.8 Mg/l Marine water       Crustaceans - Artemia salina water       48 h         Acute EC50				48 h
Carbon black       Acute EC50 37.563 Mg/l Fresh water       Daphnia - Daphnia magna water       48 h         Benzene, ethyl-       Acute LC50 4.2 Mg/l Fresh water       Fish - Oncorhynchus mykiss       96 h         Acute EC50 0.53 Mg/l Marine water       Crustaceans - Artemia sp. water       48 h         Acute EC50 0.293 Mg/l Fresh water       Daphnia - Daphnia magna water       48 h         Acute EC50 0.293 Mg/l Marine water       Algae - Skeletonema costatum water       72 h         Acute EC50 1.7 Mg/l Marine water       Algae - Skeletonema costatum water       96 h         Acute EC50 0.0047 Mg/l Fresh water       Algae - Skeletonema costatum water       96 h         Styrene       Acute LC50 4.02 Mg/l Fresh water       Fish - Pimephales promelas water       96 h         Acute LC50 4.02 Mg/l Fresh water       Acute EC50 0.0047 Mg/l Fresh water       Daphnia - Daphnia magna water       48 h         Acute EC50 78 Mg/l Marine water       Acute EC50 78 Mg/l Marine water       Algae - Skeletonema costatum water       96 h         Abs UV CHARCOAL       Conclusion/Summary       Chemicals are not readily available as they are bound within the polymer matrix.       96 h         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.		_	Daphnia - Daphnia pulex	48 h
Acute EC50 37.563 Mg/l Fresh waterDaphnia - Daphnia magna48 hBenzene, ethyl-Acute LC50 4.2 Mg/l Fresh waterFish - Oncorhynchus mykiss96 hAcute EC50 6.53 Mg/l Marine waterCrustaceans - Artemia sp.48 hAcute EC50 2.93 Mg/l Fresh waterDaphnia - Daphnia magna48 hAcute EC50 4.9 Mg/l Marine waterAlgae - Skeletonema costatum72 hAcute EC50 7.7 Mg/l Marine waterAlgae - Skeletonema costatum96 hAcute EC50 0.0047 Mg/l Fresh waterAlgae - Skeletonema costatum96 hStyreneAcute EC50 0.0047 Mg/l Fresh waterDaphnia - Daphnia magna48 hAcute EC50 0.0047 Mg/l Fresh waterFish - Pirnephales promelas96 hAcute EC50 2.92 Mg/l Marine waterCrustaceans - Artemia salina48 hAcute EC50 0.0047 Mg/l Fresh waterDaphnia - Daphnia magna48 hAcute EC50 7.8 Mg/l Marine waterCrustaceans - Artemia salina48 hAcute EC50 78 Mg/l Marine waterAlgae - Skeletonema costatum96 hABS UV CHARCOAL Remarks - Acute - Aquatic invertebrates:Chemicals are not readily available as they are bound within the polymer matrix.96 hConclusion/Summary:Chemicals are not readily available as they are bound within the polymer matrix.1000000000000000000000000000000000000	Carbon black			
Benzene, ethyl-       Acute LC50 4.2 Mg/l Fresh water       Fish - Oncorhynchus mykiss       96 h         Acute EC50 6.53 Mg/l Marine water       Crustaceans - Artemia sp.       48 h         Acute EC50 2.93 Mg/l Fresh water       Daphnia - Daphnia magna       48 h         Acute EC50 4.9 Mg/l Marine water       Algae - Skeletonema costatum       72 h         Acute EC50 7.7 Mg/l Marine water       Algae - Skeletonema costatum       96 h         Acute EC50 0.0047 Mg/l Fresh water       Algae - Skeletonema costatum       96 h         Styrene       Acute EC50 0.0047 Mg/l Fresh water       Fish - Pimephales promelas       96 h         Acute EC50 0.0047 Mg/l Fresh water       Fish - Daphnia magna       48 h         Acute EC50 7.7 Mg/l Marine water       Crustaceans - Artemia salina       48 h         Acute EC50 0.0047 Mg/l Fresh water       Daphnia - Daphnia magna       48 h         Acute EC50 7.7 Mg/l Marine water       Crustaceans - Artemia salina       48 h         Acute EC50 7.8 Mg/l Marine       Crustaceans - Artemia salina       48 h         Acute EC50 7.8 Mg/l Marine       Algae - Skeletonema costatum       96 h         ABS UV CHARCOAL       Chemicals are not readily available as they are bound within the polymer matrix.       96 h         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polym		•	Daphnia - Daphnia magna	48 h
Acute LC50 4.2 Mg/l Fresh waterFish - Oncorhynchus mykiss Pish - Oncorhynchus mykiss96 hAcute EC50 6.53 Mg/l Marine waterCrustaceans - Artemia sp.48 hAcute EC50 2.93 Mg/l Fresh waterDaphnia - Daphnia magna A state48 hAcute EC50 4.9 Mg/l Marine waterAlgae - Skeletonema costatum water72 hAcute EC50 7.7 Mg/l Marine waterAlgae - Skeletonema costatum yee h96 hStyreneAcute EC50 0.0047 Mg/l Fresh waterFish - Pimephales promelas Pimephales promelas96 hAcute LC50 0.0047 Mg/l Fresh waterCrustaceans - Artemia salina water48 hAcute EC50 78 Mg/l Marine waterCrustaceans - Artemia salina polymer matrix.48 hConclusion/Summary:Chemicals are not readily available as they are bound within the polymer matrix.48 hConclusion/Summary:Chemicals are not readily available as they are bound within the polymer matrix.Conclusion/Summary:Chemicals are not readily available as they are bound within the <th>Benzene, ethyl-</th> <td></td> <td></td> <td></td>	Benzene, ethyl-			
Acute EC50 6.53 Mg/l Marine waterCrustaceans - Artemia sp.48 hAcute EC50 2.93 Mg/l Fresh waterDaphnia - Daphnia magna48 hAcute EC50 4.9 Mg/l Marine waterAlgae - Skeletonema costatum72 hAcute EC50 7.7 Mg/l Marine 		e	Fish - Oncorhynchus mykiss	96 h
Acute EC50 2.93 Mg/l Fresh waterDaphnia - Daphnia magna48 hAcute EC50 4.9 Mg/l Marine waterAlgae - Skeletonema costatum72 hAcute EC50 7.7 Mg/l Marine waterAlgae - Skeletonema costatum96 hStyreneAcute LC50 4.02 Mg/l Fresh waterFish - Pimephales promelas96 hAcute EC50 0.0047 Mg/l Fresh waterFish - Daphnia - Daphnia magna48 hAcute EC50 0.0047 Mg/l Fresh waterDaphnia - Daphnia magna48 hAcute EC50 78 Mg/l Marine waterCrustaceans - Artemia salina water48 hAcute EC50 78 Mg/l Marine waterAlgae - Skeletonema costatum96 hAss UV CHARCOAL Remarks - Acute - Aquatic invertebrates.:Chemicals are not readily available as they are bound within the polymer matrix.Persistence and degradability Conclusion/Summary:Chemicals are not readily available as they are bound within the polymer matrix.Conclusion/Summary:Chemicals are not readily available as they are bound within the polymer matrix.		Acute EC50 6.53 Mg/l Marine	Crustaceans - Artemia sp.	48 h
Acute EC50 4.9 Mg/l Marine water       Algae - Skeletonema costatum       72 h         Acute EC50 7.7 Mg/l Marine water       Algae - Skeletonema costatum       96 h         Styrene       Acute LC50 4.02 Mg/l Fresh water       Fish - Pimephales promelas       96 h         Acute EC50 0.0047 Mg/l Fresh water       Fish - Daphnia - Daphnia magna       48 h         Acute LC50 52 Mg/l Marine water       Crustaceans - Artemia salina       48 h         Acute EC50 78 Mg/l Marine water       Algae - Skeletonema costatum       96 h         Ascute EC50 78 Mg/l Marine water       Algae - Skeletonema costatum       96 h         Ascute EC50 78 Mg/l Marine water       Algae - Skeletonema costatum       96 h         Conclusion/Summary       Chemicals are not readily available as they are bound within the polymer matrix.       96 h         Persistence and degradability       Chemicals are not readily available as they are bound within the polymer matrix.         Persistence and degradability       :       Chemicals are not readily available as they are bound within the polymer matrix.		Acute EC50 2.93 Mg/l Fresh	Daphnia - Daphnia magna	48 h
Acute EC50 7.7 Mg/l Marine waterAlgae - Skeletonema costatum 96 hStyreneAcute LC50 4.02 Mg/l Fresh waterFish - Pimephales promelas 96 hAcute EC50 0.0047 Mg/l Fresh waterDaphnia - Daphnia magna 48 hAcute EC50 0.0047 Mg/l Fresh waterDaphnia - Daphnia magna 48 hAcute EC50 52 Mg/l Marine waterCrustaceans - Artemia salina 48 hAcute EC50 78 Mg/l Marine waterAlgae - Skeletonema costatum 96 hABS UV CHARCOAL Remarks - Acute - Aquatic invertebrates:Chemicals are not readily available as they are bound within the polymer ma polymer matrix.Conclusion/Summary:Chemicals are not readily available as they are bound within the polymer matrix.Conclusion/Summary:Chemicals are not readily available as they are bound within the polymer matrix.Conclusion/Summary:Chemicals are not readily available as they are bound within the polymer matrix.		Acute EC50 4.9 Mg/l Marine	Algae - Skeletonema costatum	72 h
Styrene       Acute LC50 4.02 Mg/l Fresh water       Fish - Pimephales promelas       96 h         Acute EC50 0.0047 Mg/l Fresh water       Daphnia - Daphnia magna       48 h         Acute LC50 52 Mg/l Marine water       Crustaceans - Artemia salina       48 h         Acute EC50 78 Mg/l Marine water       Algae - Skeletonema costatum       96 h         ABS UV CHARCOAL       Chemicals are not readily available as they are bound within the polymer ma invertebrates.:       Chemicals are not readily available as they are bound within the polymer matrix.         Persistence and degradability       :       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the		Acute EC50 7.7 Mg/l Marine	Algae - Skeletonema costatum	96 h
Acute LC50 4.02 Mg/l Fresh water       Fish - Pimephales promelas       96 h         Acute EC50 0.0047 Mg/l Fresh water       Daphnia - Daphnia magna       48 h         Acute LC50 52 Mg/l Marine water       Crustaceans - Artemia salina       48 h         Acute EC50 78 Mg/l Marine water       Crustaceans - Artemia salina       48 h         Acute EC50 78 Mg/l Marine water       Algae - Skeletonema costatum       96 h         ABS UV CHARCOAL       Chemicals are not readily available as they are bound within the polymer ma invertebrates.:       96 h         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.         Persistence and degradability       :       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.	Styrene	water		
Acute EC50 0.0047 Mg/l Fresh waterDaphnia - Daphnia magna48 hAcute LC50 52 Mg/l Marine waterCrustaceans - Artemia salina48 hAcute EC50 78 Mg/l Marine waterAlgae - Skeletonema costatum96 hABS UV CHARCOAL Remarks - Acute - Aquatic invertebrates.:Chemicals are not readily available as they are bound within the polymer maConclusion/Summary:Chemicals are not readily available as they are bound within the polymer matrix.Persistence and degradability Conclusion/Summary:Chemicals are not readily available as they are bound within the polymer matrix.Conclusion/Summary:Chemicals are not readily available as they are bound within the polymer matrix.	Styrene		Fish - Pimephales promelas	96 h
Acute LC50 52 Mg/l Marine water       Crustaceans - Artemia salina       48 h         Acute EC50 78 Mg/l Marine water       Algae - Skeletonema costatum       96 h         ABS UV CHARCOAL       Chemicals are not readily available as they are bound within the polymer matrix.       96 h         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.         Persistence and degradability       :       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.		Acute EC50 0.0047 Mg/l Fresh	Daphnia - Daphnia magna	48 h
Acute EC50 78 Mg/l Marine water       Algae - Skeletonema costatum       96 h         ABS UV CHARCOAL       Persistence and degradability       Chemicals are not readily available as they are bound within the polymer matrix.         Persistence and degradability       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.		Acute LC50 52 Mg/l Marine	Crustaceans - Artemia salina	48 h
ABS UV CHARCOAL         Remarks - Acute - Aquatic invertebrates.:       Chemicals are not readily available as they are bound within the polymer maximum conclusion/Summary         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.         Persistence and degradability       :       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.		Acute EC50 78 Mg/l Marine	Algae - Skeletonema costatum	96 h
Remarks - Acute - Aquatic invertebrates.:       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.         Persistence and degradability       :       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       :       Chemicals are not readily available as they are bound within the polymer matrix.	ABS UV CHARCOAL			
Conclusion/Summary       : Chemicals are not readily available as they are bound within the polymer matrix.         Persistence and degradability       : Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       : Chemicals are not readily available as they are bound within the polymer matrix.         Conclusion/Summary       : Chemicals are not readily available as they are bound within the polymer matrix.	Remarks - Acute - Aquatic	Chemicals are not readily availabl	e as they are bound within the poly	mer matrix.
Conclusion/Summary: Chemicals are not readily available as they are bound within the polymer matrix.Conclusion/Summary: Chemicals are not readily available as they are bound within the	Conclusion/Summary		ily available as they are bound with	hin the
Conclusion/Summary       : Chemicals are not readily available as they are bound within the	Persistence and degradability			
	Conclusion/Summary		lily available as they are bound wit	hin the
	Conclusion/Summary		lily available as they are bound wit	hin the
12/18		12/18		



## ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022

# AVIENT

Pag	ge 13 of 18
Print Date	11/08/2022

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Benzene, ethyl-	3.6	-	low
Styrene	0.35	13.49	low

#### Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

# **ABS UV CHARCOAL**

Version Number 1.1 Revision Date 11/07/2022

# **ÀVIENT**

Page 14 of 18 Print Date 11/08/2022

# Section 15. Regulatory information

U.S. Federal regulations	:	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Not listed</li> <li>United States - TSCA 4(a) - ITC Priority list: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 5(a) - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(a) - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(a) - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(a) - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(a) - Proposed risk management: Not listed</li> <li>United States - TSCA 6 - Final risk management: Not listed</li> <li>United States - TSCA 8(a) - Chemical risk rules: Not listed</li> <li>United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed</li> <li>United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed</li> <li>United States - TSCA 8(a) - Preliminary assessment report</li> <li>(PAIR): Not listed</li> <li>United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed</li> <li>United States - TSCA 8(d) - Health and safety studies: Not listed</li> <li>United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Rutile, antimony chromium buff</li> <li>Ethyl benzene</li> <li>United States - EPA Clean air act (CAA) section 311 - Hazardous substances: Listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed</li> <li>United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed</li> </ul>
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	:	Not listed

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022

# AVIENT

Page 15 of 18 Print Date 11/08/2022

Chemicals) DEA List II Chemicals (Essential : Not listed Chemicals)

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

: Not applicable.

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Titanium oxide (TiO2)	>= 10 - <= 25	CARCINOGENICITY - Category 2
Phenol, 2-(2H-benzotriazol- 2-yl)-4-(1,1,3,3- tetramethylbutyl)-	>= 3 - <= 5	ACUTE TOXICITY - oral - Category 4
Silica	>= 1 - <= 3	EYE IRRITATION - Category 2B
Carbon black	>= 0.3 - <= 1	CARCINOGENICITY - Category 2
Benzene, ethyl-	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2 ASPIRATION HAZARD - Category 1
Styrene	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2

#### Form R - Reporting requirements

Product name	CAS number	%
Rutile, antimony chromium buff	68186-90-3	>= 1 - <= 3
Ethyl benzene	100-41-4	> 0 - <= 0.3

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022

# **ÄVIENT**

### Page 16 of 18 Print Date 11/08/2022

Styrene	100-42-5	> 0 - <= 0.3
•		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Ethyl benzene Styrene
New Jersey	:	The following components are listed: Titanium dioxide Rutile, antimony chromium buff Carbon black Ethyl benzene Styrene
Pennsylvania	:	The following components are listed: Titanium dioxide
		Rutile, antimony chromium buff
		Silica, amorphous
		Carbon black
		Ethyl benzene
		Styrene

#### California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-
Carbon black	-	-
Ethyl benzene	Yes.	-
Styrene	Yes.	-

United States inventory (TSCA 8b) : All components are active or exempted.

# ABS UV CHARCOAL

Version Number 1.1 Revision Date 11/07/2022

# AVIENT

Page 17 of 18 Print Date 11/08/2022

Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

# Section 16. Other information

#### Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>	
Date of printing	: 11/08/2022
Date of issue/Date of revision	: 11/07/2022
Date of previous issue	: 07/29/2022
Version	: 1.1
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container

17/18

# **ABS UV CHARCOAL**

Version Number 1.1 Revision Date 11/07/2022

# AVIENT

Page 18 of 18 Print Date 11/08/2022

IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.