ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022



Page 1 of 16 Print Date 08/03/2022

SAFETY DATA SHEET

ABS SAILCLOTH TAN

| Section 1. Identification | n | |
|--------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------|
| GHS product identifier Chemical name CAS number Other means of identification Product type | : | ABS SAILCLOTH TAN Mixture Mixture CC10364955 solid |
| <u>Relevant identified uses of the substa</u> Product use | ance : | e or mixture and uses advised against Industrial applications. |
| Supplier's details | : | AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012 |
| | | 1 (440) 930-1000 or 1 (844) 4AVIENT |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|--------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Classification of the substance or mixture | : | Not classified. |
| GHS label elements | | |
| Signal word Hazard statements | : | No signal word. No known significant effects or critical hazards. |

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022

AVIENT

Page 2 of 16 Print Date 08/03/2022

Precautionary statements

| | : | Not applicable. |
|----------------------------------|---|-----------------|
| Prevention | : | Not applicable. |
| Response | : | Not applicable. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |
| | | Not available. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | CC10364955 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|-------------------|---------------|------------|
| Titanium dioxide | >= 10 - <= 25 | 13463-67-7 |
| Silica, amorphous | >= 1 - <= 3 | 7631-86-9 |
| Carbon black | >= 0.3 - <= 1 | 1333-86-4 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.


Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. |
|-------------|---|-----------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation | : | Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable |

ABS SAILCLOTH TAN





| Page 3 of 16 |
|-----------------------|
| Print Date 08/03/2022 |

| | for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | : Wash out mouth with water. Remove victim to fresh air and keep at |
| | rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities |
| | of water to drink. Do not induce vomiting unless directed to do so by |
| | medical personnel. Get medical attention if symptoms occur. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

| Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u> | : | No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. |
|-----------------------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye contact | : | No specific data. |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |
| Indication of immediate medical att | entic | on and special treatment needed, if necessary |
| Notes to physician | : | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : | No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

| Suitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . |
|------------------------------|---|---------------------------------------------------------------------------------|
|------------------------------|---|---------------------------------------------------------------------------------|

suitable training.

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022



Page 4 of 16 Print Date 08/03/2022

| Unsuitable extinguishing media | : | None known. |
|-------------------------------------------------------------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specific hazards arising from the chemical Hazardous thermal decomposition products | : | No specific fire or explosion hazard. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides |
| Special protective actions for fire- fighters Special protective equipment for fire-fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel For emergency responders | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|---------------------------------------------------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containme | nt ai | nd cleaning up |
| Small spill | : | Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022

ÀVIENT

Page 5 of 16 Print Date 08/03/2022

Section 7. Handling and storage

Precautions for safe handling

| Protective measures Advice on general occupational hygiene | : | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|------------------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Titanium dioxide | OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3 |
| Silica, amorphous | NIOSH REL (1994-06-01) TWA 6 mg/m3 |
| Carbon black | OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) |

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022

ÀVIENT

Page 6 of 16 Print Date 08/03/2022

| | | TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction | | |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Environmental exposure controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. | | |
| Individual protection measures | | | | |
| | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. | | |
| Skin protection | | | | |
| | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be | | |
| Other skin protection | approved by a specialist before handling this product. Appropriate footwear and any additional skin protection meas should be selected based on the task being performed and the involved and should be approved by a specialist before handling product. | | | |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. | | |

Section 9. Physical and chemical properties

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022

ÀVIENT

Page 7 of 16 Print Date 08/03/2022

Appearance

| Physical state | : | solid [Pellets.] |
|--------------------------------|---|---------------------------|
| Color | : | TAN |
| Odor | : | Faint odor. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | insoluble in water. |
| | | N |
| Partition coefficient: n- | : | Not available. |
| octanol/water | | |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| | | Kinematic: Not available. |
| Aerosol product | | |
| | | N.(|
| Heat of combustion | : | Not available. |
| Ignition distance | : | Not available. |
| Enclosed space ignition - Time | : | Not available. |
| equivalent | | |
| Enclosed space ignition - | : | Not available. |
| Deflagration density | | |
| Flame height | : | Not available. |
| Flame duration | : | Not available. |
| | | |

Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022

ÀVIENT

Page 8 of 16 Print Date 08/03/2022

| Chemical stability | : | its ingredients. Stable under recommended storage and handling conditions (see Section 7). |
|-------------------------------------|---|------------------------------------------------------------------------------------------------------|
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will |
| Conditions to avoid | | not occur. Keep away from extreme heat and oxidizing agents. |
| Incompatible materials | : | Keep away from strong acids. |
| | | Oxidizer. |
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

| Acute toxicity | | | | |
|-------------------------|-----------------|------------|---------------|----------|
| Product/ingredient name | Result | Species | Dose | Exposure |
| Titanium oxide (TiO2) | | | | |
| | LC50 Inhalation | Rat - Male | 6.82 Mg/l | 4 h |
| | Dusts and mists | | _ | |
| | LD50 Dermal | Rabbit | > 5,000 mg/kg | - |
| Carbon black | | | | |
| | LD50 Oral | Rat | 15,400 mg/kg | - |

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|----------------------|---------|-------|----------|-------------|
| Silica | Eyes - Mild irritant | Rabbit | - | 24 hrs | - |

| Conclusion/Summary | |
|----------------------------|----------------------|
| Skin : Mixtu | re.Not fully tested. |
| Eyes : Mixtu | re.Not fully tested. |
| Respiratory : Mixtu | re.Not fully tested. |
| <u>Sensitization</u> | |
| Conclusion/Summary | |
| Skin : Mixtu | re.Not fully tested. |
| Respiratory : Mixtu | re.Not fully tested. |
| <u>Mutagenicity</u> | |
| Conclusion/Summary : Mixtu | re.Not fully tested. |

8/16

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022

AVIENT

Page 9 of 16 Print Date 08/03/2022

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| Titanium oxide (TiO2) | - | 2B | - |
| Silica | - | 3 | - |
| Carbon black | - | 2B | - |

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Not available.

Information on the likely routes of : Not available. **exposure**

Potential acute health effects

| Eye contact | : | No known significant effects or critical hazards. |
|--------------|---|---------------------------------------------------|
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | : | No known significant effects or critical hazards. |
| Ingestion | : | No known significant effects or critical hazards. |

Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact | : | No specific data. |
|--------------|---|-------------------|
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |

Delayed and immediate effects and also chronic effects from short and long term exposure

9/16

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022

ÀVIENT

Page 10 of 16 Print Date 08/03/2022

| Short term exposure | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Long term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects <u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A | | No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Other information | : | This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. |

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|-------------------------------|------------------------------|----------|
| Titanium oxide (TiO2) | | | |
| | Acute LC50 > 1,000 Mg/l | Fish - Fundulus heteroclitus | 96 h |
| | Marine water | | |
| | Acute LC50 3 Mg/l Fresh water | Crustaceans - Ceriodaphnia | 48 h |
| | _ | dubia | |
| | Acute LC50 6.5 Mg/l Fresh | Daphnia - Daphnia pulex | 48 h |
| | water | | |

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022

🕷 AVIENT

Page 11 of 16 Print Date 08/03/2022

| Carbon black | | | | | |
|---------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------|------------------------------------|--------------|--|
| | |) 37.563 Mg/l Fresh | Daphnia - Daphnia magna | 48 h | |
| ABS SAILCLOTH TAN | water | | | | |
| Remarks - Acute - Aquatic | Chamicala | ro not roadily availab | le as they are bound within the po | lymor matrix | |
| invertebrates.: | Cilemicals | are not readily availab | ie as mey are bound within the po | nymer maurx. | |
| mvertebrates | | | | | |
| Conclusion/Summary | : Chemicals are not readily available as they are bound within the polymer matrix. | | | | |
| Persistence and degradability | | | | | |
| Conclusion/Summary | | Chemicals are not rea polymer matrix. | dily available as they are bound w | vithin the | |
| Conclusion/Summary | | Chemicals are not rea polymer matrix. | dily available as they are bound v | vithin the | |
| Bioaccumulative potential Not available. | | | | | |
| <u>Mobility in soil</u> | | | | | |
| Soil/water partition coefficier (KOC) | ıt : | Not available. | | | |
| Other adverse effects | : | No known significant | effects or critical hazards. | | |

The generation of waste should be avoided or minimized wherever **Disposal methods** : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022



Page 12 of 16 Print Date 08/03/2022

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : | Not regulated for transportation. |
|-----------------------------------|---|----------------------------------------------------------------|
| International Air ICAO/IATA | : | Not classified as dangerous goods under transport regulations. |
| International Water IMO/IMDG | : | Not classified as dangerous goods under transport regulations. |

Section 15. Regulatory information

| U.S. Federal regulations | : United States - TSCA 12(b) - Chemical export notification: None of the components are listed. |
|--------------------------|-------------------------------------------------------------------------------------------------|
| | United States - TSCA 4(a) - Final Test Rules: Not listed |
| | United States - TSCA 4(a) - ITC Priority list: Not listed |
| | United States - TSCA 4(a) - Proposed test rules: Not listed |
| | United States - TSCA 4(f) - Priority risk review: Not listed |
| | United States - TSCA 5(a)2 - Final significant new use rules: Not |
| | listed |
| | United States - TSCA 5(a)2 - Proposed significant new use rules: |
| | Not listed |
| | United States - TSCA 5(e) - Substances consent order: Not listed |
| | United States - TSCA 6 - Final risk management: Not listed |
| | United States - TSCA 6 - Proposed risk management: Not listed |
| | United States - TSCA 8(a) - Chemical risk rules: Not listed |
| | United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed |
| | United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined |
| | United States - TSCA 8(a) - Preliminary assessment report |
| | (PAIR): Not listed |
| | United States - TSCA 8(c) - Significant adverse reaction (SAR): |
| | Not listed |
| | United States - TSCA 8(d) - Health and safety studies: Not listed |
| | United States - EPA Clean water act (CWA) section 307 - Priority |
| | pollutants: Listed Rutile, antimony chromium buff |
| | Ethyl benzene |
| | - |

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022

ÀVIENT

Page 13 of 16 Print Date 08/03/2022

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

| Clean Air Act Section 112(b) | : | Listed |
|----------------------------------------------------------------------|---|--------------------|
| Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I | : | Not listed |
| Substances | | NT . 11 . 1 |
| Clean Air Act Section 602 Class II Substances | : | Not listed |
| DEA List I Chemicals (Precursor | : | Not listed |
| Chemicals) DEA List II Chemicals (Essential | | Not listed |
| Chemicals) | - | |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

| Name | % | Classification |
|-----------------------|---------------|------------------------------|
| Titanium oxide (TiO2) | >= 10 - <= 25 | CARCINOGENICITY - Category 2 |
| | | |
| Silica | >= 1 - <= 3 | EYE IRRITATION - Category 2B |
| | | |
| Carbon black | >= 0.3 - <= 1 | CARCINOGENICITY - Category 2 |
| | | |

Form R - Reporting requirements

| Product name | CAS number | % |
|--------------------------------|------------|---------------|
| Rutile, antimony chromium buff | 68186-90-3 | >= 25 - <= 50 |
| | | |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022



Page 14 of 16 Print Date 08/03/2022

include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

| State regulations | | |
|-------------------|---|--------------------------------------------------------------------------------------------------------------------------|
| Massachusetts | : | None of the components are listed. |
| New York | : | None of the components are listed. |
| New Jersey | : | The following components are listed: Rutile, antimony chromium buff Titanium dioxide Iron oxide Carbon black |
| Pennsylvania | : | The following components are listed: Rutile, antimony chromium buff |
| | | Titanium dioxide |
| | | Iron oxide |
| | | Silica, amorphous |
| | | Carbon black |

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable dosage level |
|------------------|---------------------------|------------------------------------|
| Titanium dioxide | - | - |
| Carbon black | - | - |

| United States inventory (TSCA 8b) | : | All components are active or exempted. |
|-----------------------------------|---|----------------------------------------|
| Canada inventory | : | All components are listed or exempted. |
| International regulations | | |
| <u>Inventory list</u> | | |
| Australia | : | All components are listed or exempted. |
| Canada | : | All components are listed or exempted. |
| China | : | All components are listed or exempted. |
| Europe inventory | : | All components are listed or exempted. |
| Japan | : | All components are listed or exempted. |
| New Zealand | : | All components are listed or exempted. |
| | | 11/16 |

ÀVIENT

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022 Page 15 of 16 Print Date 08/03/2022

| Philippines | : | All components are listed or exempted. |
|-------------------|---|----------------------------------------|
| Republic of Korea | : | All components are listed or exempted. |
| Taiwan | : | All components are listed or exempted. |
| Turkey | : | Not determined. |
| United States | : | All components are active or exempted. |

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | / | 0 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

| Date of printing | : | 08/03/2022 |
|--------------------------------|---|------------------------------------------------------------------------|
| Date of issue/Date of revision | : | 08/02/2022 |
| Date of previous issue | : | 00/00/0000 |
| Version | : | 1.0 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| · | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL = International Convention for the Prevention of Pollution From |
| | | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | UN = United Nations |
| References | : | Not available. |
| | | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the

ABS SAILCLOTH TAN

Version Number 1.0 Revision Date 08/02/2022



Page 16 of 16 Print Date 08/03/2022

sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.