CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022



Page 1 of 16 Print Date 10/20/2022

SAFETY DATA SHEET

CRIMSON RED 3 UVPP

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	: : : : : :	CRIMSON RED 3 UVPP Mixture Mixture CC10368306 solid
<u>Relevant identified uses of the substa</u> Product use	ance :	or mixture and uses advised against Industrial applications.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022

AVIENT

Page 2 of 16 Print Date 10/20/2022

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10368306

CAS number/other identifiers

Ingredient name	%	CAS number
C.I. Pigment Red 108	>= 10 - <= 25	58339-34-7
Substituted amine oligomer	>= 10 - <= 25	4-48-8
Talc	>= 1 - <= 3	14807-96-6
Titanium dioxide	>= 0.3 - <= 1	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

CRIMSON RED 3 UVPP

Versi Revi

ÀVIENT

sion Number 1.0	Page 3 of 16
ision Date 10/18/2022	Print Date 10/20/2022

Inhalation Skin contact Ingestion	:	Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by
		medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects,	acute a	nd delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical a	ttentio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Sec	tion 11)

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022



Page 4 of 16 Print Date 10/20/2022

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containn	nent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency
		4/40

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022



Page 5 of 16 Print Date 10/20/2022

contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
C.I. Pigment Red 108	None.
Substituted amine oligomer	None.
Talc	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> 5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the membrane filter method at 400 - 450 x magnification (4mm objective) using illumination of phase contrast. OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic foot Form: not/asb
	E/40

5/16

CRIMSON RED 3 UVPP


Version Number 1.0 Revision Date 10/18/2022

ÀVIENT

Page 6 of 16 Print Date 10/20/2022

	S 1	DSHA PEL Z3 (1997-09-03) STEL 1 fibers per cubic centimeter Form: not/asb FWA 0.1 fibers per cubic centimeter Form: con/asb
	Γ	STEL 1 fibers per cubic centimeter Form: con/asb NIOSH REL (1994-06-01)
		FWA 6 mg/m3 Form: Total FWA 3 mg/m3 Form: Respirable fraction
Titanium dioxide	7 (7 4	DSHA PEL 1989 (1989-03-01) FWA 10 mg/m3 Form: Total dust DSHA PEL (1993-06-30) FWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) FWA 10 mg/m2
]	ΓWA 10 mg/m3
Appropriate engineering controls		Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: I c e f	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	I c r c	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: S N 1 f	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	8	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products
Body protection	: I	If a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be
		6/16

CRIMSON RED 3 UVPP



ÀVIENT

ersion Number 1.0	Page 7 of 16
evision Date 10/18/2022	Print Date 10/20/2022

Other skin protection	:	approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks
Respiratory protection	:	involved and should be approved by a specialist before handling this product.Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	RED
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
v		Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.

7/16

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022



Page 8 of 16 Print Date 10/20/2022

Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Prod	luct/ingredient name	Result	Species	Score	Exposure	Observation
Talc		Skin - Mild irritant	Human	-	72 hrs	-

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Eyes	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022

AVIENT

Page 9 of 16
Print Date 10/20/2022

Sensitization

Conclusion/Summary Skin Respiratory	:	Mixture.Not fully tested. Mixture.Not fully tested.
<u>Mutagenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
Carcinogenicity		
Conclusion/Summary	:	Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
C.I. Pigment Red 108	-	1	-
Talc	-	312B	-
Titanium oxide (TiO2)	-	2B	-

Reproductive toxicity

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

Teratogenicity

exposure

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure) Not available. Specific target organ toxicity (repeated exposure) Not available. Aspiration hazard Not available. Information on the likely routes of : Not available.

Potential acute health effects

Eye contact Inhalation	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022

ÀVIENT

Page 10 of 16 Print Date 10/20/2022

Ingestion	: No known significant effects or critical hazards.			
Symptoms related to the physical, chemical and toxicological characteristics				
Eye contact Inhalation Skin contact Ingestion	 No specific data. No specific data. No specific data. No specific data. 			
Delayed and immediate effects an	d also chronic effects from short and long term exposure			
Short term exposure				
Potential immediate effects Potential delayed effects	Not available.Not available.			
Long term exposure				
Potential immediate effects Potential delayed effects	Not available.Not available.			
Potential chronic health effects				
Conclusion/Summary	: Mixture.Not fully tested.			
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	 No known significant effects or critical hazards. 			
<u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A				
Other information	: This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.			

Section 12. Ecological information

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022



Page 11 of 16
Print Date 10/20/2022

Toxicity

N. T. 1. 114 .

•1

Product/ingredient name	Result		Species	Exposure
Titanium oxide (TiO2)				
	Acute LC50 > 1,000 Mg/l Marine water		Fish - Fundulus he	teroclitus 96 h
	Acute L	C50 3 Mg/l Fresh water	Crustaceans - Cerio dubia	odaphnia 48 h
	Acute L water	C50 6.5 Mg/l Fresh	Daphnia - Daphnia	pulex 48 h
CRIMSON RED 3 UVPP				·
Remarks - Acute - Aquatic invertebrates.:	Chemic	als are not readily availa	ble as they are bound w	ithin the polymer matrix.
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.			
Persistence and degradability				
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.			
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulative potential				
Product/ingredient name		LogPow	BCF	Potential

Product/ingredient name	LogPow	BCF	Potential
C.I. Pigment Red 108	-	1,345.00	high

Mobility in soil		
Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local
	11/16

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022



Page 12 of 16 Print Date 10/20/2022

authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	: Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

Rules: Not listedy list: Not listedst rules: Not listedficant new use rules: Notignificant new use rules: Notconsent order: Not listedagement: Not listedmanagement: Not listedsk rules: Not listedne precusor: Not listedata Reporting (CDR): Not

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022



Pa	ge 13 of 16
Print Date	10/20/2022

		United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Quinacridone (C.I. Pigment Violet 19) Benzene, chloro-
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed C.I. Pigment Red 108 Benzene, methyl-
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Chemicals)

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

Name	%	Classification
C.I. Pigment Red 108	>= 10 - <= 25	CARCINOGENICITY - Category 1A
Substituted amine oligomer	>= 10 - <= 25	ACUTE TOXICITY - inhalation - Category 4
		SERIOUS EYE DAMAGE - Category 1
13/16		

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022

AVIENT

Page 14 of 16 Print Date 10/20/2022

Talc	>= 1 - <= 3	CARCINOGENICITY - Category 2
Titanium oxide (TiO2)	>= 0.3 - <= 1	CARCINOGENICITY - Category 2

Form R - Reporting requirements

Product name	CAS number	%
C.I. Pigment Red 108	58339-34-7	>= 10 - <= 25

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

<u>State regulations</u> Massachusetts New York New Jersey	 None of the components are listed. None of the components are listed. The following components are listed: C.I. Pigment Red 108 Barium sulfate Talc Iron oxide Titanium dioxide
Pennsylvania	: The following components are listed: C.I. Pigment Red 108 Barium sulfate Talc Iron oxide
	Titanium dioxide

California Prop. 65

WARNING: This product can expose you to chemicals including Talc, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Talc	-	-
Titanium dioxide	-	-

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022



	Pa	ge	15	of	16
Print	Date	10/	/20/	/20	22

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
<u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	10/20/2022
Date of issue/Date of revision	:	10/18/2022
Date of previous issue	:	00/00/0000
Version	:	1.0

CRIMSON RED 3 UVPP

Version Number 1.0 Revision Date 10/18/2022

ÀVIENT

Page 16 of 16 Print Date 10/20/2022

Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.