### VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019 Page 1 of 15 Print Date 10/08/2019

# SAFETY DATA SHEET

### VERSALLOY<sup>TM</sup> XL9045-1 P

Section 1. Identification	n	
GHS product identifier Chemical name CAS number Other means of identification Product type		VERSALLOY™ XL9045-1 P Mixture Mixture EM10047958 solid
<u>Relevant identified uses of the subst</u> Product use	ance:	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	<b>POLYONE CORPORATION</b> 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/15

## VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019 Page 2 of 15 Print Date 10/08/2019

Hazard statements

No known significant effects or critical hazards.

#### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

# Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	EM10047958

CAS number/other identifiers

%	CAS number
0.3 - 1	14807-96-6
	<b>%</b> 0.3 - 1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable

PolyOne.

# VERSALLOY™ XL9045-1 P

Version Number 1.0	Page 3 of 15
Revision Date 10/07/2019	Print Date 10/08/2019

	for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated
	clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at
	rest in a position comfortable for breathing. If material has been
	swallowed and the exposed person is conscious, give small quantities
	of water to drink. Do not induce vomiting unless directed to do so by
	medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate medical	attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Firefighting measures

### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the	:	No specific fire or explosion hazard.



# VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019 Page 4 of 15 Print Date 10/08/2019

chemical Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: nt o	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt ai	id cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

PolyOne.

# VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019	Page 5 of 15 Print Date 10/08/2019
Ducto etimo maco muno	Dut on appropriate personal protective equipment (see Section 8)

Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated
		clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
Talc	ACGIH TLV (1996-05-18)
	TWA 2 mg/m3 Form: Respirable fraction
	ACGIH TLV (1998-09-01)
	TWA 0.1 fibrers/cm3 Form: respiratble fibre
	OSHA PEL 1989 (1989-03-01)
	TWA 2 mg/m3 Form: Respirable dust
	NIOSH REL (1994-06-01)
	TWA 2 mg/m3 Form: Respirable fraction
	OSHA PEL Z3 (1997-09-03)
	TWA 20 million particles per 1 cubic foot Form: not/asb
	OSHA PEL Z3 (1997-09-03)
	STEL 1 fibrers/cm3 Form: not/asb
	TWA 0.1 fibrers/cm3 Form: con/asb
	STEL 1 fibrers/cm3 Form: con/asb

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker
Environmental exposure controls	:	exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of

<u>vOne</u>

# VERSALLOY™ XL9045-1 P

Version Number 1.0	Page 6 of 15
Revision Date 10/07/2019	Print Date 10/08/2019

environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

### **Appearance**

Physical state	:	solid [Pellets.]
Color	:	NO PIGMENT
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.

6/15

PolyOne.

## VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019 Page 7 of 15 Print Date 10/08/2019

Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
A anosal product		
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
Touition distance		Not available.
Ignition distance		Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		Not available.
Enclosed space ignition -	:	not available.
Deflagration density		Not available.
Flame height Flame duration	:	Not available.
riame duration	:	not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid Incompatible materials	:	Keep away from extreme heat and oxidizing agents. Keep away from strong acids. Oxidizer.

ne

## VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019 Page 8 of 15 Print Date 10/08/2019

Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
products		products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Information on toxicological effects

#### Acute toxicity

Remarks - Oral:	No applicable toxicity data
<b>Remarks - Inhalation:</b>	No applicable toxicity data
Remarks - Dermal:	No applicable toxicity data
Conclusion/Summary	: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Talc	Skin - Mild	Human		72 hrs	-
	irritant				
<b>Conclusion/Summary</b>					
Skin		lixture.Not fu			
Eyes		lixture.Not fu			
Respiratory	: N	lixture.Not fu	Illy tested.		
<u>Sensitization</u>					
Conclusion/Summary					
Skin	: N	lixture.Not fu	Illy tested.		
Respiratory	: N	lixture.Not fu	illy tested.		
<u>Mutagenicity</u>					
Conclusion/Summary	: N	lixture.Not fu	Illy tested.		
<u>Carcinogenicity</u>					
Conclusion/Summary	: N	lixture.Not fu	Illy tested.		
<b>Classification</b>					
Product/ingredient name	OSHA	IARC	NTP		



# VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019 Page 9 of 15 Print Date 10/08/2019

Talc	-	32B	-	
<b><u>Reproductive toxicity</u></b>				
			1 4 4 1	
Conclusion/Summary	:	Mixture.Not ful	ly tested.	
<b>Teratogenicity</b>				
Conclusion/Summary	:	Mixture.Not ful	ly tested.	
Specific target organ toxicity ( Not available.	single expo	<u>sure)</u>		
Specific target organ toxicity ( Not available.	repeated ex	<u>kposure)</u>		
Aspiration hazard Not available.				
Information on likely routes of exposure	f :	Not available.		
Potential acute health effects				
Eye contact	:	No known sign	ficant effects or critical hazards.	
Inhalation	:	No known sign	ficant effects or critical hazards.	
Skin contact	:	No known sign	ficant effects or critical hazards.	
Ingestion	:	No known sign	ficant effects or critical hazards.	
Symptoms related to the physi	cal, chemic	cal and toxicolog	ical characteristics	
Eye contact	:	No specific data	l.	
Inhalation	:	No specific data		
Skin contact	•	No specific data		
Ingestion	:	No specific data		
Delayed and immediate effects	as well as	chronic effects f	rom short and long-term exposure	
Short term exposure				
Potential immediate effects Potential delayed effects	:	Not available. Not available.		
Long term exposure				

<u>lyOne</u>

## VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019 Page 10 of 15 Print Date 10/08/2019

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates

Not available.

# Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure					
Talc								
Remarks - Acute - Fish:	No applicable toxicity dat	No applicable toxicity data						
Remarks - Acute - Aquatic	No applicable toxicity dat	a						
invertebrates.:								
Remarks - Acute - Aquatic	No applicable toxicity dat	a						
plants:								
Remarks - Chronic - Fish:	No applicable toxicity data							
<b>Remarks - Chronic -</b>	No applicable toxicity data							
Aquatic invertebrates.:								
VERSALLOY <sup>™</sup> XL9045-1 P								
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.							
invertebrates.:								
<b>Conclusion/Summary</b>	: Chemicals are not readily available as they are bound within the							
	polymer mat	ix.						

Persistence and degradability

## VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019 Page 11 of 15 Print Date 10/08/2019

Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
<b>Bioaccumulative potential</b> Not available.		
Mobility in soil		
Soil/water partition coefficient	:	Not available.
(KOC) Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.

<u>vOne</u>

## VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019

### Page 12 of 15 Print Date 10/08/2019

International Water IMO/IMDG : Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

deral regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
ous Air Pollutants (HAPs) Air Act Section 602 Class I Aces Air Act Section 602 Class II	: : :	Not listed Not listed Not listed
	deral regulations Air Act Section 112(b) ous Air Pollutants (HAPs) Air Act Section 602 Class I nces Air Act Section 602 Class II nces	Air Act Section 112(b) : ous Air Pollutants (HAPs) Air Act Section 602 Class I : nces Air Act Section 602 Class I :

ne

## VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019

Page 13 of 15 Print Date 10/08/2019

DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

### SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found

Name	%	Classification

Not applicable.

<u>State regulations</u> Massachusetts New York New Jersey	::	None of the components are listed. None of the components are listed. The following components are listed: White mineral oil (petroleum)
Pennsylvania	:	Distillates, petroleum, hydrotreated heavy paraffinic Talc The following components are listed: Talc

### California Prop. 65

**WARNING:** This product can expose you to Talc, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Talc	-	-

United States inventory (TSCA 8b)	:	Not determined.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.

13/15



## VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019 Page 14 of 15 Print Date 10/08/2019

### **International regulations**

#### **Inventory list**

Australia	: All components are listed or exempted.
Canada	: At least one component is not listed in DSL but all such components are listed in NDSL.
China	: All components are listed or exempted.
Europe inventory	: All components are listed or exempted.
Japan	: All components are listed or exempted.
New Zealand	Not determined.
Philippines	: Not determined.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Turkey	: Not determined.
United States	: Not determined.

# Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	: 10/08/2019
Date of issue/Date of revision	: 10/07/2019
Date of previous issue	: 00/00/0000
Version	: 1.0
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association

## VERSALLOY™ XL9045-1 P

Version Number 1.0 Revision Date 10/07/2019 Page 15 of 15 Print Date 10/08/2019

IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.