

PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 1 of 23 Print Date 09/19/2020

SAFETY DATA SHEET

PA8011 NC-31636 NON-SAG ADH PLASTISOL

Section 1. Identification			
GHS product identifier Chemical name CAS number Other means of identification Product type	:	PA8011 NC-31636 NON-SAG ADH PLASTISOL Mixture Mixture FO00016085 liquid	
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications. Plastics.	
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012	
Emergency telephone number (with hours of operation)	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 CARCINOGENICITY - Category 1A

GHS label elements



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Numbe	er 1.0
Revision Date	09/09/2020

Page 2 of 23 Print Date 09/19/2020

Hazard pictograms	:	
Signal word Hazard statements	:	Danger Causes serious eye damage. Causes skin irritation. May cause cancer.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling.
Response	:	IF exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known. Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO00016085

CAS number/other identifiers

Ingredient name	%	CAS number
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters,	10 - 25	68515-48-0
C9-rich		



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 3 of 23 Print Date 09/19/2020

Distillates (petroleum), light catalytic cracked	10 - 25	64741-59-9
Calcium oxide	5 - 10	1305-78-8
Resorcinol	1 - 3	108-46-3
Carbon black	1 - 3	1333-86-4
1,2-benzanthracene	0 - 0.3	56-55-3
Benzo[a]pyrene	0 - 0.3	50-32-8
Chrysene	0 - 0.3	218-01-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Get medical attention immediately. Call a poison center or physician. Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Inhalation Get medical attention immediately. Call a poison center or physician. : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0	Page 4 of 23
Revision Date 09/09/2020	Print Date 09/19/2020

Skin contact	:	position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion Over-exposure signs/symptoms	:	Causes serious eye damage. No known significant effects or critical hazards. Causes skin irritation. No known significant effects or critical hazards.
Eye contact	:	Adverse symptoms may include the following: pain watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	:	Adverse symptoms may include the following: stomach pains

Indication of immediate medical attention and special treatment needed, if necessary

4/23



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0	Page 5 of 23
Revision Date 09/09/2020	Print Date 09/19/2020

Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020	Page 6 of 23 Print Date 09/19/2020
For emergency responders :	spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions :	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	and cleaning up
Small spill :	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill :	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

|--|



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0	Page 7 of 23
Revision Date 09/09/2020	Print Date 09/19/2020

hygiene material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
 Conditions for safe storage, : Store in accordance with local regulations. Store in original container

Conditions for safe storage, including any incompatibilities includin

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich	None.
Distillates (petroleum), light catalytic cracked	None.
Calcium oxide	ACGIH TLV (1994-09-01) TWA 2 mg/m3 NIOSH REL (1994-06-01) TWA 2 mg/m3 OSHA PEL 1989 (1989-03-01) TWA 5 mg/m3 OSHA PEL (1993-06-30) TWA 5 mg/m3
Resorcinol	ACGIH TLV (1996-05-18) TWA 45 mg/m3 10 ppm STEL 90 mg/m3 20 ppm NIOSH REL (1994-06-01) TWA 45 mg/m3 10 ppm STEL 90 mg/m3 20 ppm OSHA PEL 1989 (1989-03-01) TWA 45 mg/m3 10 ppm



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 8 of 23 Print Date 09/19/2020

	STEL 90 mg/m3 20 ppm
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
1,2-benzanthracene	NIOSH REL (2010-09-01) TWA 0.1 mg/m3 OSHA PEL 1989 (1989-03-01) TWA 0.2 mg/m3 Form: BEN_SOL OSHA PEL (1993-06-30) TWA 0.2 mg/m3 Form: BEN_SOL
Benzo[a]pyrene	NIOSH REL (2010-09-01) TWA 0.1 mg/m3 OSHA PEL 1989 (1989-03-01) TWA 0.2 mg/m3 Form: BEN_SOL OSHA PEL (1993-06-30) TWA 0.2 mg/m3 Form: BEN_SOL
Chrysene	OSHA PEL (1993-06-30) TWA 0.2 mg/m3 Form: BEN_SOL NIOSH REL (2010-09-01) TWA 0.1 mg/m3 OSHA PEL 1989 (1989-03-01) TWA 0.2 mg/m3 Form: BEN_SOL

Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers,



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0	Page 9 of 23
Revision Date 09/09/2020	Print Date 09/19/2020

		filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 10 of 23 Print Date 09/19/2020

		line i l. [Dester]
Physical state Color	:	liquid [Paste.] NOT APPLICABLE
00101	:	
Odor	:	Not available.
Odor threshold	:	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
Aerosol product		
Heat of combustion		Not available.
Heat of compustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	-	Not available.
	Ĩ	

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: Stable under recommended storage and handling conditions (see
	10/23



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 11 of 23 Print Date 09/19/2020

Possibility of hazardous reactions	:	Section 7). Under normal conditions of storage and use, hazardous reactions will
		not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

	Result	Species	Dose	Exposure				
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich								
	LD50 Oral	Rat	10,000 mg/kg	-				
Remarks - Inhalation:	No applicable toxic	city data						
Remarks - Dermal:	No applicable toxic	city data						
Distillates (petroleum), light ca	atalytic cracked							
	LD50 Oral	Rat	3,200 mg/kg	-				
	LC50 Inhalation	Rat	3.4 mg/l	4 h				
Calcium oxide								
Remarks - Oral:	* *	No applicable toxicity data						
Remarks - Inhalation:		No applicable toxicity data						
Remarks - Dermal:	No applicable toxicity data							
Resorcinol								
	LD50 Oral	Rat	202 mg/kg	-				
Remarks - Inhalation:	No applicable toxicity data							
	LD50 Dermal	Rabbit	3,360 mg/kg	-				
Carbon black								
	LD50 Oral	Rat	15,400 mg/kg	-				
Remarks - Inhalation:	No applicable toxicity data							
Remarks - Dermal:	No applicable toxicity data							
1,2-benzanthracene								
Remarks - Oral:	No applicable toxicity data							
Remarks - Inhalation:	No applicable toxic	city data						
Remarks - Dermal:	No applicable toxic	city data						
Benzo[a]pyrene								



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020

Page 12 of 23 Print Date 09/19/2020

Remarks - Oral:	No applicable toxicity data			
Remarks - Inhalation:	No applicable toxicity data			
Remarks - Dermal:	No applicable toxicity data			
Chrysene				
Remarks - Oral:	No applicable toxicity data			
Remarks - Inhalation:	No applicable toxicity data			
Remarks - Dermal:	No applicable toxicity data			
Conclusion/Summary	: Mixture.Not fully tested.			

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1,2-Benzenedicarboxylic	Eyes - Mild	Rabbit			-
acid, di-C8-10-branched	irritant				
alkyl esters, C9-rich					
Distillates (petroleum), light	Skin - Severe	Rabbit			-
catalytic cracked	irritant				
	Skin - Severe	Rabbit			-
	irritant				
Resorcinol	Skin -	Rabbit		24 hrs	-
	Moderate				
	irritant				
	Skin - Severe	Rabbit			-
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
Benzo[a]pyrene	Skin - Mild	Mouse			-
	irritant				

Skin Mixture.Not fully tested. : Eyes : Mixture.Not fully tested. Respiratory Mixture.Not fully tested. : **Sensitization Conclusion/Summary** Skin Mixture.Not fully tested. : Respiratory Mixture.Not fully tested. : **Mutagenicity Conclusion/Summary** : Mixture.Not fully tested.

12/23



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 13 of 23 Print Date 09/19/2020

Carcinogenicity

Conclusion/Summary

: Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
Resorcinol	-	3	-
Carbon black	-	2B	-
1,2-benzanthracene	-	2B	Reasonably anticipated to be a human carcinogen.
Benzo[a]pyrene	-	1	Reasonably anticipated to be a human carcinogen.
Chrysene	-	2B	-

Reproductive toxicity

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

Teratogenicity

Conclusion/Summary :

Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Calcium oxide	Category 3	Not applicable	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	:	Not available.		
Potential acute health effects				
Eye contact Inhalation Skin contact Ingestion	::	Causes serious eye damage. No known significant effects or critical hazards. Causes skin irritation. No known significant effects or critical hazards.		
Symptoms related to the physical, chemical and toxicological characteristics				
Eye contact	:	Adverse symptoms may include the following: pain, watering, redness		
		13/23		



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0	Page 14 of 23
Revision Date 09/09/2020	Print Date 09/19/2020

Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: pain or irritation,
		redness, blistering may occur
Ingestion	:	Adverse symptoms may include the following: stomach pains

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity	:	No known significant effects or critical hazards. May cause cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	10,668.1 mg/kg
Route	ATE value
Dermal	295,254.8 mg/kg
Route	ATE value
Inhalation (dusts and mists)	28.41 mg/l

Section 12. Ecological information



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 15 of 23 Print Date 09/19/2020

Toxicity

Product/ingredient name	Result	Species	Exposure			
1,2-Benzenedicarboxylic acid,	di-C8-10-branched alkyl esters, C9-ri	ch				
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Calcium oxide						
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
	Chronic NOEC 100 Mg/l Fresh	Fish - Fish	46 d			
	water					
Remarks - Chronic - Fish:	Chronic					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Resorcinol						
	Acute LC50 40 Mg/l Fresh water	Fish - Fish	96 h			
Remarks - Acute - Fish:	Acute	1	1			
	Acute LC50 78 Mg/l Marine water	Aquatic invertebrates.	48 h			
		Crustaceans				
Remarks - Acute - Aquatic	Acute					
invertebrates.:		T	1			
	Acute LC50 > 100 Mg/l Fresh	Aquatic invertebrates.	48 h			
	water	Daphnia				
Remarks - Acute - Aquatic	Acute					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Carbon black						
Remarks - Acute - Fish:	No applicable toxicity data	<u> </u>				
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h			
	water	Daphnia				
Remarks - Acute - Aquatic	Acute					



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 16 of 23 Print Date 09/19/2020

invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
1,2-benzanthracene	1				
Remarks - Acute - Fish:	No applicable toxicity data	I			
	Acute LC50 0.000098 Mg/l Fresh	Aquatic invertebrates.	48 h		
	water	Daphnia			
Remarks - Acute - Aquatic	Acute				
invertebrates.:	No construction data				
Remarks - Acute - Aquatic	No applicable toxicity data				
plants: Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:	No applicable toxicity data				
Benzo[a]pyrene					
Remarks - Acute - Fish:	No applicable toxicity data				
	Acute LC50 11 Mg/l Marine water	Aquatic invertebrates.	48 h		
	8	Crustaceans	-		
Remarks - Acute - Aquatic	Acute				
invertebrates.:					
	Acute LC50 0.25 Mg/l Fresh water	Aquatic invertebrates.	48 h		
		Daphnia			
Remarks - Acute - Aquatic	Acute				
invertebrates.:			70.1		
	Acute EC50 0.005 Mg/l Fresh	Aquatic plants - Algae	72 h		
Remarks - Acute - Aquatic	water Acute				
plants:	Acute				
Remarks - Chronic - Fish:	No applicable toxicity data				
	Chronic NOEC 0.012 Mg/l Fresh	Aquatic invertebrates.	21 d		
	water	Crustaceans			
Remarks - Chronic -	Chronic				
Aquatic invertebrates.:					
Chrysene					
Remarks - Acute - Fish:	No applicable toxicity data				
Remarks - Acute - Aquatic	No applicable toxicity data				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 17 of 23 Print Date 09/19/2020

 Aquatic invertebrates.:
 Image: Conclusion/Summary
 Image: Not available.

 Persistence and degradability
 Image: Not available.
 Image: Not available.

 Conclusion/Summary
 Image: Not available.
 Image: Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1,2-Benzenedicarboxylic acid, di-C8-	8.8	3.00	low
10-branched alkyl esters, C9-rich			
Calcium oxide	-	2.34	low
Resorcinol	0.8	3.16	low
1,2-benzanthracene	5.76	257.04	low
Benzo[a]pyrene	6.13	-	high
Chrysene	5.81	-	high

Mobility in soil

:	Not available.
:	No known significant effects or critical hazards.
	:

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 18 of 23 Print Date 09/19/2020

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Listed

Ingredient	CAS #	Status	Reference number
Resorcinol	108-46-3	Listed	

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
	United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Naphthalene



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0	Page 19 of 23
Revision Date 09/09/2020	Print Date 09/19/2020

		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer Zinc Dibenz[a,h]anthracene Indeno[1,2,3-cd]pyrene Naphthalene 1,2-benzanthracene Benzo[a]pyrene Chrysene
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component	
1,2-benzanthracene	56-55-3	10 lb(s)	
		4.54 kg	
		_	
Benzo[a]pyrene	50-32-8	1 lb(s)	
		0.454 kg	
		-	



PA8011 NC-31636 NON-SAG ADH PLASTISOL

:

Version Number 1.0 Revision Date 09/09/2020 Page 20 of 23 Print Date 09/19/2020

SARA 311/312

Classification

SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 CARCINOGENICITY - Category 1A

Composition/information on ingredients

Name	%	Classification
Chrysene	> 0 - <= 0.3	CARCINOGENICITY - Category 2
Benzo[a]pyrene	> 0 - <= 0.3	CARCINOGENICITY - Category 1A
1,2-benzanthracene	> 0 - <= 0.3	CARCINOGENICITY - Category 2
Carbon black	>= 1 - <= 3	CARCINOGENICITY - Category 2
Resorcinol	>= 1 - <= 3	ACUTE TOXICITY - oral - Category 3 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A
Calcium oxide	>= 5 - <= 10	SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Respiratory tract irritation - Category 3
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	>= 10 - <= 25	EYE IRRITATION - Category 2B

<u>SARA 313</u>

Form R - Reporting requirements

Product name	CAS number	%
Indeno[1,2,3-cd]pyrene	193-39-5	> 0 - <= 0.1
Dibenz[a,h]anthracene	53-70-3	> 0 - <= 0.1
	-	> 0 - <= 0.3
Chrysene	218-01-9	> 0 - <= 0.3



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 21 of 23 Print Date 09/19/2020

Benzo[a]pyrene	50-32-8	> 0 - <= 0.3
1,2-benzanthracene	56-55-3	> 0 - <= 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Resorcinol 1,2-benzanthracene Benzo[a]pyrene Chrysene
New Jersey	:	The following components are listed: Quartz Chrysene Benzo[a]pyrene 1,2-benzanthracene Carbon black Resorcinol Calcium carbonate Ethene, chloro-, homopolymer Calcium oxide
Pennsylvania	:	The following components are listed: Benzo[a]pyrene
		Sodium sulfate (solution)
		Calcium oxide
		Chrysene
		Quartz
		Calcium carbonate
		Resorcinol
		Carbon black
		1,2-benzanthracene
		21/23

21/23



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 22 of 23 Print Date 09/19/2020

California Prop. 65

WARNING: This product can expose you to chemicals including Quartz, , , Benzo[a]pyrene, Anthracene, 1,2-benzanthracene, Carbon black, 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich, which are known to the State of California to cause cancer, and Diisodecyl phthalate (mixed isomers), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Quartz	-	-
Diisodecyl phthalate (mixed isomers)	-	Yes.
	-	-
	-	-
Benzo[a]pyrene	Yes.	-
Anthracene	-	-
1,2-benzanthracene	Yes.	-
Carbon black	-	-
1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich	Yes.	-

United States inventory (TSCA 8b) :

Not determined.

Canada inventory

Not determined.

:

International regulations

Inventory list

Australia	: Not determin	ned.
Canada	: Not determin	ned.
China	: Not determin	ned.
Europe inventory	: Not determin	ned.
Japan	: Not determin	ned.
New Zealand	: Not determin	ned.
Philippines	: Not determin	ned.
Republic of Korea	: Not determin	ned.
Taiwan	: Not determin	ned.
Turkey	: Not determin	ned.
United States	: Not determin	ned.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



PA8011 NC-31636 NON-SAG ADH PLASTISOL

Version Number 1.0 Revision Date 09/09/2020 Page 23 of 23 Print Date 09/19/2020

Health	*	3
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>History</u>		
Date of printing	:	09/19/2020
Date of issue/Date of revision	:	09/09/2020
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
U C		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.