FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018 PolyOne

Page 1 of 17 Print Date 12/05/2018

SAFETY DATA SHEET

FB312 Yellow Foam

Section 1. Identification	on	
GHS product identifier	:	FB312 Yellow Foam
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20000243
Product type	:	liquid
<u>Relevant identified uses of the subs</u> Product use	stance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	EYE IRRITATION - Category 2B CARCINOGENICITY - Category 1B

GHS label elements

FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018 <u>PolyOne</u>

Page 2 of 17 Print Date 12/05/2018

Signal word:DangerHazard statements:Causes eye irritation. May cause cancer.	
Precautionary statements	
General : Not applicable.	
Prevention : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling.	
Response : IF exposed or concerned: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, it present and easy to do. Continue rinsing. If eye irritation persists: G medical attention.	
Storage : Store locked up.	
Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.	
Supplemental label elements : None known.	
Hazards not otherwise classified : None known.	

Section 3. Composition/information on ingredients

Substance/mixture	: N	Aixture
Chemical name	: N	Aixture
Other means of identification	: F	FO20000243

CAS number/other identifiers

Ingredient name	%	CAS number
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters,	10 - 25	68515-48-0
C9-rich		
Dibasic lead phthalate, C8H4O6Pb3	1 - 3	17976-43-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.



FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018 Page 3 of 17 Print Date 12/05/2018

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact	:	Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards.

FB312 Yellow Foam



Version Number 1.1Page 4 of 17Revision Date 11/28/2018Print Date 12/05/2018

Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medica Notes to physician	<u>l attentio</u> :	n and special treatment needed, if necessary Treat symptomatically. Contact poison treatment specialist
		immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides



FB312 Yellow Foam

Version Number 1.1	Page 5 of 17
Revision Date 11/28/2018	Print Date 12/05/2018

Special protective actions for fire-	:	Promptly isolate the scene by removing all persons from the vicinity
fighters		of the incident if there is a fire. No action shall be taken involving any
		personal risk or without suitable training.
Special protective equipment for	:	Fire-fighters should wear appropriate protective equipment and self-
fire-fighters		contained breathing apparatus (SCBA) with a full face-piece operated
		in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for containme	nt a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018



Page 6 of 17 Print Date 12/05/2018

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich	None.
Dibasic lead phthalate, C8H4O6Pb3	OSHA PEL 1989 (1989-03-01) TWA 0.05 mg/m3 (calculated as Pb)

FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018



Page 7 of 17 Print Date 12/05/2018

		T
		ACGIH TLV (1995-05-23) TWA 0.05 mg/m3 (calculated as Pb) OSHA PEL (1993-06-30) TWA 0.05 mg/m3 (calculated as Pb)
Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any
Environmental exposure controls	:	recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks
		7/47

<u>PolyOne</u>

FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018

Page 8 of 17 Print Date 12/05/2018

involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

:

Appearance

Physical state	:	liquid [liquid]
Color	:	YELLOW
Odor	:	Not available.
Odor threshold	1	Not available.
		Not available.
pH Multimensint		r tot u tunuoret
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
	:	Upper: Not available. Not available.
(flammable) limits	:	
(flammable) limits Vapor pressure	:	Not available.
(flammable) limits Vapor pressure Vapor density	:	Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility	:	Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	:	Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	:	Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	:	Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature SADT	:	Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature		Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	 Stable under recommended storage and handling conditions (see Section 7).



FB312 Yellow Foam

Version Number 1.1	Page 9 of 17
Revision Date 11/28/2018	Print Date 12/05/2018

Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid		Keep away from extreme heat and oxidizing agents.
Conditions to avoid	•	
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Remarks - Oral:	No applicable toxi	city data				
Remarks - Inhalation:	No applicable toxi	No applicable toxicity data				
Remarks - Dermal:	No applicable toxicity data					
1,2-Benzenedicarboxylic acid,	di-C8-10-branched alkyl esters, C9-rich					
	LD50 Oral Rat 10,000 mg/kg -					
Remarks - Inhalation:	No applicable toxicity data					
Remarks - Dermal:	No applicable toxicity data					
Conclusion/Summary	: Mixture.Not fully tested.					

-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1,2-Benzenedicarboxylic	Eyes - Mild	Rabbit			-
acid, di-C8-10-branched	irritant				
alkyl esters, C9-rich					
Conclusion/Summary					
Skin	: M	ixture.Not fully	y tested.		
Eyes	: M	ixture.Not fully	y tested.		
Respiratory	: M	ixture.Not fully	y tested.		
Sensitization					
Conclusion/Summary					
Skin	: M	ixture.Not fully	y tested.		
Respiratory	: M	ixture.Not fully	i tested		



FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018 Page 10 of 17 Print Date 12/05/2018

Mutagenicity			
Conclusion/Summary	:	Mixture.Not full	y tested.
Carcinogenicity			
Conclusion/Summary <u>Classification</u>	:	Mixture.Not full	y tested.
Product/ingredient	OSHA	IARC	NTP
name			
Dibasic lead phthalate, C8H4O6Pb3		2A	Reasonably anticipated to be a human carcinogen.
Reproductive toxicity			
Conclusion/Summary	:	Mixture.Not full	y tested.
Teratogenicity			
Conclusion/Summary	:	Mixture.Not full	y tested.
Specific target organ toxicity Not available.	v (single expo	osure)	
Specific target organ toxicity Not available.	/ (repeated e	<u>xposure)</u>	
Aspiration hazard Not available.			
Information on likely routes exposure	of :	Not available.	
Potential acute health effects			
Eye contact	:	Causes eye irrita	tion.
Inhalation	:		icant effects or critical hazards.
Skin contact	:		icant effects or critical hazards.
Ingestion	:	No known signif	icant effects or critical hazards.
Symptoms related to the phys	sical, chemic	al and toxicologi	cal characteristics
Eye contact	:	Adverse sympton irritation watering redness	ns may include the following:

FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018 <u>olyOne</u>

Page 11 of 17

Print Date 12/05/2018

Inhalation No specific data. : No specific data. Skin contact : Ingestion No specific data. :

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity	:	No known significant effects or critical hazards. May cause cancer. Risk of cancer depends on duration and level of exposure. No known significant effects or critical hazards.
Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
r ci unity circus	•	The known significant criteris of critical nazarus.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	8,799.1 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure		
Dibasic lead phthalate, C8H4O6Pb3					
Remarks - Acute - Fish: No applicable toxicity data					
Remarks - Acute - Aquatic No applicable toxicity data					
11/17					



FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018

Page 12 of 17 Print Date 12/05/2018

invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
1,2-Benzenedicarboxylic acid,	di-C8-10-branched alkyl esters, C9-rich			
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Conclusion/Summary	: Not available.			

iclusion/Sun

Persistence and degradability

Conclusion/Summary Not available. :

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1,2-Benzenedicarboxylic acid, di-C8-	8.8	3.00	low
10-branched alkyl esters, C9-rich			

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be

FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018



disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	UN3082, Environmentally hazardous substance, liquid, n.o.s., (Butyl benzyl phthalate), 9, PGIII
International Air ICAO/IATA	:	UN3082, Environmentally hazardous substance, liquid, n.o.s., (Butyl benzyl phthalate), 9, PGIII
International Water IMO/IMDG	:	UN3082, Environmentally hazardous substance, liquid, n.o.s., (Butyl benzyl phthalate), 9, PGIII

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed Diisononyl phthalate 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich
	United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed

FB312 Yellow Foam

P	bly	<i>O</i> t	e.
	~		

Version Number 1.1	Page 14 of 17
Revision Date 11/28/2018	Print Date 12/05/2018

		United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Dibasic lead phthalate, C8H4O6Pb3
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed 1,2-Benzenedicarboxylic acid, butyl phenylmethylester Dibasic lead phthalate, C8H4O6Pb3 1,2-Benzenedicarboxylic acid, 1,2-diisodecyl ester Vinyl chloride monomer Phenol
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Listed Not listed
Substances Clean Air Act Section 602 Class I Substances	:	Not listed

:	Not listed
:	Not listed
:	Not listed
	:

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component	
1,2-Benzenedicarboxylic acid,	85-68-7	100 lb(s)	
butyl phenylmethylester		45.4 kg	

<u>PolyOne</u>

FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018 Page 15 of 17 Print Date 12/05/2018

SARA 311/312

Classification

EYE IRRITATION - Category 2B CARCINOGENICITY - Category 1B

Composition/information on ingredients

:

Name	%	Classification
Dibasic lead phthalate,	>= 1 - <= 3	Delayed (chronic) health hazard
C8H4O6Pb3	>= 10 - <= 25	Immediate (courte) health hazand
1,2-Benzenedicarboxylic acid, di-C8-10-branched	>= 10 - <= 23	Immediate (acute) health hazard
alkyl esters, C9-rich		

SARA 313

	Product name	CAS number	%
Form R - Reporting	Dibasic lead phthalate,	17976-43-1	1 - 3
requirements	C8H4O6Pb3		
Supplier notification	Dibasic lead phthalate,	17976-43-1	1 - 3
	C8H4O6Pb3		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed:
	1,2-Benzenedicarboxylic acid, butyl phenylmethylester
New Jersey	: The following components are listed:
	Dibasic lead phthalate, C8H4O6Pb3
	1,2-Benzenedicarboxylic acid, butyl phenylmethylester
	Ethene, chloro-, homopolymer
Pennsylvania	: The following components are listed:
	1,2-Benzenedicarboxylic acid, butyl phenylmethylester
	Dibasic lead phthalate, C8H4O6Pb3

California Prop. 65

WARNING: This product can expose you to chemicals including 1,2-Benzenedicarboxylic acid, di-C8-10branched alkyl esters, C9-rich, Dibasic lead phthalate, C8H4O6Pb3, which are known to the State of California to cause cancer, and 1,2-Benzenedicarboxylic acid, butyl phenylmethylester, Diisodecyl phthalate, which are known



FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018 Page 16 of 17 Print Date 12/05/2018

to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
1,2-Benzenedicarboxylic acid, butyl	No.	Yes.
phenylmethylester		
1,2-Benzenedicarboxylic acid, di-C8-10-	Yes.	No.
branched alkyl esters, C9-rich		
Dibasic lead phthalate, C8H4O6Pb3	No.	No.
Diisodecyl phthalate	No.	Yes.

United States inventory (TSCA 8b) : All components are listed or exempted.

:

Canada inventory

All components are listed or exempted.

International regulations

Inventory list

Australia	: Not determined.
Canada	: All components are listed or exempted.
China	: Not determined.
Europe inventory	: All components are listed or exempted.
Japan	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Turkey	: Not determined.
United States	: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	1
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required



FB312 Yellow Foam

Version Number 1.1 Revision Date 11/28/2018 Page 17 of 17 Print Date 12/05/2018

on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Histor		
Date of printing	:	12/05/2018
Date of issue/Date of revision	:	11/28/2018
Date of previous issue	:	06/14/2002
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.