SAFETY DATA SHEET

AQUARIUS RED B PIGMENT CONC.

Version Number 1.2 Revision Date 07/26/2023



Page 1 of 15 Print Date 07/27/2023

SAFETY DATA SHEET

AOUARIUS RED B PIGMENT CONC.

Section 1. Identification		
GHS product identifier	:	AQUARIUS RED B PIGMENT CONC.
Chemical name CAS number	:	Mixture Mixture
Other means of identification	:	FO20044125
Product type	:	liquid
Relevant identified uses of the subst	ance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2B

GHS label elements

AQUARIUS RED B PIGMENT CONC.



Version Number 1.2 Revision Date 07/26/2023 Page 2 of 15 Print Date 07/27/2023

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Causes skin and eye irritation.
Precautionary statements		
Prevention	:	Not applicable. Wear protective gloves. Wash thoroughly after handling.
Response	:	Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20044125

CAS number/other identifiers

Ingredient name	%	CAS number
1,2-Propanediol	>= 10 - <= 25	57-55-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

AQUARIUS RED B PIGMENT CONC.

Version Number 1.2 Revision Date 07/26/2023

ÀVIENT

Page 3 of 15 Print Date 07/27/2023

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	Causes eye irritation. No known significant effects or critical hazards. Causes skin irritation. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact Inhalation	:	Adverse symptoms may include the following: pain or irritation watering redness No specific data.
		3/15

AQUARIUS RED B PIGMENT CONC.





Version Number 1.2 Revision Date 07/26/2023

Page 4 of 15 Print Date 07/27/2023

Skin contact		Adverse symptoms may include the following: irritation redness	
Ingestion	:	No specific data.	
Indication of immediate medica	<u>al attentio</u>	n and special treatment needed, if necessary	
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
Specific treatments	:	No specific treatment.	
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.	

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate



AQUARIUS RED B PIGMENT CONC.

Version Number	er 1.2
Revision Date	07/26/2023

Page 5 of 15 Print Date 07/27/2023

For emergency responders	:	ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage,	:	Store in accordance with local regulations. Store in original container

AQUARIUS RED B PIGMENT CONC.

Version Number 1.2 Revision Date 07/26/2023



Page 6 of 15 Print Date 07/27/2023

including any incompatibilities

protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits
1,2-Propanediol		OARS WEEL (1999-01-01) TWA 10 mg/m3
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products
		6/15

AQUARIUS RED B PIGMENT CONC.



Version Number 1.2 Revision Date 07/26/2023 Page 7 of 15 Print Date 07/27/2023

	if a risk assessment indicates this is necessary. Considering the
	parameters specified by the glove manufacturer, check during use that
	the gloves are still retaining their protective properties. It should be
	noted that the time to breakthrough for any glove material may be
	different for different glove manufacturers. In the case of mixtures,
	consisting of several substances, the protection time of the gloves
	cannot be accurately estimated.
:	Personal protective equipment for the body should be selected based
	on the task being performed and the risks involved and should be
	approved by a specialist before handling this product.
:	Appropriate footwear and any additional skin protection measures
	should be selected based on the task being performed and the risks
	involved and should be approved by a specialist before handling this
	product.
:	Based on the hazard and potential for exposure, select a respirator that
	meets the appropriate standard or certification. Respirators must be
	used according to a respiratory protection program to ensure proper
	fitting, training, and other important aspects of use.
	:

Section 9. Physical and chemical properties

Appearance

Physical state Color	iquid [liqu RED	id]
Odor	Not availab	le.
Odor threshold	: Not availab	le.
рН	: Not availab	le.
Melting point	: Not availab	le.
Boiling point	: Not availab	le.
Flash point	: Not availab	le.
Burning time	: Not availab	le.
Burning rate	: Not availab	le.
Evaporation rate	: Not availab	le.
Flammability (solid, gas)	: Not availab	le.
Lower and upper explosive	: Lower: Not	t available.
(flammable) limits	Upper: No	t available.
Vapor pressure	: Not availab	le.
Vapor density	: Not availab	le.
Relative density	: Not availab	le.
Solubility	: Not availab	le.
Solubility in water	: Not availab	le.
Partition coefficient: n-	: Not applica	ble.
octanol/water		
Auto-ignition temperature	: Not availab	le.
Auto-ignition temperature Decomposition temperature	Not availab Not availab	

AQUARIUS RED B PIGMENT CONC.

Version Number 1.2 Revision Date 07/26/2023



Page 8 of 15 Print Date 07/27/2023

SADT Viscosity	:	Not available. Dynamic: Not available. Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
1,2-Propanediol				
	LD50 Oral	Rat	20,000 mg/kg	-
	LD50 Dermal	Rabbit	20,800 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
	0				



AQUARIUS RED B PIGMENT CONC.

Version Number 1.2 Revision Date 07/26/2023 Page 9 of 15 Print Date 07/27/2023

1,2-Propanediol	Skin - Mild irritant	Woman	-	96 hrs	-
	Skin - Mild irritant	Human	-	168 hrs	-
	Skin - Moderate irritant	Human	-	72 hrs	-
	Eyes - Mild irritant	Rabbit	-		-
	Eyes - Mild irritant	Rabbit	-	24 hrs	-
-	Skin - Moderate irritant	Child	-	96 hrs	-
Conclusion/Summary					
Skin		t fully tested.			
Eyes		t fully tested.			
Respiratory	: Mixture.No	t fully tested.			
Sensitization					
Conclusion/Summary					
Skin		t fully tested.			
Respiratory	: Mixture.No	t fully tested.			
Mutagenicity					
Conclusion/Summary	: Mixture.No	t fully tested.			
Carcinogenicity					
Conclusion/Summary	: Mixture.No	t fully tested.			
<u>Reproductive toxicity</u>					
Conclusion/Summary	: Mixture.No	t fully tested.			
Teratogenicity					
Conclusion/Summary	: Mixture.No	t fully tested.			
Specific target organ toxici Not available.	ty (single exposure)				
Specific target organ toxici Not available.	ty (repeated exposure)				
Aspiration hazard					

Not available.

Information on the likely routes of : Not available.

AQUARIUS RED B PIGMENT CONC.



Version Number 1.2 Revision Date 07/26/2023 Page 10 of 15 Print Date 07/27/2023

exposure

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion Symptoms related to the physical, cl	: : :	Causes eye irritation. No known significant effects or critical hazards. Causes skin irritation. No known significant effects or critical hazards.
Symptoms related to the physical, ch	Ienn	cal and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: pain or irritation,
		watering, redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation, redness
Ingestion	:	No specific data.
Delayed and immediate effects and a	also (chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		

<u>Acute toxicity estimates</u> N/A

AQUARIUS RED B PIGMENT CONC.

:

Version Number 1.2 Revision Date 07/26/2023



Page 11 of 15 Print Date 07/27/2023

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
1,2-Propanediol			
	Acute LC50 710 Mg/l Fresh	Fish - Pimephales promelas	96 h
	water		
	Acute EC50 > 110 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
	Acute LC50 1,020 Mg/l Fresh	Crustaceans - Ceriodaphnia	48 h
	water	dubia	

Conclusion/Summary

Not available.

:

Persistence and degradability

Conclusion/Summary : Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1,2-Propanediol	-1.070.085	-	low

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental

AQUARIUS RED B PIGMENT CONC.

Version Number 1.2 Revision Date 07/26/2023



Page 12 of 15 Print Date 07/27/2023

protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed

AQUARIUS RED B PIGMENT CONC.

Version Number 1.2 Revision Date 07/26/2023



Page 13 of 15 Print Date 07/27/2023

		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

SKIN IRRITATION - Category 2 : EYE IRRITATION - Category 2B

Composition/information on ingredients

Name	%	Classification
1,2-Propanediol	>= 10 - <= 25	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2B

AQUARIUS RED B PIGMENT CONC.

Version Number 1.2 Revision Date 07/26/2023



Page 14 of 15 Print Date 07/27/2023

Not applicable.

<u>State regulations</u> Massachusetts New York New Jersey Pennsylvania	::	None of the components are listed. None of the components are listed. The following components are listed: 1,2-Propanediol The following components are listed:
i chiisyivama	•	1,2-Propanediol
<u>California Prop. 65</u> This product does not require a Safe Ha United States inventory (TSCA 8b)		warning under California Prop. 65. All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
<u>International regulations</u> Inventory list		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
•		Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them.

AQUARIUS RED B PIGMENT CONC.

Version Number 1.2 Revision Date 07/26/2023



Page 15 of 15 Print Date 07/27/2023

HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	07/27/2023
Date of issue/Date of revision	:	07/26/2023
Date of previous issue	:	05/26/2023
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.