Geon[™] DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 1 of 18 Print Date 12/10/2018

SAFETY DATA SHEET

GeonTM DB5166 Yellow PMS 395

Section 1. Identification		
CHC musdust identifier		Geon [™] DB5166 Yellow PMS 395
GHS product identifier	•	
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20044166
Product type	:	liquid
<u>Relevant identified uses of the sub</u> Product use	ostance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1

GHS label elements



Geon™ DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 2 of 18 Print Date 12/10/2018

Hazard pictograms	:	
Signal word Hazard statements	:	Warning Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Wear eye or face protection. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Response	:	IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local,
Supplemental label elements		regional, national and international regulations. None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20044166

CAS number/other identifiers

Ingredient name	%	CAS number
Naphtha, petroleum, hydrotreated heavy	1 - 3	64742-48-9
The second	-	
	1 20	NT / 111
Proprietary Hazardous Compounds	1 - 2.9	Not available.



Geon[™] DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 3 of 18 Print Date 12/10/2018

Titanium dioxide	0.3 - 1	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.



Geon™ DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018

Potential acute health effects

Page 4 of 18 Print Date 12/10/2018

Most important symptoms/effects, acute and delayed

1 otential acute nearth effects		
Eye contact Inhalation Skin contact Ingestion	:	Causes serious eye irritation. No known significant effects or critical hazards. Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical Hazardous thermal	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl).



Geon™ DB5166 Yellow PMS 395

Version Number 1.0	Page 5 of 18
Revision Date 12/06/2018	Print Date 12/10/2018

decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for : fire-fighters	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for containment and cleaning up			
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste	
5/18			

Ine

Geon[™] DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 6 of 18 Print Date 12/10/2018

disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Proprietary Hazardous Compounds	None.
Naphtha, petroleum, hydrotreated heavy	None.
Titanium dioxide	OSHA PEL 1989 (1989-03-01)

<u>PolyOne</u>

Geon™ DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018

Page 7 of 18 Print Date 12/10/2018

		TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves
Body protection	:	cannot be accurately estimated. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks

Ine

Geon[™] DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 8 of 18 Print Date 12/10/2018

involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

:

Appearance

Physical state	: liquid [liquid]
Color	: YELLOW
Odor	: Not available.
Odor threshold	: Not available.
рН	Not available.
Melting point	Not available.
Boiling point	Not available.
Flash point	Not available.
Burning time	: Not available.
Burning rate	Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive	: Lower: Not available.
(flammable) limits	Upper: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Not available.
Solubility in water	: Not available.
Partition coefficient: n-	: Not available.
octanol/water	
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: Dynamic: Not available.
	Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).

8/18



Geon™ DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 9 of 18 Print Date 12/10/2018

Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Titanium dioxide					
Remarks - Oral:	No applicable toxic	No applicable toxicity data			
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-	
Proprietary Hazardous Compo	unds				
Remarks - Oral:	No applicable toxic	No applicable toxicity data			
Remarks - Inhalation:	No applicable toxic	No applicable toxicity data			
Remarks - Dermal:	No applicable toxicity data				
Naphtha, petroleum, hydrotreated heavy					
	LD50 Oral	Rat	6,000 mg/kg	-	
	LC50 Inhalation	Rat	8.5 Mg/l	4 h	
Remarks - Dermal:	No applicable toxicity data				

Conclusion/Summary : Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: M	ixture.Not full	y tested.		
Eyes	: M	ixture.Not full	y tested.		
Respiratory	: M	ixture.Not full	y tested.		

Sensitization



Geon™ DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 10 of 18 Print Date 12/10/2018

Conclusion/Summary Skin Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.				
Mutagenicity					
Conclusion/Summary	: N	fixture.Not fully	tested.		
Carcinogenicity					
Conclusion/Summary Classification	: N	lixture.Not fully	tested.		
Product/ingredient	OSHA	IARC	NTP		
name					
Titanium dioxide		2B			
Reproductive toxicity					
Conclusion/Summary	: N	lixture.Not fully	tested.		
Teratogenicity					
Conclusion/Summary	Conclusion/Summary : Mixture.Not fully tested.				
Specific target organ toxicity Not available.	<u> (single expos</u> u	<u>ıre)</u>			
Specific target organ toxicity	v (repeated exp	osure)			
Not available.					
Aspiration hazard					
Product/ingredient name		Re	sult		
Naphtha, petroleum, hydrotreat	ted heavy	AS	PIRATION HAZARD - Category 1		
Information on likely routes of exposure	of : N	ot available.			
Potential acute health effects					
Eye contact Inhalation Skin contact Ingestion	: N : C	auses skin irrita	e irritation. cant effects or critical hazards. tion. May cause an allergic skin reaction. cant effects or critical hazards.		

Symptoms related to the physical, chemical and toxicological characteristics



Geon[™] DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 11 of 18 Print Date 12/10/2018

Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following:
		irritation
		redness
Ingestion	:	No specific data.
Delayed and immediate effects as	well as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects		Not available.
·		
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity		No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	47,339.5 mg/kg
Route	ATE value
Dermal	104,146.9 mg/kg
Route	ATE value
Inhalation (vapors)	563.6 mg/l
Route	ATE value



Geon™ DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 12 of 18 Print Date 12/10/2018

Inhalation (dusts and mists)

142 mg/l

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure				
Titanium dioxide							
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h				
	water						
Remarks - Acute - Fish:	Acute						
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h				
		Crustaceans					
Remarks - Acute - Aquatic	Acute						
invertebrates.:		T	1				
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h				
		Daphnia					
Remarks - Acute - Aquatic	Acute						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data	No applicable toxicity data					
Aquatic invertebrates.:							
Proprietary Hazardous Compo	· · · · · · · · · · · · · · · · · · ·						
Remarks - Acute - Fish:	No applicable toxicity data						
Remarks - Acute - Aquatic	No applicable toxicity data						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
Naphtha, petroleum, hydrotrea							
Remarks - Acute - Fish:	No applicable toxicity data						
Remarks - Acute - Aquatic	No applicable toxicity data						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						



Geon[™] DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018

Page 13 of 18 Print Date 12/10/2018

Aquatic invertebrates.:		
Conclusion/Summary	:	Not available.
Persistence and degradability		
Conclusion/Summary	:	Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Naphtha, petroleum, hydrotreated	-	10.00 - 2,500.00	high
heavy			

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

protection and waste disposa authority requirements. Disp products via a licensed waste disposed of untreated to the s requirements of all authoritie should be recycled. Incinerat when recycling is not feasibl disposed of in a safe way. Ca emptied containers that have containers or liners may retain	vith the requirements of environmental al legislation and any regional local pose of surplus and non-recyclable the disposal contractor. Waste should not be sewer unless fully compliant with the es with jurisdiction. Waste packaging ation or landfill should only be considered ble. This material and its container must be care should be taken when handling e not been cleaned or rinsed out. Empty ain some product residues. Avoid dispersal ff and contact with soil, waterways, drains
---	--

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Ine

Geon[™] DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 14 of 18 Print Date 12/10/2018

Section 14. Transport information U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.

 International Air
 : Consult mode specific transport rules

 ICAO/IATA
 : Consult mode specific transport rules

 International Water
 : Consult mode specific transport rules

 IMO/IMDG
 : Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None
	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules:
	Listed 4-Nonylphenol, branched
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Listed 4-Nonylphenol, branched
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed Phthalocyanine green
	Vinyl chloride monomer
	C.I. Pigment Green 36
	Phenol

14/18

ne

Geon[™] DB5166 Yellow PMS 395

Version Number 1.0			
Revision Date	12/06/2018		

2-Ethylhexanoic acid zinc salt

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		Not lists d
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1

Composition/information on ingredients

Name	%	Classification
Titanium dioxide	>= 0.3 - <= 1	Delayed (chronic) health hazard
Proprietary Hazardous Compounds	>= 1 - <= 2.9	Fire hazard - Immediate (acute) health hazard - Delayed (chronic) health hazard
Naphtha, petroleum, hydrotreated heavy	>= 1 - <= 3	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - inhalation - Category 3 ASPIRATION HAZARD - Category 1

SARA 313



Geon[™] DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018

Page 16 of 18 Print Date 12/10/2018

	Product name	CAS number	%	
Form R - Reporting	Proprietary Hazardous		1 - 2.9	
requirements	Compounds			
Supplier notification	plier notification Proprietary Hazardous		1 - 2.9	
	Compounds			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed:
		Proprietary Hazardous Compounds
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		Ethene, chloro-, homopolymer
		Proprietary Hazardous Compounds
		Titanium dioxide
Pennsylvania	:	The following components are listed:
		Proprietary Hazardous Compounds
		Titanium dioxide

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.

16/18

Geon[™] DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 17 of 18 Print Date 12/10/2018

New Zealand Philippines Republic of Korea Taiwan Turkey United States	:	Not determined. Not determined. Not determined. Not determined. Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Flammability 0	/ 2	Health
	0	Flammability
Physical hazards 0	0	Physical hazards

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

History		
Date of printing	:	12/10/2018
Date of issue/Date of revision	:	12/06/2018
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
References	:	UN = United Nations Not available.
Notice to reader		

ne

Geon[™] DB5166 Yellow PMS 395

Version Number 1.0 Revision Date 12/06/2018 Page 18 of 18 Print Date 12/10/2018

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.