CORE™ DB5679 BLUE NP

Version Number 1.1 Revision Date 07/28/2022



Page 1 of 16 Print Date 07/29/2022

SAFETY DATA SHEET

CORETM DB5679 BLUE NP

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:	CORE TM DB5679 BLUE NP Mixture Mixture FO20049308 liquid
		or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
Emergency telephone number (with hours of operation)	:	1 (440) 930-1000 or 1 (844) 4AVIENT CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN SENSITIZATION - Category 1
GHS label elements		

CORE™ DB5679 BLUE NP

Version Number 1.1 Revision Date 07/28/2022



Page 2 of 16 Print Date 07/29/2022

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	May cause an allergic skin reaction.
Precautionary statements		
	:	Not applicable.
Prevention	:	Wear protective gloves. Avoid breathing vapor.
Response	:	Wash contaminated clothing before reuse. IF ON SKIN: Wash with
C.		plenty of water.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	-	None known.
Huzurus not other wist classificu	•	Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20049308

CAS number/other identifiers

Ingredient name	%	CAS number
Naphtha, petroleum, hydrotreated heavy	>= 1 - <= 3	64742-48-9
Proprietary Hazardous Compounds	> 0 - <= 0.3	Not available.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

CORE™ DB5679 BLUE NP

Version Number 1.1 Revision Date 07/28/2022

ÀVIENT

Page 3 of 16 Print Date 07/29/2022

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Description of necessary first aid measures Eve contact

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: May cause an allergic skin reaction.	
Ingestion	: No known significant effects or critical hazards.	
Over-exposure signs/symptoms		
Eye contact	: No specific data.	
Inhalation	: No specific data.	
	3/16	

CORE™ DB5679 BLUE NP

Version Number 1.1 Revision Date 07/28/2022



Page 4 of 16 Print Date 07/29/2022

Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Indication of immediate medical	attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters Special protective equipment for	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self-
fire-fighters		contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

CORE™ DB5679 BLUE NP



Version Number 1.1	
Revision Date 07/28/20)22

Page 5 of 16 Print Date 07/29/2022

For emergency responders	:	suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt aı	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands

CORE™ DB5679 BLUE NP

Version Number 1.1 Revision Date 07/28/2022



Page 6 of 16
Print Date 07/29/2022

and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities
 Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Naphtha, petroleum, hydrotreated heavy	None.	
Proprietary Hazardous Compounds	None.	
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measures		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection		

CORE™ DB5679 BLUE NP

Version Number 1.1 Revision Date 07/28/2022



Page 7 of 16 Print Date 07/29/2022

	higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	BLUE
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
-		

CORE™ DB5679 BLUE NP

Version Number 1.1 Revision Date 07/28/2022



Page 8 of 16 Print Date 07/29/2022

Solubility Solubility in water	:	Not available. Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature Decomposition temperature SADT	:	Not available. Not available. Not available.
Viscosity	:	Dynamic: Not available. Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition - Deflagration density	:	Not available.
Flame height Flame duration	:	Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Naphtha (petroleum), hydrotreat	ted heavy A co	mplex combination	of hydrocarbons obta	ained by treating a petroleum	
fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers					
predominantly in the range of C6 through C13 and boiling in the range of approximately 65.degree.C to					

CORE™ DB5679 BLUE NP


Version Number 1.1 Revision Date 07/28/2022 Page 9 of 16 Print Date 07/29/2022

230.degree.C (149.degree.F to	LD50 Oral	Rat	6,000 mg/kg	-
	LC50 Inhalation	Rat	8.5 Mg/l	4 h
	Vapor		Ũ	
Conclusion/Summary	: Mixtur	e.Not fully tested.		
Irritation/Corrosion				
Conclusion/Summary				
Skin		e.Not fully tested.		
Eyes		e.Not fully tested.		
Respiratory	: Mixtu	e.Not fully tested.		
<u>Sensitization</u>				
Conclusion/Summary				
Skin		e.Not fully tested.		
Respiratory	: Mixtu	e.Not fully tested.		
<u>Mutagenicity</u>				
Conclusion/Summary	: Mixtur	e.Not fully tested.		
Carcinogenicity				
Conclusion/Summary	: Mixtu	e.Not fully tested.		
<u>Reproductive toxicity</u>				
Conclusion/Summary	: Mixtur	e.Not fully tested.		
Teratogenicity				
Conclusion/Summary	: Mixtur	e.Not fully tested.		
Specific target organ toxicit Not available.	y (single exposure)			
<u>Specific target organ toxicit</u> Not available.	y (repeated exposure)		
Aspiration hazard				

Name	Result		
Naphtha (petroleum), hydrotreated heavy A complex	ASPIRATION HAZARD - Category 1		
9/16			



CORE™ DB5679 BLUE NP



ÀVIENT™

Page 10 of 16 Print Date 07/29/2022

combination of hydrocarbons obtained by	y treating a			
petroleum fraction with hydrogen in the presence of a				
catalyst. It consists of hydrocarbons having carbon				
numbers predominantly in the range of C	e			
and boiling in the range of approximately				
230.degree.C (149.degree.F to 446.degre	-			
Information on the likely routes of exposure	Not available			
Potential acute health effects				
Eye contact :	No known sig	nificant effects or critical hazards.		
Inhalation		nificant effects or critical hazards.		
Skin contact	May cause an	allergic skin reaction.		
Ingestion :	No known sig	nificant effects or critical hazards.		
Symptoms related to the physical, cher	mical and toxicol	ogical characteristics		
Eye contact	No specific da	ita.		
Inhalation :	No specific da	ita.		
Skin contact	-	Adverse symptoms may include the following: irritation, redness		
Ingestion :	No specific data.			
Delayed and immediate effects and als Short term exposure	o chronic effects	from short and long term exposure		
Potential immediate effects	Not available			
	Not available			
Long term exposure				
	Not available			
Potential delayed effects	Not available			
Potential chronic health effects				
Conclusion/Summary	Mixture.Not	ully tested.		
General		ed, a severe allergic reaction may occur when		
~		exposed to very low levels.		
Carcinogenicity :		nificant effects or critical hazards.		
Mutagenicity :		nificant effects or critical hazards.		
Teratogenicity		nificant effects or critical hazards.		
Developmental effects :	No known sig	nificant effects or critical hazards.		

CORE™ DB5679 BLUE NP

:

Version Number 1.1 Revision Date 07/28/2022



Page 11 of 16 Print Date 07/29/2022

Fertility effects

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
CORE™ DB5679 BLUE NP	N/A	N/A	N/A	519.8 Mg/l	N/A
Naphtha (petroleum), hydrotreated heavy A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C6 through C13 and boiling in the range of approximately 65.degree.C to 230.degree.C (149.degree.F to 446.degree.F).	6,000 mg/kg	N/A	N/A	8.5 Mg/l	N/A
Proprietary Hazardous Compounds	500 mg/kg	N/A	N/A	N/A	N/A

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

:

Toxicity

Conclusion/Summary : Not available.

Persistence and degradability

Conclusion/Summary : Not available.

11/16

CORE™ DB5679 BLUE NP

Version Number 1.1 Revision Date 07/28/2022



	Page 12 of	16
Print	Date 07/29/202	22

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Naphtha (petroleum), hydrotreated	-	10.00 - 2,500.00	high
heavy A complex combination of			
hydrocarbons obtained by treating a			
petroleum fraction with hydrogen in			
the presence of a catalyst. It consists			
of hydrocarbons having carbon			
numbers predominantly in the range			
of C6 through C13 and boiling in the			
range of approximately 65.degree.C to			
230.degree.C (149.degree.F to			
446.degree.F).			

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

•

:

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

CORE™ DB5679 BLUE NP

Version Number 1.1 Revision Date 07/28/2022

ÀVIENT

Page 13 of 16 Print Date 07/29/2022

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Consult mode specific transport rules
International Water IMO/IMDG	: Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None
	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Listed 4-Nonylphenol, branched
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Listed (2-Methoxymethylethoxy)propanol 4-Nonylphenol, branched
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed Phthalocyanine Blue
	2-Ethylhexanoic acid zinc salt
	Phenol
	Vinyl chloride monomer
	13/16

CORE™ DB5679 BLUE NP

Version Number 1.1 Revision Date 07/28/2022



Page 14 of 16 Print Date 07/29/2022

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor		Not listed
Chemicals)		
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

SKIN SENSITIZATION - Category 1

Composition/information on ingredients

Name	%	Classification
Naphtha (petroleum),	>= 1 - <= 3	FLAMMABLE LIQUIDS - Category 3
hydrotreated heavy A		ACUTE TOXICITY - inhalation - Category 3
complex combination of		ASPIRATION HAZARD - Category 1
hydrocarbons obtained by		
treating a petroleum fraction		
with hydrogen in the		
presence of a catalyst. It		
consists of hydrocarbons		
having carbon numbers		
predominantly in the range		
of C6 through C13 and		
boiling in the range of		
approximately 65.degree.C		
to 230.degree.C		
(149.degree.F to		

CORE™ DB5679 BLUE NP

Version Number 1.1 Revision Date 07/28/2022

Page 15 of 16

Print Date 07/29/2022

446.degree.F).		
Proprietary Hazardous Compounds	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY - oral - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
-		Ethene, chloro-, homopolymer
Pennsylvania	:	None of the components are listed.
California Prop. 65		-
This product does not require a Safe H	arbo	r warning under California Prop. 65.
United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
		Not determined.
Australia	:	
Australia Canada	:	Not determined. All components are listed or exempted. Not determined.
Australia Canada China	: : : :	All components are listed or exempted. Not determined.
Australia Canada China Europe inventory		All components are listed or exempted.
Australia Canada China	: : : : : : : : : : : : : : : : : : : :	All components are listed or exempted. Not determined. Not determined.
Australia Canada China Europe inventory Japan New Zealand	: : : : : : : : : : : : : : : : : : : :	All components are listed or exempted. Not determined. Not determined. Not determined.
Australia Canada China Europe inventory Japan New Zealand Philippines	: : : : : : : : : : : : : : : : : : : :	All components are listed or exempted. Not determined. Not determined. Not determined. Not determined.
Australia Canada China Europe inventory Japan New Zealand		All components are listed or exempted. Not determined. Not determined. Not determined. Not determined. Not determined.
Australia Canada China Europe inventory Japan New Zealand Philippines Republic of Korea Taiwan		All components are listed or exempted. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
Australia Canada China Europe inventory Japan New Zealand Philippines Republic of Korea		All components are listed or exempted. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)


Health

/ 2

15/16



CORE™ DB5679 BLUE NP





Page 16 of 16 Print Date 07/29/2022

Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Histor y		
Date of printing	:	07/29/2022
Date of issue/Date of revision	:	07/28/2022
Date of previous issue	:	07/25/2022
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.