

CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022 Page 1 of 15 Print Date 08/25/2022

SAFETY DATA SHEET

CORE™ MB3273 NEUTRAL SOFT NP 3157B

Section 1. Identification	on	
GHS product identifier	:	CORE™ MB3273 NEUTRAL SOFT NP 3157B
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20049373
Product type	:	liquid
Relevant identified uses of the subs	stance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN SENSITIZATION - Category 1
GHS label elements		



CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022 Page 2 of 15 Print Date 08/25/2022

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	May cause an allergic skin reaction.
Precautionary statements		
	:	Not applicable.
Prevention	:	Wear protective gloves. Avoid breathing vapor.
Response	:	Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20049373

CAS number/other identifiers

Ingredient name	%	CAS number
Bisphenol A - Epichlorohydrin polymer	>= 1 - <= 3	25068-38-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures



CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022 Page 3 of 15 Print Date 08/25/2022

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eve contact		No known significant effects or critical hazards.
Inhalation		No known significant effects or critical hazards.
Skin contact	:	May cause an allergic skin reaction.
Ingestion	:	No known significant effects or critical hazards.
	_	
	_	
Eye contact	:	No specific data.
Eye contact Inhalation	:	No specific data. No specific data.
J. J	:	1
Inhalation		No specific data.

ÀVIENT

CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022 Page 4 of 15 Print Date 08/25/2022

Ingestion	:	redness No specific data.
Indication of immediate medica	l attentio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through



CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0	Page 5 of 15
Revision Date 08/24/2022	Print Date 08/25/2022

For emergency responders	:	spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt ar	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See



CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022 Page 6 of 15 Print Date 08/25/2022

also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits		
Bisphenol A - Epichlorohydrin polymer	None.		
	 Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be 		
Linvironinentai exposare controis	checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
Individual protection measures			
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
Eye/face protection	 Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. 		
Skin protection			



CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022 Page 7 of 15 Print Date 08/25/2022

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved
		standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the
		parameters specified by the glove manufacturer, check during use that
		the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be
		different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves
		cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures
-		should be selected based on the task being performed and the risks
		involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper
		fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	NO PIGMENT
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		



CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022 Page 8 of 15 Print Date 08/25/2022

Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
·		Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		Not available.
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
Bisphenol A, epichlorohydrin	polymer			
	LD50 Oral	Rat	11,400 mg/kg	-
Conclusion/Summary	: Mixt	ure.Not fully tested.		

Irritation/Corrosion



CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022 Page 9 of 15 Print Date 08/25/2022

Product/ingredient name	Result	Species	Score	Exposure	Observation
Bisphenol A, epichlorohydrin polymer	Eyes - Mild irritant	Rabbit	-		-
· · ·	Eyes - Mild irritant	Rabbit	-		-
	Skin - Moderate irritant	t Rabbit	-	24 hrs	-
	Skin - Severe irritant	Rabbit	-	24 hrs	-
	Eyes - Mild irritant	Rabbit	-		-
Conclusion/Summary					
Skin		ot fully tested.			
Eyes		ot fully tested.			
Respiratory	: Mixture.N	ot fully tested.			
Sensitization					
Conclusion/Summary					
Skin		ot fully tested.			
Respiratory	: Mixture.N	ot fully tested.			
Mutagenicity					
Conclusion/Summary	: Mixture.N	ot fully tested.			
Carcinogenicity					
Conclusion/Summary	: Mixture.N	ot fully tested.			
<u>Reproductive toxicity</u>					
Conclusion/Summary	: Mixture.N	ot fully tested.			
Teratogenicity					
Conclusion/Summary	: Mixture.N	ot fully tested.			
Specific target organ toxicit Not available.	y (single exposure)				
Specific target organ toxicit Not available.	<u>y (repeated exposure)</u>				
Aspiration hazard Not available.					
Information on the likely ro	outes of : Not availab	ble.			



CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022 Page 10 of 15 Print Date 08/25/2022

exposure

::	No known significant effects or critical hazards. No known significant effects or critical hazards. May cause an allergic skin reaction. No known significant effects or critical hazards.
chemi	cal and toxicological characteristics
::	No specific data. No specific data. Adverse symptoms may include the following: irritation, redness No specific data.
also o	chronic effects from short and long term exposure
:	Not available. Not available.
:	Not available. Not available.
:	Mixture.Not fully tested.
:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
:	No known significant effects or critical hazards. No known significant effects or critical hazards.
	: : : : : : : : : : : : : : : : : : :

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and



CORE™ MB3273 NEUTRAL SOFT NP 3157B

:

Version Number 1.0 Revision Date 08/24/2022

Page 11 of 15 Print Date 08/25/2022

					mists)
CORE™ MB3273 NEUTRAL SOFT NP 3157B	11,400 mg/kg	N/A	N/A	N/A	N/A
Bisphenol A, epichlorohydrin polymer	11,400 mg/kg	N/A	N/A	N/A	N/A

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Conclusion/Summary	:	Not available.
Persistence and degradability		

Conclusion/Summary : Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Bisphenol A, epichlorohydrin	2.64 - 3.78	31.00	low
polymer			

Mobility in soil

Soil/water partition coefficient	:	Not available.	
(KOC)			

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products

•



CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022 Page 12 of 15 Print Date 08/25/2022

should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		40/45



CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022

Page 13 of 15 Print Date 08/25/2022

		United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Poly(dimethylsiloxane) Ethoxylated octylphenol
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed 2-Ethylhexanoic acid zinc salt Phenol Vinyl chloride monomer
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed
US. EPA CERCLA Hazardous Subs	stanc	es (40 CFR 302)
not applicable		

<u>SARA 311/312</u>

Classification

: SKIN SENSITIZATION - Category 1

Composition/information on ingredients

Name	%	Classification	
13/15			

CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022

Page 14 of 15 Print Date 08/25/2022

ÀVIENT

T		
Bisphenol A,	>= 1 - <= 3	SKIN IRRITATION - Category 2
epichlorohydrin polymer		EYE IRRITATION - Category 2B
		SKIN SENSITIZATION - Category 1
Not applicable.		
State regulations		
Massachusetts		of the components are listed.
New York		of the components are listed.
New Jersey		bllowing components are listed:
		ne, chloro-, homopolymer
Pennsylvania	: None	of the components are listed.
<u>California Prop. 65</u>		
This product does not require a		
United States inventory (TSC	CA 8b) : Not d	etermined.
Canada inventory		ast one component is not listed in DSL but all such components sted in NDSL.
International regulations		
<u>Inventory list</u>		
<u>Inventory list</u> Australia	: Not o	letermined.
	: At le	letermined. ast one component is not listed in DSL but all such components sted in NDSL.
Australia	: At le are li	ast one component is not listed in DSL but all such components
Australia Canada	: At le are li : Not o : All c	ast one component is not listed in DSL but all such components sted in NDSL. letermined. omponents are listed or exempted.
Australia Canada China Europe inventory Japan	: At le are li : Not c : All c : All c	ast one component is not listed in DSL but all such components sted in NDSL. letermined. omponents are listed or exempted. omponents are listed or exempted.
Australia Canada China Europe inventory Japan New Zealand	: At le are li : Not c : All c : All c	ast one component is not listed in DSL but all such components sted in NDSL. letermined. omponents are listed or exempted.
Australia Canada China Europe inventory Japan New Zealand Philippines	: At le are li : Not o : All c : All c : Not o : Not o	ast one component is not listed in DSL but all such components sted in NDSL. determined. omponents are listed or exempted. omponents are listed or exempted. determined. determined.
Australia Canada China Europe inventory Japan New Zealand Philippines Republic of Korea	: At le are li : Not o : All c : All c : Not o : Not o : All c	ast one component is not listed in DSL but all such components sted in NDSL. determined. omponents are listed or exempted. omponents are listed or exempted. determined. letermined. omponents are listed or exempted.
Canada China Europe inventory Japan New Zealand Philippines Republic of Korea Taiwan	: At le are li : Not o : All c : All c : Not o : Not o : All c : Not o	ast one component is not listed in DSL but all such components sted in NDSL. letermined. omponents are listed or exempted. omponents are listed or exempted. letermined. letermined. omponents are listed or exempted. letermined. omponents are listed or exempted. letermined.
Australia Canada China Europe inventory Japan New Zealand Philippines Republic of Korea	: At le are li : Not o : All c : All c : Not o : All c : Not o : Not o : Not o	ast one component is not listed in DSL but all such components sted in NDSL. determined. omponents are listed or exempted. omponents are listed or exempted. determined. determined. omponents are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)





CORE™ MB3273 NEUTRAL SOFT NP 3157B

Version Number 1.0 Revision Date 08/24/2022 Page 15 of 15 Print Date 08/25/2022

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	08/25/2022
Date of issue/Date of revision	:	08/24/2022
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{U}N = United Nations$
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.